

(12) INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(19) World Intellectual Property Organization  
International Bureau



(43) International Publication Date  
21 November 2002 (21.11.2002)

PCT

(10) International Publication Number  
**WO 02/092076 A1**

(51) International Patent Classification<sup>7</sup>: **A61K 31/35**,  
31/385, 31/47, C07D 215/16, 215/20, 311/04, 335/04

(74) Agents: **ESMOND, Robert, W. et al.**; Sterne, Kessler,  
Goldstein & Fox P.L.L.C., Suite 600, 1100 New York Av-  
enue, N.W., Washington, DC 20005-3934 (US).

(21) International Application Number: **PCT/US02/15401**

(22) International Filing Date: **16 May 2002 (16.05.2002)**

(25) Filing Language: **English**

(26) Publication Language: **English**

(30) Priority Data:  
**60/290,978** **16 May 2001 (16.05.2001)** **US**

(71) Applicants: **CYTOVIA, INC.** [US/US]; 6650 Nancy  
Ridge Drive, San Diego, CA 92121 (US). **SHIRE**  
**BIOCHEM, INC.** [CA/CA]; 275 Armand-Frappier  
Boulevard, Laval Quebec H7V 4A7 (CA).

(71) Applicants and

(72) Inventors: **CAI, Sui, Xiong** [US/US]; 3623 Berryfield  
Court, San Diego, CA 92130 (US). **ZHANG, Hong**  
[CN/US]; 5139 Clairemont Mesa Boulevard, Apart-  
ment 110, San Diego, CA 92117 (US). **KEMMITZER,**  
**William, E.** [US/US]; 2838 Bay Canyon Court, San  
Diego, CA 92117 (US). **JIANG, Songchum** [CN/US];  
13455 Salmon River Road, San Diego, CA 92129 (US).  
**DREWE, John, A.** [US/US]; 7069 Murillo Lane, Carls-  
bad, CA 92009 (US). **STORER, Richard** [GB/GB]; 26  
Cecil Park, Pinner, Middlesex HA5 5HH (GB).

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU,  
AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU,  
CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH,  
GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC,  
LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW,  
MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG,  
SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, UZ, VN,  
YU, ZA, ZM, ZW.


(84) Designated States (*regional*): ARIPO patent (GH, GM,  
KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),  
Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM),  
European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR,  
GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent  
(BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR,  
NE, SN, TD, TG).

**Published:**

- with international search report
- before the expiration of the time limit for amending the  
claims and to be republished in the event of receipt of  
amendments

For two-letter codes and other abbreviations, refer to the "Guid-  
ance Notes on Codes and Abbreviations" appearing at the begin-  
ning of each regular issue of the PCT Gazette.

(54) Title: **SUBSTITUTED COUMARINS AND QUINOLINES AS CASPASES ACTIVATORS**



(57) Abstract: 5 The present invention is directed to substituted coumarins and quinolines and analogs thereof, represented by the general Formula I: A (I) 10 wherein A, B, X, Y, and Z are defined herein. The present invention also relates to the discovery that compounds having Formula I are activators of caspases and inducers of apoptosis. Therefore, the activators of caspases and inducers of apoptosis of this invention can be used to induce cell death in a variety of clinical conditions in which uncontrolled growth and spread of abnormal cells occurs.

WO 02/092076 A1

## SUBSTITUTED COUMARINS AND QUINOLINES AS CASPASES ACTIVATORS

## BACKGROUND OF THE INVENTION

## 5 Field of the Invention

This invention is in the field of medicinal chemistry. In particular, the invention relates to substituted coumarins and quinolines and analogs, and the discovery that these compounds are activators of caspases and inducers of apoptosis. The invention also relates to the use of these compounds as

10 therapeutically effective anti-cancer agents.

## DESCRIPTION OF BACKGROUND ART

Organisms eliminate unwanted cells by a process variously known as regulated cell death, programmed cell death or apoptosis. Such cell death occurs as a normal aspect of animal development as well as in tissue homeostasis and aging (Glucksmann, A., *Biol. Rev. Cambridge Philos. Soc.* 26:59-86 (1951); Glucksmann, A., *Archives de Biologie* 76:419-437 (1965); Ellis, *et al.*, *Dev.* 112:591-603 (1991); Vaux, *et al.*, *Cell* 76:777-779 (1994)). Apoptosis regulates cell number, facilitates morphogenesis, removes harmful or otherwise abnormal cells and eliminates cells that have already performed

15 their function. Additionally, apoptosis occurs in response to various physiological stresses, such as hypoxia or ischemia (PCT published application WO 96/20721).

20

There are a number of morphological changes shared by cells experiencing regulated cell death, including plasma and nuclear membrane blebbing, cell shrinkage (condensation of nucleoplasm and cytoplasm), organelle relocation and compaction, chromatin condensation and production of apoptotic bodies (membrane enclosed particles containing intracellular material) (Orrenius, S., *J. Internal Medicine* 237:529-536 (1995)).

25

Apoptosis is achieved through an endogenous mechanism of cellular suicide (Wyllie, A.H., in *Cell Death in Biology and Pathology*, Bowen and Lockshin, eds., Chapman and Hall (1981), pp. 9-34). A cell activates its internally encoded suicide program as a result of either internal or external signals. The suicide program is executed through the activation of a carefully regulated genetic program (Wyllie, *et al.*, *Int. Rev. Cyt.* 68:251 (1980); Ellis, *et al.*, *Ann. Rev. Cell Bio.* 7:663 (1991)). Apoptotic cells and bodies are usually recognized and cleared by neighboring cells or macrophages before lysis. Because of this clearance mechanism, inflammation is not induced despite the clearance of great numbers of cells (Orrenius, S., *J. Internal Medicine* 237:529-536 (1995)).

It has been found that a group of proteases are a key element in apoptosis (see, e.g., Thornberry, *Chemistry and Biology* 5:R97-R103 (1998); Thornberry, *British Med. Bull.* 53:478-490 (1996)). Genetic studies in the nematode *Caenorhabditis elegans* revealed that apoptotic cell death involves at least 14 genes, 2 of which are the pro-apoptotic (death-promoting) *ced* (for *cell death abnormal*) genes, *ced-3* and *ced-4*. CED-3 is homologous to interleukin 1 beta-converting enzyme, a cysteine protease, which is now called caspase-1. When these data were ultimately applied to mammals, and upon further extensive investigation, it was found that the mammalian apoptosis system appears to involve a cascade of caspases, or a system that behaves like a cascade of caspases. At present, the caspase family of cysteine proteases comprises 14 different members, and more may be discovered in the future. All known caspases are synthesized as zymogens that require cleavage at an aspartyl residue prior to forming the active enzyme. Thus, caspases are capable of activating other caspases, in the manner of an amplifying cascade.

Apoptosis and caspases are thought to be crucial in the development of cancer (*Apoptosis and Cancer Chemotherapy*, Hickman and Dive, eds., Humana Press (1999)). There is mounting evidence that cancer cells, while containing caspases, lack parts of the molecular machinery that activates the caspase cascade. This makes the cancer cells lose their capacity to undergo cellular suicide and the cells become immortal and cancerous. In the case of

the apoptosis process, control points are known to exist that represent points for intervention leading to activation. These control points include the CED-9-BCL-like and CED-3-ICE-like gene family products, which are intrinsic proteins regulating the decision of a cell to survive or die and executing part of the cell death process itself, respectively (see, Schmitt, *et al.*, *Biochem. Cell. Biol.* 75:301-314 (1997)). BCL-like proteins include BCL-xL and BAX-alpha, which appear to function upstream of caspase activation. BCL-xL appears to prevent activation of the apoptotic protease cascade, whereas BAX-alpha accelerates activation of the apoptotic protease cascade.

It has been shown that chemotherapeutic (anti-cancer) drugs can trigger cancer cells to undergo suicide by activating the dormant caspase cascade. This may be a crucial aspect of the mode of action of most, if not all, known anticancer drugs (Los, *et al.*, *Blood* 90:3118-3129 (1997); Friesen, *et al.*, *Nat. Med.* 2:574 (1996)). The mechanism of action of current antineoplastic drugs frequently involves an attack at specific phases of the cell cycle. In brief, the cell cycle refers to the stages through which cells normally progress during their lifetimes. Normally, cells exist in a resting phase termed G<sub>0</sub>. During multiplication, cells progress to a stage in which DNA synthesis occurs, termed S. Later, cell division, or mitosis occurs, in a phase called M. Antineoplastic drugs such as cytosine arabinoside, hydroxyurea, 6-mercaptopurine, and methotrexate are S phase specific, whereas antineoplastic drugs such as vincristine, vinblastine, and paclitaxel are M phase specific. Many slow growing tumors, for example colon cancers, exist primarily in the G<sub>0</sub> phase, whereas rapidly proliferating normal tissues, for example bone marrow, exist primarily in the S or M phase. Thus, a drug like 6-mercaptopurine can cause bone marrow toxicity while remaining ineffective for a slow growing tumor. Further aspects of the chemotherapy of neoplastic diseases are known to those skilled in the art (see, e.g., Hardman, *et al.*, eds., *Goodman and Gilman's The Pharmacological Basis of Therapeutics*, Ninth Edition, McGraw-Hill, New York (1996), pp. 1225-1287). Thus, it is clear that the possibility exists for the activation of the caspase cascade, although the exact mechanisms for doing so are not clear at this point. It is equally

clear that insufficient activity of the caspase cascade and consequent apoptotic events are implicated in various types of cancer. The development of caspase cascade activators and inducers of apoptosis is a highly desirable goal in the development of therapeutically effective antineoplastic agents. Moreover, since autoimmune disease and certain degenerative diseases also involve the proliferation of abnormal cells, therapeutic treatment for these diseases could also involve the enhancement of the apoptotic process through the administration of appropriate caspase cascade activators and inducers of apoptosis.

## SUMMARY OF THE INVENTION

The present invention is related to the discovery that substituted coumarins and quinolines and analogs, as represented in Formula I, are activators of the caspase cascade and inducers of apoptosis. Thus, an aspect of the present invention is directed to the use of compounds of Formula I as inducers of apoptosis.


A second aspect of the present invention is to provide a method for treating, preventing or ameliorating neoplasia and cancer by administering a compound of Formula I to a mammal in need of such treatment.

Many of compounds within the scope of the present invention are novel compounds. Therefore, a third aspect of the present invention is to provide novel compounds of Formula I, and to also provide for the use of these novel compounds for treating, preventing or ameliorating neoplasia and cancer.


A fourth aspect of the present invention is to provide a pharmaceutical composition useful for treating disorders responsive to the induction of apoptosis, containing an effective amount of a compound of Formula I in admixture with one or more pharmaceutically acceptable carriers or diluents.

A fifth aspect of the present invention is directed to methods for the preparation of novel compounds of Formula I.

A sixth aspect of the present invention is directed to a process for the preparation of a compound having Formula III



the process comprising reacting a 2-aminobenzopyran having the formula:




wherein Y is CN, COR<sub>7</sub>, CO<sub>2</sub>R<sub>7</sub> or CONR<sub>x</sub>R<sub>y</sub>, wherein R<sub>7</sub>, R<sub>x</sub> and R<sub>y</sub> are independently hydrogen, C<sub>1-10</sub> alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl; or R<sub>x</sub> and R<sub>y</sub> are taken together with the nitrogen to which they are attached to form a heterocycle;

A is optionally substituted and is aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl or heteroarylalkyl; and

R<sub>1</sub>-R<sub>4</sub> are independently hydrogen, halo, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, C<sub>1-10</sub> alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, methylenedioxy, carbonylamido or alkylthiol; or R<sub>1</sub> and R<sub>2</sub>, or R<sub>2</sub> and R<sub>3</sub>, or R<sub>3</sub> and R<sub>4</sub>, taken together with the

atoms to which they are attached form an aryl, heteroaryl, partially saturated carbocyclic or partially saturated heterocyclic group, wherein said group is optionally substituted;

with an oxidant in an organic solvent to produce a 2-imino-2*H*-chromene of Formula IV:




contacting said 2-imino-2*H*-chromene with an aqueous acid, and isolating the product of Formula III.

#### DETAILED DESCRIPTION OF THE INVENTION

The present invention arises out of the discovery that substituted coumarins and quinolines and analogs, as represented in Formula I, are potent and highly efficacious activators of the caspase cascade and inducers of apoptosis. Therefore compounds of Formula I are useful for treating disorders responsive to induction of apoptosis.

Specifically, compounds useful in this aspect of the present invention are represented by Formula I:



or pharmaceutically acceptable salts or prodrugs thereof, wherein:  
the dashed lines cannot both be a double bond at the same time;

X is O, S or NR<sub>6</sub>, wherein R<sub>6</sub> is hydrogen or optionally substituted alkyl or aryl;


Y is CN, COR<sub>7</sub>, CO<sub>2</sub>R<sub>7</sub> or CONR<sub>x</sub>R<sub>y</sub>, wherein R<sub>7</sub>, R<sub>x</sub> and R<sub>y</sub> are independently hydrogen, C<sub>1-10</sub> alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl; or R<sub>x</sub> and R<sub>y</sub> are taken together with the nitrogen to which they are attached to form a heterocycle;

Z is O, S, halo, NR<sub>8</sub>, or NCOR<sub>8</sub>, wherein R<sub>8</sub> is independently H, C<sub>1-4</sub> alkyl or aryl;

A is optionally substituted and is aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl or heteroarylalkyl; and

B is optionally substituted and is an aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, or partially saturated heterocyclic ring.

Preferred compounds have Formula IIA:



IIA

or pharmaceutically acceptable salts or prodrugs thereof, wherein:


X, Y, Z and A are defined above with respect to Formula (I), and

R<sub>1</sub>-R<sub>4</sub> are independently hydrogen, halo, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, C<sub>1-10</sub> alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol,

acyloxy, azido, alkoxy, carboxy, methylenedioxy, carbonylamido or alkylthiol; or

R<sub>1</sub> and R<sub>2</sub>, or R<sub>2</sub> and R<sub>3</sub>, or R<sub>3</sub> and R<sub>4</sub>, taken together with the atoms to which they are attached form an aryl, heteroaryl, partially saturated carbocyclic or partially saturated heterocyclic group, wherein said group is optionally substituted.

Particularly preferred are compounds having Formula IIB:




where the substituents are defined above with respect to Formula IIA.

Preferred are compounds of Formulae IIA and IIB (hereinafter Formula II), wherein R<sub>1</sub> and R<sub>2</sub>, or R<sub>2</sub> and R<sub>3</sub>, or R<sub>3</sub> and R<sub>4</sub>, taken together form a structure selected from the group consisting of -OCH<sub>2</sub>O-, -(CH<sub>2</sub>)<sub>3</sub>-, -(CH<sub>2</sub>)<sub>4</sub>-, -CH<sub>2</sub>C(V)<sub>2</sub>O-, -OCH<sub>2</sub>CH<sub>2</sub>O-, -CH<sub>2</sub>N(V)CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>N(V)CH<sub>2</sub>-, -CH<sub>2</sub>N(V)CH<sub>2</sub>CH<sub>2</sub>-, -N(V)-CH=CH-, CH=CH-N(V)-, -N(V)-CH=N-, -N=CH-O-, -N(V)-CH=N-, -O-CH=N-, -N=CH-O-, -S-CH=N-, -N=CH-S-, -O-CH=CH-, -CH=CH-O-, -S-CH=CH-, -CH=CH-S-, -CH=CH-CH=CH-, -N=CH-CH=CH-, -CH=N-CH=CH-, -CH=CH-N=CH-, -CH=CH-CH=N-, -N=CH-CH=N-, -NH-CH<sub>2</sub>-NH-, -NH-CO-NH-, -N-CO-CO-N-, -N-CH<sub>2</sub>-CH<sub>2</sub>-N-, and -N=N-NH-, wherein V is hydrogen, C<sub>1-10</sub> alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl. Especially preferred compounds of Formula II are wherein R<sub>3</sub> and R<sub>4</sub> together form an optionally substituted ring, wherein said ring is selected from the group consisting of benzo, pyrido, furo, dihydrofuro, thieno, pyrrolo, imidazolo,


pyrazo, thiazolo, oxazolo, 2-oxadihydroimidazolo, 1,4-dihydropyrazine-2,3-dione, imidazolino, imidazol-2-one, imidazol-2-thion, oxazol-2-one, triazolo, or piperazo ring.

Preferred compounds falling within the scope of Formula II also include compounds wherein  $R_1$ - $R_4$  are independently hydrogen, halogen, hydroxy,  $C_{1-10}$  alkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, amino, acylamido, acyloxy, alkoxy, methylenedioxy or alkylthiol; X is O, S or N; Z is O, Cl or NH, and Y is CN.


Preferred compounds of Formula IIA are substituted chromenes and quinolines and analogs represented by Formulae III-VI:




III



IV




V



VI

or pharmaceutically acceptable salts or prodrugs thereof, wherein  $R_1$ - $R_4$ ,  $R_6$ , Y and A are as defined previously with respect to Formulae I and II.


Additional preferred compounds of Formula IIA are substituted quinolines and analogs represented by Formula VII:



VII

or pharmaceutically acceptable salts or prodrugs thereof, wherein  $R_1$ - $R_4$ , Y and A are as defined previously with respect to Formulae I and II, and Z is halo.

Preferred compounds falling within the scope of Formulae II-VII include compounds wherein  $R_1$ - $R_2$  are hydrogen. Preferably Y is CN. Preferably A is optionally substituted phenyl, naphthyl, pyridyl, quinolyl, isoquinolyl, thienyl, furyl, pyrrolyl, 2-phenylethyl or cyclohexyl. More preferably, A is



wherein  $R_{10}$ - $R_{14}$  are independently hydrogen, halo, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group,  $C_{1-10}$  alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, methylenedioxy, carbonylamido or alkylthiol.

Also preferred A includes where  $R_{10}$  and  $R_{11}$ , or  $R_{11}$  and  $R_{12}$ , taken together with the atoms to which they are attached form an aryl, heteroaryl,

optionally substituted carbocyclic or optionally substituted heterocyclic group, wherein said group is optionally substituted. In a more preferred embodiment,  $R_{10}$  and  $R_{11}$ , or  $R_{11}$  and  $R_{12}$ , are taken together to form a structure selected from the group consisting of  $-\text{OCH}_2\text{O}-$ ,  $-(\text{CH}_2)_3-$ ,  $-(\text{CH}_2)_4-$ ,  $-\text{OCH}_2\text{CH}_2\text{O}-$ ,  $-\text{CH}_2\text{N}(\text{V})\text{CH}_2-$ ,  $-\text{CH}_2\text{CH}_2\text{N}(\text{V})\text{CH}_2-$ ,  $-\text{CH}_2\text{N}(\text{V})\text{CH}_2\text{CH}_2-$ ,  $-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-$ ,  $-\text{N}(\text{V})-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{N}(\text{V})-$ ,  $-\text{O}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{O}-$ ,  $-\text{S}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{S}-$ ,  $-\text{N}=\text{CH}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{N}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{N}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{CH}=\text{N}-$  and  $-\text{N}=\text{CH}-\text{CH}=\text{N}-$ , wherein V is hydrogen,  $\text{C}_{1-10}$  alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl.

Exemplary preferred compounds that may be employed in the method of the invention include, without limitation:

3-Cyano-7-methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2H-chromene;

3-Cyano-7-methoxy-4-(3,5-dimethoxyphenyl)-2-oxo-2H-chromene;

3-Cyano-4-(3-methoxyphenyl)-2-oxo-2H-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-phenyl-quinolin-1H-2-one;

3-Cyano-7-methoxy-4-(3-methoxy-phenyl)quinolin-1H-2-one;

7-Chloro-3-cyano-4-(3-methoxyphenyl)-quinolin-1H-2-one;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methoxy-quinolin-1H-2-one;

3-Cyano-2-imino-4-(5-methyl-pyridin-3-yl)-2H-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-7-methyl-4-(5-methyl-pyridin-3-yl)-2H-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-7-methyl-2H-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(5-methyl-pyridin-3-yl)-2-oxo-2H-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(5-methyl-pyridin-3-yl)-7-methyl-2-oxo-2H-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3,5-Dimethoxyphenyl)-3-cyano-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-phenyl)-7-methoxy-2-oxo-2*H*-chromene;

5 7-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-2-oxo-2*H*-chromene;

2-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-5,6-dihydro-benzo[*h*]quinoline;

10 4-(3-Bromo-4,5-dimethoxyphenyl)-3-cyano-7,8-dihydro-8,8-dimethyl-2-oxo-2*H*-furo[3,2-*h*]chromene;

3-Cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

7-Amino-3-cyano-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

15 3-Cyano-7-dimethylamino-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

3-Cyano-4-(2,5-dimethoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methylamino-2-oxo-2*H*-chromene;

20 7-Amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene;

7-Bromo-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-oxo-2*H*-chromene;

25 4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-imino-2*H*-chromene;

2-Imino-3-cyano-7-methoxy-4-(3'-methoxy-phenyl)-2*H*-thiochromene;

2-Imino-3-cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxy-phenyl)-2*H*-chromene;

30 3-Cyano-2-imino-7-methyl-4-(3-nitro-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3,5-dimethoxy-phenyl)-2-imino-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

5 3-Cyano-2-imino-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-4-(3-methoxy-phenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

10 3-Cyano-2-imino-4-(3-bromophenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-7-methyl-4-(3-nitro-phenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3,5-dimethoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

15 3-Cyano-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

20 3-Cyano-4-(3-bromo-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene; and

3-Cyano-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene.

The present invention is also directed to novel compounds within the scope of Formulae I-VII.

25 Exemplary preferred novel compounds of this invention include, without limitation:

3-Cyano-7-methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

3-Cyano-7-methoxy-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

30 3-Cyano-4-(3-methoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-phenyl-quinolin-1*H*-2-one;

3-Cyano-7-methoxy-4-(3-methoxy-phenyl)quinolin-1*H*-2-one;

- 7-Chloro-3-cyano-4-(3-methoxyphenyl)-quinolin-1*H*-2-one;  
4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methoxy-  
quinolin-1*H*-2-one;  
3-Cyano-2-imino-4-(5-methyl-pyridin-3-yl)-2*H*-  
5 pyrrolo[2,3-*h*]chromene;  
3-Cyano-2-imino-7-methyl-4-(5-methyl-pyridin-3-yl)-2*H*-  
pyrrolo[2,3-*h*]chromene;  
4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-7-methyl-2*H*-  
pyrrolo[2,3-*h*]chromene;  
10 3-Cyano-4-(5-methyl-pyridin-3-yl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;  
3-Cyano-4-(5-methyl-pyridin-3-yl)-7-methyl-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene;  
4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methyl-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene;  
15 4-(3,5-Dimethoxyphenyl)-3-cyano-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;  
3-Cyano-4-(3-methoxy-phenyl)-7-methoxy-2-oxo-2*H*-chromene;  
7-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-2-oxo-2*H*-  
chromene;  
2-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-5,6-dihydro-  
20 benzo[*h*]quinoline;  
4-(3-Bromo-4,5-dimethoxyphenyl)-3-cyano-7,8-dihydro-8,8-  
dimethyl-2-oxo-2*H*-furo[3,2-*h*]chromene;  
3-Cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxyphenyl)-2-  
oxo-2*H*-chromene;  
25 7-Amino-3-cyano-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;  
3-Cyano-7-dimethylamino-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-  
chromene;  
3-Cyano-4-(2,5-dimethoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;  
4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methylamino-2-  
30 oxo-2*H*-chromene;  
7-Amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-  
chromene;

7-Bromo-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-oxo-2*H*-chromene;

5 4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-imino-2*H*-chromene;

2-Imino-3-cyano-7-methoxy-4-(3'-methoxy-phenyl)-2*H*-thiochromene;

2-Imino-3-cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxy-phenyl)-2*H*-chromene;

10 3-Cyano-2-imino-7-methyl-4-(3-nitro-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene;

15 3-Cyano-4-(3,5-dimethoxy-phenyl)-2-imino-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-4-(3-methoxy-phenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

20 3-Cyano-2-imino-4-(3-bromophenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-7-methyl-4-(3-nitro-phenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

25 3-Cyano-4-(3,5-dimethoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

30 3-Cyano-4-(3-bromo-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene; and

3-Cyano-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2-oxo-2H-pyrrolo[2,3-*h*]chromene.

Useful alkyl groups include straight-chained and branched C<sub>1-10</sub> alkyl groups, more preferably C<sub>1-6</sub> alkyl groups. Typical C<sub>1-10</sub> alkyl groups include methyl, ethyl, propyl, isopropyl, butyl, *sec*-butyl, *tert*-butyl, 3-pentyl, hexyl and octyl groups, which can be optionally substituted.

Useful alkoxy groups include oxygen substituted by one of the C<sub>1-10</sub> alkyl groups mentioned above, which can be optionally substituted.

Useful alkylthio groups include sulphur substituted by one of the C<sub>1-10</sub> alkyl groups mentioned above, which can be optionally substituted. Also included are the sulfoxides and sulfones of such alkylthio groups.

Useful amino groups include -NH<sub>2</sub>, -NHR<sub>15</sub> and -NR<sub>15</sub>R<sub>16</sub>, wherein R<sub>15</sub> and R<sub>16</sub> are C<sub>1-10</sub> alkyl or cycloalkyl groups, or R<sub>15</sub> and R<sub>16</sub> are combined with the N to form a ring structure, such as a piperidine, or R<sub>15</sub> and R<sub>16</sub> are combined with the N and other group to form a ring, such as a piperazine. The alkyl group can be optionally substituted.

Optional substituents on the alkyl groups include one or more halo, hydroxy, carboxyl, amino, nitro, cyano, C<sub>1</sub>-C<sub>6</sub> acylamino, C<sub>1</sub>-C<sub>6</sub> acyloxy, C<sub>1</sub>-C<sub>6</sub> alkoxy, aryloxy, alkylthio, C<sub>6</sub>-C<sub>10</sub> aryl, C<sub>4</sub>-C<sub>7</sub> cycloalkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>6</sub>-C<sub>10</sub> aryl(C<sub>2</sub>-C<sub>6</sub>)alkenyl, C<sub>6</sub>-C<sub>10</sub> aryl(C<sub>2</sub>-C<sub>6</sub>)alkynyl, saturated and unsaturated heterocyclic or heteroaryl. Optional substituents on the aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, and partially saturated heterocyclic groups include one or more halo, C<sub>1</sub>-C<sub>6</sub> haloalkyl, C<sub>6</sub>-C<sub>10</sub> aryl, C<sub>4</sub>-C<sub>7</sub> cycloalkyl, C<sub>1</sub>-C<sub>6</sub> alkyl, C<sub>2</sub>-C<sub>6</sub> alkenyl, C<sub>2</sub>-C<sub>6</sub> alkynyl, C<sub>6</sub>-C<sub>10</sub> aryl(C<sub>1</sub>-C<sub>6</sub>)alkyl, C<sub>6</sub>-C<sub>10</sub> aryl(C<sub>2</sub>-C<sub>6</sub>)alkenyl, C<sub>6</sub>-C<sub>10</sub> aryl(C<sub>2</sub>-C<sub>6</sub>)alkynyl, C<sub>1</sub>-C<sub>6</sub> hydroxyalkyl, nitro, amino, ureido, cyano, C<sub>1</sub>-C<sub>6</sub> acylamino, hydroxy, thiol, C<sub>1</sub>-C<sub>6</sub> acyloxy, azido, C<sub>1</sub>-C<sub>6</sub> alkoxy or carboxy.

Useful aryl groups include C<sub>6-14</sub> aryl, preferably C<sub>6-10</sub> aryl. Typical C<sub>6-14</sub> aryl groups include phenyl, naphthyl, 1,2,3,4-tetrahydronaphthyl, phenanthrenyl, anthracenyl, indenyl, azulenyl, biphenyl, biphenylenyl and fluorenyl groups.

Useful cycloalkyl groups are C<sub>3-8</sub> cycloalkyl. Typical cycloalkyl groups include cyclopropyl, cyclobutyl, cyclopentyl, cyclohexyl and cycloheptyl.

5 Useful saturated or partially saturated carbocyclic groups are cycloalkyl groups as described above, as well as cycloalkenyl groups, such as cyclopentenyl, cycloheptenyl and cyclooctenyl.

Useful halo or halogen groups include fluorine, chlorine, bromine and iodine.

10 Useful arylalkyl groups include any of the above-mentioned C<sub>1-10</sub> alkyl groups substituted by any of the above-mentioned C<sub>6-14</sub> aryl groups. Preferably the arylalkyl group is benzyl, phenethyl or naphthylmethyl.

Useful haloalkyl groups include C<sub>1-10</sub> alkyl groups substituted by one or more fluorine, chlorine, bromine or iodine atoms, e.g., fluoromethyl, difluoromethyl, trifluoromethyl, pentafluoroethyl, 1,1-difluoroethyl, chloromethyl, chlorofluoromethyl and trichloromethyl groups.

15 Useful acylamino (acylamido) groups are any C<sub>1-6</sub> acyl (alkanoyl) attached to an amino nitrogen, e.g., acetamido, chloroacetamido, propionamido, butanoylamido, pentanoylamido and hexanoylamido, as well as aryl-substituted C<sub>1-6</sub> acylamino groups, e.g., benzoylamido, and pentafluoro-benzoylamido.

20 Useful acyloxy groups are any C<sub>1-6</sub> acyl (alkanoyl) attached to an oxy (-O-) group, e.g., formyloxy, acetoxy, propionyloxy, butanoyloxy, pentanoyloxy and hexanoyloxy.

25 Useful saturated or partially saturated heterocyclic groups include tetrahydrofuranyl, pyranal, piperidinyl, piperazinyl, pyrrolidinyl, 2-thio-4-oxo-2,4H-pyrimidinyl, imidazolidinyl, imidazoliny, indoliny, isoindoliny, quinuclidiny, morpholiny, isochromanyl, chromanyl, pyrazolidiny, pyrazoliny, tetronoyl and tetramoyl groups.

30 Useful heteroaryl groups include thienyl, benzo[b]thienyl, naphtho[2,3-b]thienyl, thianthrenyl, furyl, pyranal, dihydrobezofuranyl, benzofuranyl, isobenzofuranyl, chromenyl, xanthenyl, phenoxanthiiny, 2H-pyrroly, pyrroly, imidazolyl, pyrazolyl, pyridyl, pyraziny, pyrimidinyl, pyridaziny,

indoliziny, isoindolyl, 3*H*-indolyl, indolyl, indazolyl, purinyl, 4*H*-  
quinoliziny, isoquinolyl, quinolyl, phthalziny, naphthyridiny, quinoxaliny,  
cinnoliny, pteridiny, carbazolyl,  $\beta$ -carboliny, phenanthridiny, acrindiny,  
perimidiny, phenanthroliny, phenaziny, thiazolyl, isothiazolyl,  
5 phenothiaziny, isoxazolyl, furazany, phenoxaziny, 1,4-dihydroquinoxaline-  
2,3-dione, 7-aminoisocoumarin, pyrido[1,2-*a*]pyrimidin-4-one, 1,2-  
benzoxazol-3-yl, benzimidazolyl, 2-thio-4-oxo-2,4*H*-pyrimidyl, 2-oxindolyl  
and 2-oxobenzimidazolyl. Where the heteroaryl group contains a nitrogen  
atom in a ring, such nitrogen atom may be in the form of an *N*-oxide, e.g., a  
10 pyridyl *N*-oxide, pyrazinyl *N*-oxide and pyrimidinyl *N*-oxide.

Some of the compounds of the present invention may exist as  
stereoisomers including optical isomers. The invention includes all  
stereoisomers and both the racemic mixtures of such stereoisomers, as well as  
the individual enantiomers that may be separated according to methods that  
15 are well known to those of ordinary skill in the art.


Examples of pharmaceutically acceptable addition salts include  
inorganic and organic acid addition salts, such as hydrochloride,  
hydrobromide, phosphate, sulphate, citrate, lactate, tartrate, maleate, fumarate,  
mandelate and oxalate; and inorganic and organic base addition salts with  
20 bases, such as sodium hydroxy, Tris(hydroxymethyl)aminomethane (TRIS,  
tromethane) and *N*-methyl-glucamine.

Examples of prodrugs of the compounds of the invention include the  
simple esters of carboxylic acid containing compounds (e.g., those obtained by  
condensation with a  $C_{1-4}$  alcohol according to methods known in the art); esters  
25 of hydroxy containing compounds (e.g., those obtained by condensation with a  
 $C_{1-4}$  carboxylic acid,  $C_{3-6}$  dioic acid or anhydride thereof, such as succinic and  
fumaric anhydrides according to methods known in the art); imines of amino  
containing compounds (e.g., those obtained by condensation with a  $C_{1-4}$   
aldehyde or ketone according to methods known in the art); carbamate of  
30 amino containing compounds, such as those described by Leu, *et. al.*, (*J. Med.*  
*Chem.* 42:3623-3628 (1999)) and Greenwald, *et. al.*, (*J. Med. Chem.* 42:3657-

3667 (1999)); acetals and ketals of alcohol containing compounds (e.g., those obtained by condensation with chloromethyl methyl ether or chloromethyl ethyl ether according to methods known in the art); and phosphonato and phosphono compounds (e.g., those obtained by condensation with a phosphate ester, phosphoryl chloride, or phosphoric acid), which include pharmaceutically acceptable mono-basic and di-basic addition salts of the phosphono group, e.g., organic bases such as amine bases, which include ammonia, piperidine and morpholine.


The compounds of this invention may be prepared using methods known to those skilled in the art, or the novel methods of this invention. Specifically, the compounds of this invention with Formulae III-IV can be prepared as illustrated by exemplary reaction in Scheme 1. Reaction of 2-hydroxybenzophenone with malononitrile in the presence a base such as piperidine produces 3-cyano-2-imino-4-phenyl-2*H*-chromene. Treatment of the imino-chromene with HCl/H<sub>2</sub>O results in hydrolysis of the imino group and produces 3-cyano-4-phenyl-2-oxo-2*H*-chromene.

SCHEME 1




Alternatively, compounds of Formula III can be prepared as shown in Scheme 2. Coupling of 2-hydroxybenzophenone with the acyl chloride produces the ester, which when treated with base such as NaOEt or NaOMe cyclizes to produce 3-cyano-4-phenyl-2-oxo-2*H*-chromene.

## SCHEME 2




Alternatively, compounds of Formula III can be prepared as shown in Schemes 3 and 4. Condensation of 3,5-dimethoxybenzaldehyde with ethyl cyanoacetate in the presence of a base such as piperidine produces the 3-(3,5-dimethoxyphenyl)-2-cyano-acrylic acid ethyl ester. Treatment of the ester with 3-methoxyphenol in the presence of NaH produces the 3-cyano-7-methoxy-4-(3,5-dimethoxyphenyl)-2-oxo-2H-chromene. Similarly, reaction of 3-(3-methoxyphenyl)-2-cyano-acrylic acid ethyl ester with 4-hydroxyindole produces 3-cyano-4-(3-methoxyphenyl)-2-oxo-2H-pyrrolo[2,3-h]chromene.

## SCHEME 3




## SCHEME 4



Compounds of Formula V may be prepared as shown in Scheme 5. Coupling of 2-aminobenzophenone with the acyl chloride produces the amide,


which when treated with a base such as NaOEt or NaOMe cyclizes to produce 3-cyano-4-phenyl-quinolin-2(1*H*)-one.

SCHEME 5




Compounds of Formula VI may be prepared as shown in Scheme 6. Reaction of 2-aminobenzophenone with malononitrile in the presence of a base such as piperidine produces 2-amino-3-cyano-4-phenyl-quinoline.

SCHEME 6




Substituted 2-aminobenzophenones may be prepared as illustrated by exemplary reaction in Scheme 7. The amino group in 3-methoxyaniline may be protected, e.g. by reaction with acetic anhydride to produce the amide. Reaction of the amide with 3-methoxybenzoyl chloride in the presence of AlCl<sub>3</sub> produces the substituted benzophenone. The amide protecting group is removed under acidic condition to produce 2-amino-4-methoxy-3'-methoxy-benzophenone.

Scheme 7



Substituted 2-hydroxybenzophenones may be prepared as illustrated by  
 5 exemplary reaction in Scheme 8. Reaction of 3-methoxyphenol with  
 3-methoxybenzoic acid in the presence of  $\text{Al}_2\text{O}_3$  and  $\text{CH}_3\text{SO}_3\text{H}$  produces  
 2-hydroxy-4-methoxy-3'-methoxy-benzophenone.

SCHEME 8




In an alternative embodiment, the invention relates to a process for the  
 preparation of compounds of Formulae III and IV. The process is illustrated in  
 Scheme 9. The process comprises first oxidizing an optionally substituted  
 2-aminobenzopyran in an organic solvent to yield a 2-iminobenzopyran. For  
 15 example, oxidation of 2-amino-3-cyano-4-(5-methyl-pyridin-3-yl)-4*H*-  
 pyrrolo[2,3-*h*]chromene using 2,3-dichloro-5,6-dicyano-1,4-benzoquinone  
 (DDQ) in dichloromethane gave 3-cyano-2-imino-4-(5-methyl-pyridin-3-yl)-  
 2*H*-pyrrolo[2,3-*h*]chromene (compound of Formula IV).

The process further comprises contacting the 2-iminobenzopyran with  
 20 an aqueous acid to produce an optionally substituted coumarin (2-oxo-2*H*-

chromene). For example, the hydrolysis of 3-cyano-2-imino-4-(5-methyl-pyridin-3-yl)-2*H*-pyrrolo[2,3-*h*]chromene using HCl/H<sub>2</sub>O produced 3-cyano-4-(5-methyl-pyridin-3-yl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene (compound of Formula III).

SCHEME 9



Oxidants for use in the present invention include any oxidant capable of oxidizing the 2-aminobenzopyran into 2-iminobenzopyran. This includes, but is not limited to, 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ), 2,3,5,6-tetrachloro-1,4-benzoquinone (chlorinal), bromine, fluorine, atmospheric oxygen, manganese dioxide, selenium dioxide, mercuric acetate, palladium (II) salts, such as palladium dichloride, iron (II) and iron (III) salts, such as ferric chloride, copper (II) salts, such as cupric chloride, trifluoroacetic acid, activated charcoal, platinum, and palladium.


The oxidation reaction is performed in any organic solvent that is inert to the reaction conditions, for example, dichloromethane, chloroform, carbon tetrachloride, benzene, toluene, xylenes, chlorobenzene, dichlorobenzene, hexanes, heptane and trimethylpentane. The reaction is performed at a temperature that is high enough to effect the oxidation without causing decomposition of the product. For example the reaction is performed at a temperature in the range of approximately 0 °C to approximately 100 °C, alternatively from approximately 20 °C to approximately 40 °C. Preferably, the oxidation reaction is performed in dichloromethane, using DDQ as oxidant, at room temperature. The product is isolated using procedures well known to those in the art. This includes, for example, but is not limited to, first neutralizing the reaction mixture by washing with aqueous sodium bicarbonate

solution. Second, drying the organic layer and evaporating the solvent to yield the crude product. Finally, the product is optionally purified by any method known to those in the art, for example, flash column chromatography.

Acids for use in the hydrolysis of the 2-iminobenzopyrans include, but are not limited to mineral acids, such as sulfuric, nitric, hydrochloric, and hydrobromic acid; other inorganic acids, such as phosphoric acid; and organic acids, such as trichloroacetic and trifluoroacetic acid. The hydrolysis is performed at a temperature in the range of approximately 0 °C to approximately 100 °C, alternatively from approximately 20 °C to approximately 40 °C. Preferably, the hydrolysis is performed using an aqueous mixture of hydrochloric acid at room temperature. The 2-oxo-4*H*-chromene product is isolated from the reaction mixture using procedures well known to those in the art. This includes, for example, but is not limited to, first neutralizing the reaction by washing with an aqueous solution of approximately 10 % sodium hydroxide. The mixture is extracted with organic solvent, for example, ethyl acetate, and the organic extract is washed with water, dried and evaporated to yield the crude product. Finally, the crude product is optionally purified by any means known to those in the art, for example, flash column chromatography.

Alternatively, compounds of Formula II can be prepared according to Scheme 10.

## SCHEME 10



An important aspect of the present invention is the discovery that compounds having Formulae I-VI are activators of caspases and inducers of apoptosis. Therefore, these compounds are expected to be useful in a variety of clinical conditions in which there is uncontrolled cell growth and spread of abnormal cells, such as in the case of cancer.

Another important aspect of the present invention is the discovery that compounds having Formulae I-VII are potent and highly efficacious activators of caspases and inducers of apoptosis in drug resistant cancer cells, such as

breast and prostate cancer cells, which enables these compounds to kill these drug resistant cancer cells. In comparison, most standard anti-cancer drugs are not effective in killing drug resistant cancer cells under the same conditions. Therefore, compounds of this invention are useful for the treatment of drug resistant cancer in animals.

The present invention includes a therapeutic method useful to modulate *in vivo* apoptosis or *in vivo* neoplastic disease, comprising administering to a subject in need of such treatment an effective amount of a compound, or a pharmaceutically acceptable salt or prodrug of the compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis.

The present invention also includes a therapeutic method comprising administering to an animal an effective amount of a compound, or a pharmaceutically acceptable salt or prodrug of said compound of Formulae I-VII, wherein said therapeutic method is useful to treat cancer, which is a group of diseases characterized by the uncontrolled growth and spread of abnormal cells. Such diseases include, but are not limited to, Hodgkin's disease, non-Hodgkin's lymphomas, acute and chronic lymphocytic leukemias, multiple myeloma, neuroblastoma, breast carcinomas, ovarian carcinomas, lung carcinomas, Wilms' tumor, cervical carcinomas, testicular carcinomas, soft-tissue sarcomas, chronic lymphocytic leukemia, primary macroglobulinemia, bladder carcinomas, chronic granulocytic leukemia, primary brain carcinomas, malignant melanoma, small-cell lung carcinomas, stomach carcinomas, colon carcinomas, malignant pancreatic insulinoma, malignant carcinoid carcinomas, malignant melanomas, choriocarcinomas, mycosis fungoides, head and neck carcinomas, osteogenic sarcoma, pancreatic carcinomas, acute granulocytic leukemia, hairy cell leukemia, neuroblastoma, rhabdomyosarcoma, Kaposi's sarcoma, genitourinary carcinomas, thyroid carcinomas, esophageal carcinomas, malignant hypercalcemia, cervical hyperplasia, renal cell carcinomas, endometrial carcinomas, polycythemia vera, essential thrombocytosis, adrenal cortex carcinomas, skin cancer, and prostatic carcinomas.

In practicing the therapeutic methods, effective amounts of compositions containing therapeutically effective concentrations of the compounds formulated for oral, intravenous, local and topical application, for the treatment of neoplastic diseases and other diseases in which caspase cascade mediated physiological responses are implicated, are administered to an individual exhibiting the symptoms of one or more of these disorders. The amounts are effective to ameliorate or eliminate one or more symptoms of the disorders. An effective amount of a compound for treating a particular disease is an amount that is sufficient to ameliorate, or in some manner reduce, the symptoms associated with the disease. Such amount may be administered as a single dosage or may be administered according to a regimen, whereby it is effective. The amount may cure the disease but, typically, is administered in order to ameliorate the disease. Typically, repeated administration is required to achieve the desired amelioration of symptoms.

In another embodiment, a pharmaceutical composition comprising a compound, or a pharmaceutically acceptable salt of said compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis in combination with a pharmaceutically acceptable vehicle is provided.

Another embodiment of the present invention is directed to a composition effective to inhibit neoplasia comprising a compound, or a pharmaceutically acceptable salt or prodrug of said compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis, in combination with at least one known cancer chemotherapeutic agent, or a pharmaceutically acceptable salt of said agent. Examples of known anti-cancer agents, which can be used for combination therapy include, but not are limit to alkylating agents such as busulfan, cis-platin, mitomycin C, and carboplatin; antimitotic agents, such as colchicine, vinblastine, paclitaxel, and docetaxel; topo I inhibitors, such as camptothecin and topotecan; topo II inhibitors, such as doxorubicin and etoposide; RNA/DNA antimetabolites, such as 5-azacytidine, 5-fluorouracil and methotrexate; DNA antimetabolites, such as 5-fluoro-2'-deoxy-uridine; ara-C, hydroxyurea and thioguanine; and

antibodies, such as Herceptin® and Rituxan®. Other known anti-cancer agents, which can be used for combination therapy include melphalan, chlorambucil, cyclophosphamide, ifosfamide, vincristine, mitoguazone, epirubicin, aclarubicin, bleomycin, mitoxantrone, elliptinium, fludarabine, octreotide, retinoic acid, tamoxifen and alanosine.

In practicing the methods of the present invention, the compound of the invention may be administered together with at least one known chemotherapeutic agent as part of a unitary pharmaceutical composition. Alternatively, the compound of the invention may be administered apart from at least one known cancer chemotherapeutic agent. In one embodiment, the compound of the invention and the at least one known cancer chemotherapeutic agent are administered substantially simultaneously, i.e., the compounds are administered at the same time or one after the other, so long as the compounds reach therapeutic levels in the blood at the same time. On another embodiment, the compound of the invention and the at least one known cancer chemotherapeutic agent are administered according to their individual dose schedule, so long as the compounds reach therapeutic levels in the blood.

Another embodiment of the present invention is directed to a composition effective to inhibit neoplasia comprising a bioconjugates of said compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis, in bioconjugation with at least one known therapeutically useful antibodies, such as Herceptin® or Rituxan®; growth factors, such as DGF, NGF; cytokines, such as IL-2, IL-4, or any molecule that binds to cell surface. The antibodies and other molecules will deliver compound of Formulae I-VII to its targets and make them effective anticancer agents. The bioconjugates also could enhance the anticancer effect of therapeutically useful antibodies, such as Herceptin® or Rituxan®.

Similarly, another embodiment of the present invention is directed to a composition effective to inhibit neoplasia comprising a compound, or a pharmaceutically acceptable salt or prodrug of said compound of Formulae I-

VII, which functions as a caspase cascade activator and inducer of apoptosis, in combination with radiation therapy. In this embodiment, the compound of the invention may be administered at the same time as the radiation therapy is administered or at a different time.

5 Yet another embodiment of the present invention is directed to a composition effective for post-surgical treatment of cancer, comprising a compound, or a pharmaceutically acceptable salt or prodrug of said compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis. The invention also relates to a method of treating cancer by  
10 surgically removing the cancer and then treating the animal with one of the pharmaceutical compositions described herein.

A wide range of immune mechanisms operate rapidly following exposure to an infectious agent. Depending on the type of infection, rapid clonal expansion of the T and B lymphocytes occurs to combat the infection.

15 The elimination of the effector cells following an infection is one of the major mechanisms maintaining immune homeostasis. This deletion of reactive cells has been shown to be regulated by a phenomenon known as apoptosis.

Autoimmune diseases have been lately identified as a consequence of deregulated cell death. In certain autoimmune diseases, the immune system  
20 directs its powerful cytotoxic effector mechanisms against specialized cells, such as oligodendrocytes in multiple sclerosis, the beta cells of the pancreas in diabetes mellitus, and thyrocytes in Hashimoto's thyroiditis (Ohsako, S. & Elkon, K.B., *Cell Death Differ.* 6:13-21 (1999)). Mutations of the gene

encoding the lymphocyte apoptosis receptor Fas/APO-1/CD95 are reported to  
25 be associated with defective lymphocyte apoptosis and autoimmune

lymphoproliferative syndrome (ALPS), which is characterized by chronic, histologically benign splenomegaly and generalized lymphadenopathy, hypergammaglobulinemia, and autoantibody formation. (Infante, A.J., *et al.*, *J. Pediatr.* 133:629-633 (1998) and Vaishnaw, A.K., *et al.*, *J. Clin. Invest.*  
30 103:355-363 (1999)). It was reported that overexpression of Bcl-2, which is a member of the bcl-2 gene family of programmed cell death regulators with anti-apoptotic activity, in developing B cells of transgenic mice, in the

presence of T cell dependent costimulatory signals, results in the generation of a modified B cell repertoire and in the production of pathogenic autoantibodies (Lopez-Hoyos, M., *et al.*, *Int. J. Mol. Med.* 1:475-483 (1998)). It is therefore evident that many types of autoimmune disease are caused by defects of the apoptotic process, and one treatment strategy would be to turn on apoptosis in the lymphocytes that are causing autoimmune disease (O'Reilly, L.A. & Strasser, A., *Inflamm. Res.* 48:5-21 (1999)).

Fas-Fas ligand (FasL) interaction is known to be required for the maintenance of immune homeostasis. Experimental autoimmune thyroiditis (EAT), characterized by autoreactive T and B cell responses and a marked lymphocytic infiltration of the thyroid, is a good model to study the therapeutic effects of FasL. Batteux, F., *et al.*, (*J. Immunol.* 162:603-608 (1999)) reported that by direct injection of DNA expression vectors encoding FasL into the inflamed thyroid, the development of lymphocytic infiltration of the thyroid was inhibited and induction of infiltrating T cells death was observed. These results show that FasL expression on thyrocytes may have a curative effect on ongoing EAT by inducing death of pathogenic autoreactive infiltrating T lymphocytes.

Bisindolylmaleimide VIII is known to potentiate Fas-mediated apoptosis in human astrocytoma 1321N1 cells and in Molt-4T cells, and both of which were resistant to apoptosis induced by anti-Fas antibody in the absence of bisindolylmaleimide VIII. Potentiation of Fas-mediated apoptosis by bisindolylmaleimide VIII was reported to be selective for activated, rather than non-activated, T cells, and was Fas-dependent. Zhou T., *et al.*, (*Nat. Med.* 5:42-48 (1999)) reported that administration of bisindolylmaleimide VIII to rats during autoantigen stimulation prevented the development of symptoms of T cell-mediated autoimmune diseases in two models, the Lewis rat model of experimental allergic encephalitis and the Lewis adjuvant arthritis model. Therefore the application of a Fas-dependent apoptosis enhancer such as bisindolylmaleimide VIII may be therapeutically useful for the more effective elimination of detrimental cells and inhibition of T cell-mediated autoimmune diseases. Therefore an effective amount of a compound, or a pharmaceutically

acceptable salt or prodrug of the compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis, is an effective treatment for autoimmune disease.

Psoriasis is a chronic skin disease that is characterized by scaly red patches. Psoralen plus ultraviolet A (PUVA) is a widely used and effective treatment for psoriasis vulgaris and Coven, *et al.*, *Photodermatol. Photoimmunol. Photomed.* 15:22-27 (1999), reported that lymphocytes treated with psoralen 8-MOP or TMP plus UVA displayed DNA degradation patterns typical of apoptotic cell death. Ozawa, *et al.*, *J. Exp. Med.* 189:711-718 (1999) reported that induction of T cell apoptosis could be the main mechanism by which 312-nm UVB resolves psoriasis' skin lesions. Low doses of methotrexate may be used to treat psoriasis to restore a clinically normal skin. Heenen, *et al.*, *Arch. Dermatol. Res.* 290:240-245 (1998), reported that low doses of methotrexate may induce apoptosis and this mode of action could explain the reduction in epidermal hyperplasia during treatment of psoriasis with methotrexate. Therefore, an effective amount of a compound, or a pharmaceutically acceptable salt or prodrug of the compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis, is an effective treatment for hyperproliferative diseases, such as psoriasis.

Synovial cell hyperplasia is a characteristic of patients with rheumatoid arthritis (RA). Excessive proliferation of RA synovial cells, as well as defective in synovial cell death might be responsible for the synovial cell hyperplasia. Wakisaka, *et al.*, *Clin. Exp. Immunol.* 114:119-128 (1998), found that, although RA synovial cells could die via apoptosis through Fas/FasL pathway, apoptosis of synovial cells was inhibited by proinflammatory cytokines present within the synovium, and suggested that inhibition of apoptosis by the proinflammatory cytokines may contribute to the outgrowth of synovial cells and lead to pannus formation and the destruction of joints in patients with RA. Therefore, an effective amount of a compound, or a pharmaceutically acceptable salt or prodrug of the compound of Formulae I-

VII, which functions as a caspase cascade activator and inducer of apoptosis, is an effective treatment for rheumatoid arthritis.

There has been an accumulation of convincing evidence that apoptosis plays a major role in promoting resolution of the acute inflammatory response. Neutrophils are constitutively programmed to undergo apoptosis, thus limiting their pro-inflammatory potential and leading to rapid, specific, and non-phlogistic recognition by macrophages and semi-professional phagocytes (Savill, J., *J. Leukoc. Biol.* 61:375-380 (1997)). Boirivant, *et al.*, *Gastroenterology* 116:557-565 (1999), reported that lamina propria T cells isolated from areas of inflammation in Crohn's disease, ulcerative colitis, and other inflammatory states manifest decreased CD2 pathway-induced apoptosis, and that studies of cells from inflamed Crohn's disease tissue indicate that this defect is accompanied by elevated Bcl-2 levels. Therefore, an effective amount of a compound, or a pharmaceutically acceptable salt or prodrug of the compound of Formulae I-VII, which functions as a caspase cascade activator and inducer of apoptosis, is an effective treatment for inflammation and inflammatory bowel disease.

Compositions within the scope of this invention include all compositions wherein the compounds of the present invention are contained in an amount that is effective to achieve its intended purpose. While individual needs vary, determination of optimal ranges of effective amounts of each component is within the skill of the art. Typically, the compounds may be administered to mammals, e.g., humans, orally at a dose of 0.0025 to 50 mg/kg, or an equivalent amount of the pharmaceutically acceptable salt thereof, per day of the body weight of the mammal being treated for apoptosis-mediated disorders. Preferably, approximately 0.01 to approximately 10 mg/kg is orally administered to treat or prevent such disorders. For intramuscular injection, the dose is generally approximately one-half of the oral dose. For example, a suitable intramuscular dose would be approximately 0.0025 to approximately 25 mg/kg, and most preferably, from approximately 0.01 to approximately 5 mg/kg. If a known cancer chemotherapeutic agent is also administered, it is administered in an amount with is effective to achieve

its intended purpose. The amounts of such known cancer chemotherapeutic agents effective for cancer are well known to those of skill in the art.

The unit oral dose may be comprised of approximately 0.01 to approximately 50 mg, preferably approximately 0.1 to approximately 10 mg of the compound of the invention. The unit dose may be administered one or more times daily as one or more tablets, each containing from approximately 0.1 to approximately 10, conveniently approximately 0.25 to 50 mg of the compound or its solvates.

In a topical formulation, the compound may be present at a concentration of approximately 0.01 to 100 mg per gram of carrier.

In addition to administering the compound as a raw chemical, the compounds of the invention may be administered as part of a pharmaceutical preparation containing suitable pharmaceutically acceptable carriers comprised of excipients and auxiliaries, which facilitate processing of the compounds into preparations that can be used pharmaceutically. Preferably, the preparations, particularly those preparations which can be administered orally and which can be used for the preferred type of administration, such as tablets, dragees, and capsules; preparations which can be administered rectally, such as suppositories; as well as suitable solutions for administration by injection or orally, contain from approximately 0.01 to 99 percent (preferably from approximately 0.25 to 75 percent) of active compound(s), together with the excipient.

Also included within the scope of the present invention are the non-toxic pharmaceutically acceptable salts of the compounds of the present invention. Acid addition salts are formed by mixing a solution of the particular apoptosis inducers of the present invention with a solution of a pharmaceutically acceptable non-toxic acid, such as hydrochloric acid, fumaric acid, maleic acid, succinic acid, acetic acid, citric acid, tartaric acid, carbonic acid, phosphoric acid, oxalic acid, and the like. Basic salts are formed by mixing a solution of the particular apoptosis inducers of the present invention with a solution of a pharmaceutically acceptable non-toxic base, such as

sodium hydroxide, potassium hydroxide, choline hydroxide, sodium carbonate, Tris, *N*-methyl-glucamine and the like.

The pharmaceutical compositions of the invention may be administered to any animal, which may experience the beneficial effects of the compounds of the invention. Foremost among such animals are mammals, e.g., humans and veterinary animals, although the invention is not intended to be so limited.

The pharmaceutical compositions of the present invention may be administered by any means that achieve their intended purpose. For example, routes of administration may be by parenteral, subcutaneous, intravenous, intramuscular, intraperitoneal, transdermal, buccal, intrathecal, intracranial, intranasal or topical routes. Alternatively, or concurrently, administration may be by the oral route. The dosage administered will be dependent upon the age, health and weight of the recipient, kind of concurrent treatment, if any, frequency of treatment, and the nature of the effect desired.

The pharmaceutical preparations of the present invention are manufactured in a manner which is itself known, for example, by means of conventional mixing, granulating, dragee-making, dissolving, or lyophilizing processes. Thus, pharmaceutical preparations for oral use can be obtained by combining the active compounds with solid excipients, optionally grinding the resultant mixture and processing the mixture of granules, after adding suitable auxiliaries, if desired or necessary, to obtain tablets or dragee cores.

Suitable excipients are, in particular, fillers, such as saccharides, e.g., lactose or sucrose, mannitol or sorbitol; cellulose preparations and/or calcium phosphates, e.g., tricalcium phosphate or calcium hydrogen phosphate; as well as binders, such as starch paste, using, for example, maize starch, wheat starch, rice starch, potato starch, gelatin, tragacanth, methyl cellulose, hydroxypropylmethylcellulose, sodium carboxymethylcellulose, and/or polyvinyl pyrrolidone. If desired, disintegrating agents may be added, such as the above-mentioned starches and also carboxymethyl-starch, cross-linked polyvinyl pyrrolidone, agar, or alginic acid or a salt thereof, such as sodium alginate. Auxiliaries are, above all, flow-regulating agents and lubricants, for

example, silica, talc, stearic acid or salts thereof, such as magnesium stearate or calcium stearate, and/or polyethylene glycol. Dragee cores are provided with suitable coatings which, if desired, are resistant to gastric juices. For this purpose, concentrated saccharide solutions may be used, which may optionally  
5 contain gum arabic, talc, polyvinyl pyrrolidone, polyethylene glycol and/or titanium dioxide, lacquer solutions and suitable organic solvents or solvent mixtures. In order to produce coatings resistant to gastric juices, solutions of suitable cellulose preparations, such as acetylcellulose phthalate or hydroxypropymethyl-cellulose phthalate, are used. Dye stuffs or pigments  
10 may be added to the tablets or dragee coatings, e.g., for identification or in order to characterize combinations of active compound doses.

Other pharmaceutical preparations, which can be used orally, include push-fit capsules made of gelatin, as well as soft, sealed capsules made of gelatin and a plasticizer, such as glycerol or sorbitol. The push-fit capsules  
15 can contain the active compounds in the form of granules, which may be mixed with fillers, such as lactose; binders, such as starches; and/or lubricants, such as talc or magnesium stearate and, optionally, stabilizers. In soft capsules, the active compounds are preferably dissolved or suspended in suitable liquids, such as fatty oils, or liquid paraffin. In addition, stabilizers  
20 may be added.

Possible pharmaceutical preparations, which can be used rectally include, e.g., suppositories, which consist of a combination of one or more of the active compounds with a suppository base. Suitable suppository bases are, e.g., natural or synthetic triglycerides, or paraffin hydrocarbons. In addition, it  
25 is also possible to use gelatin rectal capsules, which consist of a combination of the active compounds with a base. Possible base materials include, e.g., liquid triglycerides, polyethylene glycols, or paraffin hydrocarbons.

Suitable formulations for parenteral administration include aqueous solutions of the active compounds in water-soluble form, e.g., water-soluble salts and alkaline solutions. In addition, suspensions of the active compounds  
30 as appropriate oily injection suspensions may be administered. Suitable lipophilic solvents or vehicles include fatty oils, e.g., sesame oil, or synthetic

fatty acid esters, e.g., ethyl oleate or triglycerides or polyethylene glycol-400 (the compounds are soluble in PEG-400) or cremophor, or cyclodextrins. Aqueous injection suspensions may contain substances, which increase the viscosity of the suspension include, e.g., sodium carboxymethyl cellulose, sorbitol, and/or dextran. Optionally, the suspension may also contain stabilizers.

In accordance with one aspect of the present invention, compounds of the invention are employed in topical and parenteral formulations and are used for the treatment of skin cancer.

The topical compositions of this invention are formulated preferably as oils, creams, lotions, ointments and the like by choice of appropriate carriers. Suitable carriers include vegetable or mineral oils, white petrolatum (white soft paraffin), branched chain fats or oils, animal fats and high molecular weight alcohol (greater than  $C_{12}$ ). The preferred carriers are those in which the active ingredient is soluble. Emulsifiers, stabilizers, humectants and antioxidants may also be included, as well as agents imparting color or fragrance, if desired. Additionally, transdermal penetration enhancers can be employed in these topical formulations. Examples of such enhancers can be found in U.S. Patent Nos. 3,989,816 and 4,444,762.

Creams are preferably formulated from a mixture of mineral oil, self-emulsifying beeswax and water in which mixture the active ingredient, dissolved in a small amount of an oil, such as almond oil, is admixed. A typical example of such a cream is one which includes approximately 40 parts water, approximately 20 parts beeswax, approximately 40 parts mineral oil and approximately 1 part almond oil.

Ointments may be formulated by mixing a solution of the active ingredient in a vegetable oil, such as almond oil, with a warm soft paraffin and allowing the mixture to cool. A typical example of such an ointment is one which includes approximately 30 % almond oil and approximately 70 % white soft paraffin by weight.

The following examples are illustrative, but not limiting, of the method and compositions of the present invention. Other suitable modifications and

adaptations of the variety of conditions and parameters normally encountered in clinical therapy, and which are obvious to those skilled in the art, are within the spirit and scope of the invention.

#### EXAMPLE 1

##### 3-Cyano-7-methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene

To a solution of 5-bromoveratraldehyde (1.0 g, 4.1 mmol) and ethyl cyanoacetate (0.45 mL, 4.1 mmol) in ethanol (4 mL) was added piperidine (0.4 mL, 4.1 mmol). The mixture was stirred at room temperature for 0.5 h and precipitate was collected by filtration to yield the product (1.16 g) 3-(3-bromo-4,5-dimethoxy-phenyl)-2-cyano-acrylic acid ethyl ester as a solid. To a solution of 3-methoxyphenol (0.11 mL, 1 mmol) in toluene (10 mL) was added sodium hydride (60 mg, 1.5 mmol, 60 %) and the mixture was stirred at room temperature for 0.5 h. To the mixture was added 3-(3-bromo-4,5-dimethoxy-phenyl)-2-cyano-acrylic acid ethyl ester (340 mg, 1 mmol) as a solid, then the mixture was refluxed for 2 h. The solvent was evaporated and the residue was purified by chromatography on silica gel with ethyl acetate and hexane (1:2) as eluant, yielding 7 mg (1.7 %) of the title compound. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.34 (d, *J* = 9.6, 1H), 7.21 (d, *J* = 1.8, 1H), 6.98 (d, *J* = 1.8, 1H), 6.91-6.90 (m, 2H), 3.98 (s, 3H), 3.94 (s, 3H), 3.93 (s, 3H).

#### EXAMPLE 2

##### 3-Cyano-7-methoxy-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene

The title compound was prepared from 3-methoxyphenol and 2-cyano-3-(3,5-dimethoxy-phenyl)-acrylic acid ethyl ester by a procedure similar to that described for Example 1 in 4.2 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.36 (d, *J* = 9.0, 1H), 6.89-6.83 (m, 2H), 6.65-6.63 (m, 1H), 6.55-6.54 (m, 2H), 3.93 (s, 3H), 3.85 (s, 6H).

## EXAMPLE 3

3-Cyano-2-imino-4-phenyl-2*H*-chromene

To a mixture of 2-hydroxybenzophenone (2.0 g, 10 mmol) and malononitrile (661 mg, 10 mmol) in ethanol (15 mL) was added piperidine (0.5 mL, 5.0 mmol). The mixture was stirred under 0-5 °C for 2 h. The solvent was evaporated and the residue was purified by chromatography on silica gel with ethyl acetate and hexane (1:2) as eluant, yielding 1.2 g (48%) of the title compound. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.74-7.29 (m, 7H), 7.20-7.13 (m, 2H).

## EXAMPLE 4

3-Cyano-4-phenyl-2-oxo-2*H*-chromene

To a solution of 3-cyano-2-imino-4-phenyl-2*H*-chromene (90 mg, 0.37 mmol) in methanol (10 mL) was added 37% HCl (0.037 ml, 0.37 mmol). The mixture was stirred at room temperature for 2 h. The solvent was evaporated and the residue was purified by chromatography on silica gel with ethyl acetate and hexane (1:2) as eluant, yielding 35 mg (39 %) of the title compound. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.80-7.74 (m, 1H), 7.66-7.60 (m, 3H), 7.57-7.54 (m, 1H), 7.47-7.44 (m, 2H), 7.41-7.32 (m, 2H).

## EXAMPLE 5

3-Cyano-4-(3-methoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

To a solution of 3-methoxybenzaldehyde (2.0 g, 15.0 mmol) and ethyl cyanoacetate (1.56 mL, 15.0 mmol) in ethanol (10 mL) was added piperidine (0.73 ml, 7.5 mmol). The mixture was stirred at room temperature overnight. The solvent was evaporated and the crude oil was used for the next step. To a solution of 4-hydroxyindole (266.3 mg, 2 mmol) in toluene (5 mL) was added sodium hydride (100 mg, 2.5 mmol, 60 %) and the mixture was stirred at room temperature for 0.5 h. To the mixture was added the 3-(3-methoxy-phenyl)-2-

cyano-acrylic acid ethyl ester (462.5 mg, 2 mmol) dissolved in toluene (1 mL), then the mixture was refluxed for 2 h. The solvent was evaporated and the residue was purified by chromatography on silica gel with ethyl acetate and hexane (1:2) as eluant, yielding 6 mg (0.9 %) the title compound. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 8.67 (brs, 1H), 7.54-7.48 (m, 1H), 7.35-7.31 (m, 2H), 7.15-7.01 (m, 5H), 3.88 (s, 3H).

## EXAMPLE 6

3-Cyano-4-phenyl-quinolin-1*H*-2-one

(a) *N*-(2-Benzoylphenyl)-2-cyano-acetamide. To a white suspension of PCl<sub>5</sub> (0.397 g, 1.90 mmol) in dichloromethane (5.8 mL) was added cyanoacetic acid (0.162 g, 1.90 mmol). The white suspension was heated at approximately 60 °C for approximately 20 min, cooled to room temperature, and 2-aminobenzophenone was added to form a yellow solution. The yellow solution was heated at reflux for approximately 30 min, cooled to approximately 0 °C, diluted with water (3 mL), neutralized with 10% NaHCO<sub>3</sub> and concentrated to form a yellow precipitate. The mixture was filtered, and the solid was dried to yield 0.25 g (75 %) of a yellow solid. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 11.28 (s, 1H), 8.50 (dd, *J* = 8.50, 1.10 Hz, 1H), 7.67 (m, 2H), 7.58 (m, 3H), 7.45 (m, 2H), 7.15 (m, 1H), 3.64 (s, 2H).

(b) 3-Cyano-4-phenyl-quinolin-1*H*-2-one. To a yellow suspension of *N*-(2-benzoylphenyl)-2-cyano-acetamide (0.25 g, 0.95 mmol) in methanol (0.60 mL), cooled to approximately 0 °C, was added a 25 wt % NaOMe solution in methanol (0.58 mL, 2.5 mmol). The yellow suspension was warmed to room temperature over approximately 30 min and stirred at room temperature for approximately 2 h. The reaction mixture was diluted with ethyl acetate (50 mL), washed with water (15 mL), 1 M citric acid (15 mL), 10 % NaHCO<sub>3</sub> (15 mL), water (20 mL), dried over MgSO<sub>4</sub>, filtered through sintered glass and concentrated to yield 0.086 g (37 %) of a white solid. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 12.58 (s, 1H), 7.65 (m, 4H), 7.47 (m, 3H), 7.21 (m, 2H).

## EXAMPLE 7

3-Cyano-7-methoxy-4-(3-methoxy-phenyl)-quinolin-1*H*-2-one

(a) *N*-(3-Methoxyphenyl)-acetamide. A brown solution of *m*-anisidine (10.00 g, 81.17 mmol), 1,4-dioxane (162 mL), and acetic anhydride (11.49 mL, 121.8 mmol) was refluxed for 2 h. The solution was cooled to room temperature, concentrated by rotary evaporation to remove approximately 50 mL of 1,4-dioxane, diluted with water (25 mL) and cooled to 0 °C. The resultant precipitate was filtered through sintered glass yielding 10.18 g (75 %) of a pink solid. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.47 (s, 1H), 7.26 (m, 1H), 7.20 (t, *J* = 8.42, 8.10 Hz, 1H), 6.97 (dd, *J* = 8.10, 0.89 Hz, 1H), 6.65 (dd, *J* = 8.42, 2.10 Hz, 1H), 3.79 (s, 3H), 2.16 (s, 3H).

(b) *N*-[5-Methoxy-2-(3-methoxybenzoyl)-phenyl]-acetamide. To a yellow solution of *N*-(3-methoxy-phenyl)-acetamide (1.00 g, 6.05 mmol) in dichloromethane (15.1 mL), cooled to approximately 0 °C, was added anisoyl chloride (1.02 mL, 7.26 mmol) and aluminum chloride (1.77 g, 13.3 mmol). The resultant brown mixture was heated under reflux for approximately 3 h, cooled to approximately 0 °C, quenched by the slow addition of water (15 mL) and diluted with dichloromethane (100 mL). The organic layer was washed with water (25 mL), 10 % Na<sub>2</sub>CO<sub>3</sub> (2 x 25 mL), water (25 mL), dried over MgSO<sub>4</sub>, filtered through sintered glass and concentrated to yield approximately 2 g of a yellow residual oil. The residue was purified by column chromatography (elution with EtOAc:hexanes, 1:3) to yield 0.15 g (8 %) of the title compound as a white solid. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 11.56 (s, 1H), 8.37 (d, *J* = 2.75 Hz, 1H), 7.54 (d, *J* = 8.71 Hz, 1H), 7.38 (t, *J* = 8.10, 6.97 Hz, 1H), 7.14 (m, 3H), 6.57 (dd, *J* = 9.31, 2.47 Hz, 1H), 3.90 (s, 3H), 3.85 (s, 3H), 2.26 (s, 3H).

(c) (2-Amino-4-methoxyphenyl)-(3-methoxy-phenyl)-methanone. To a yellow solution of *N*-[5-methoxy-2-(3-methoxybenzoyl)-phenyl]-acetamide (0.150 g, 0.500 mmol) in ethanol (5.0 mL) was added concentrated HCl (1.00 mL). The yellow solution was heated under reflux for

approximately 23 h, cooled to room temperature, diluted with ethanol (5 mL) and neutralized with 1 M NaOH. The aqueous layer was extracted with EtOAc (2 x 50 mL), dried over MgSO<sub>4</sub>, filtered through sintered glass and concentrated to yield 0.123 g (95 %) of a yellow oil. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.36 (m, *J* = 8.24, 7.42, 1.92, 0.83 Hz, 2H), 7.13 (m, *J* = 7.96, 7.41, 1.92, 0.55 Hz, 2H), 7.02 (m, *J* = 8.24, 7.97, 7.42, 1.92, 0.55 Hz, 1H), 6.38 (brs, 2H), 6.16 (m, *J* = 8.24, 7.42, 0.83, 0.55 Hz, 2H), 3.83 (s, 3H), 3.79 (s, 3H).

(d) 2-Cyano-*N*-[5-methoxy-2-(3-methoxybenzoyl)-phenyl]-acetamide. The title compound was prepared from (2-amino-4-methoxyphenyl)-(3-methoxy-phenyl)-methanone and cyanoacetic acid by a procedure similar to Example 6a in 97 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 12.16 (s, 1H), 8.27 (d, *J* = 2.47 Hz, 1H), 7.61 (d, *J* = 8.79 Hz, 1H), 7.38 (t, *J* = 7.97, 4.95 Hz, 1H), 7.15 (m, 3H), 6.65 (dd, *J* = 8.79, 2.47 Hz, 1H), 3.91 (s, 3H), 3.85 (s, 3H), 3.65 (s, 2H).

(e) 3-Cyano-7-methoxy-4-(3-methoxyphenyl)-quinolin-1*H*-2-one. The title compound was prepared from 2-cyano-*N*-[5-methoxy-2-(3-methoxybenzoyl)-phenyl]-acetamide and NaOMe by a procedure similar to Example 6b in 41 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 12.80 (brs, 1H), 7.48 (t, *J* = 8.01 Hz, 1H), 7.33 (d, *J* = 9.10 Hz, 1H), 7.10 (dd, *J* = 8.52, 2.53 Hz, 1H), 7.03 (m, 1H), 6.96 (m, 2H), 6.80 (dd, *J* = 9.10, 2.10 Hz, 1H), 3.97 (s, 3H), 3.88 (s, 3H).

## EXAMPLE 8

### 7-Chloro-3-cyano-4-(3-methoxy-phenyl)-quinolin-1*H*-2-one

(a) (2-Amino-4-chlorophenyl)-(3-methoxyphenyl)-methanone. To a yellow solution of 2-amino-4-chloro-*N*-methoxy-*N*-methylbenzamide (0.423 g, 1.97 mmol) and 3-bromoanisole (0.25 mL, 1.97 mmol) in THF (9.9 mL), cooled to approximately -78 °C was added *n*-butyllithium (2.5 M solution in hexanes, 1.58 mL, 3.94 mmol) dropwise over approximately 2 min. The dark brown solution was stirred for 30 min, while being cooled to approximately 78 °C. The mixture was warmed to room temperature and quenched with 1N

HCl (3 mL). The reaction mixture was then extracted with EtOAc (50 mL), washed with water (2 x 20 mL), dried over MgSO<sub>4</sub>, filtered through sintered glass and concentrated to yield 0.55 g of a brown oil. The oil was purified by column chromatography (elution with EtOAc:hexanes, 1:1) to yield 0.294 g (57 %) of the title compound as a white solid. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.35 (m, *J* = 8.79, 8.24, 1.10, 0.55 Hz, 2H), 7.14 (m, 2H), 7.05 (m, *J* = 8.24, 2.47 Hz, 1H), 6.69 (dd, *J* = 2.20, 1.92, 0.83, 0.55 Hz, 1H), 6.52 (m, *J* = 8.79, 2.20, 1.92, 1.10, 0.82 Hz, 1H), 6.27 (brs, 2H), 3.81 (s, 3H).

(b) 2-Cyano-*N*-[5-chloro-2-(3-methoxybenzoyl)-phenyl]-acetamide. The title compound was prepared from (2-amino-4-chlorophenyl)-(3-methoxyphenyl)-methanone and cyanoacetic acid by a procedure similar to Example 6a in 88 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 11.46 (s, 1H), 8.60 (d, *J* = 1.92 Hz, 1H), 7.55 (d, *J* = 8.52 Hz, 1H), 7.38 (t, *J* = 8.52, 7.69 Hz, 1H), 7.15 (m, *J* = 7.69, 1.92 Hz, 4H), 3.84 (s, 3H), 3.67 (s, 2H).

(c) 7-Chloro-3-cyano-4-(3-methoxyphenyl)-quinolin-1*H*-2-one. The title compound was prepared from 2-cyano-*N*-[5-chloro-2-(3-methoxybenzoyl)-phenyl]-acetamide and NaOMe by a procedure similar to Example 6b in 45 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 12.50 (brs, 1H), 7.55 (d, *J* = 1.92 Hz, 1H), 7.50 (dd, *J* = 8.24 Hz, 1H), 7.40 (d, *J* = 8.79 Hz, 1H), 7.20 (m, *J* = 9.07, 8.79, 2.20, 1.92 Hz, 1H), 7.13 (m, *J* = 7.69, 7.41, 2.75, 2.47 Hz, 1H), 7.02 (m, *J* = 8.24 Hz, 1H), 6.97 (m, *J* = 8.24 Hz, 1H), 3.89 (s, 3H).

#### EXAMPLE 9

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methoxy-quinolin-1*H*-2-one

(a) *N*-[2-(3-Bromo-4,5-dimethoxybenzoyl)-5-methoxyphenyl]-acetamide. The title compound was prepared from *m*-acetanisidine, 3-bromo-4,5-dimethoxy benzoyl chloride and AlCl<sub>3</sub> by a procedure similar to Example 7b in 8 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 11.33 (s, 1H), 8.37 (d, *J* = 2.47 Hz, 1H), 7.54 (d, *J* = 8.79 Hz, 1H), 7.40 (d, *J* = 1.92 Hz, 1H), 7.17 (d, *J* = 1.92 Hz, 1H),

6.62 (dd,  $J = 8.79, 2.47$  Hz, 1H), 3.94 (s, 3H), 3.92 (s, 3H), 3.90 (s, 3H), 2.50 (s, 3H).

(b) (2-Amino-4-methoxy-phenyl)-(3-bromo-4,5-dimethoxy-phenyl)-methanone. The title compound was prepared from *N*-[2-(3-bromo-4,5-dimethoxybenzoyl)-5-methoxyphenyl]-acetamide and HCl by a procedure similar to Example 7c in 28 % yield.  $^1\text{H}$  NMR ( $\text{CDCl}_3$ ): 7.41 (d,  $J = 9.00$  Hz, 1H), 7.35 (d,  $J = 2.10$  Hz, 1H), 7.13 (d,  $J = 1.80$  Hz, 1H), 6.29 (brs, 2H), 6.21 (dd,  $J = 9.00, 2.70$  Hz, 1H), 6.16 (d,  $J = 2.70$  Hz, 1H), 3.91 (s, 3H), 3.89 (s, 3H), 3.84 (s, 3H).

(c) *N*-[2-(3-Bromo-4,5-dimethoxybenzoyl)-5-methoxyphenyl]-2-cyano-acetamide. The title compound was prepared from (2-amino-4-methoxyphenyl)-(3-bromo-4,5-dimethoxyphenyl)-methanone and cyano-acetic acid by a procedure similar to Example 6a in 60 % yield.  $^1\text{H}$  NMR ( $\text{CDCl}_3$ ): 11.96 (s, 1H), 8.26 (d,  $J = 2.48$  Hz, 1H), 7.61 (d,  $J = 9.07$  Hz, 1H), 7.40 (d,  $J = 1.93$  Hz, 1H), 7.20 (d,  $J = 1.93$  Hz, 1H), 6.70 (dd,  $J = 9.07, 2.47$  Hz, 1H), 3.95 (s, 3H), 3.92 (s, 3H), 3.91 (s, 3H), 3.61 (s, 2H).

(d) 4-(3-Bromo-4,5-dimethoxyphenyl)-3-cyano-7-methoxy-quinolin-1*H*-2-one. The title compound was prepared from *N*-[2-(3-bromo-4,5-dimethoxybenzoyl)-5-methoxyphenyl]-2-cyano-acetamide and NaOMe by a procedure similar to Example 6b in 33 % yield.  $^1\text{H}$  NMR ( $\text{CDCl}_3$ ): 11.90 (s, 1H), 7.35 (d,  $J = 9.0$  Hz, 1H), 7.20 (d,  $J = 1.80$  Hz, 1H), 6.94 (dd,  $J = 9.00, 1.80$  Hz, 2H), 6.85 (dd,  $J = 8.24$  Hz, 1H), 3.98 (s, 3H), 3.97 (s, 3H), 3.92 (s, 3H).

#### EXAMPLE 10

##### 3-Cyano-2-imino-4-(5-methyl-pyridin-3-yl)-2*H*-pyrrolo[2,3-*h*]chromene

To a suspension of 2-amino-3-cyano-4-(5-methyl-pyridin-3-yl)-4*H*-pyrrolo[2,3-*h*]chromene (80 mg, 0.27 mmol), and molecular sieves (160 mg) in  $\text{CH}_2\text{Cl}_2$  (10 mL) was added 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (66 mg, 0.29 mmol). The reaction mixture turned brown in color. The mixture was

stirred at room temperature for approximately 1.5 h. The reaction mixture was diluted with EtOAc (50 mL), washed with saturated NaHCO<sub>3</sub> (2 x 12 mL), brine (10 mL), dried over MgSO<sub>4</sub>, and evaporated to yield a yellow solid (86 mg). <sup>1</sup>H NMR (DMSO-d<sub>6</sub>): 11.83 (s, 1H), 8.70 (s, 1H), 8.65 (d, *J* = 1.2 Hz, 1H), 8.54 (d, *J* = 2.1 Hz, 1H), 7.84 (m, 1H), 7.52 (t, *J* = 3.0 Hz, 1H), 7.25 (dd, *J* = 0.9, 9.0 Hz, 1H), 6.71 (m, 1H), 6.76 (d, *J* = 8.4 Hz, 1H), 2.43 (d, *J* = 0.6 Hz, 3H).

## EXAMPLE 11

3-Cyano-2-imino-7-methyl-4-(5-methyl-pyridin-3-yl)-2*H*-pyrrolo[2,3-*h*]chromene

The title compound was prepared from 2-amino-3-cyano-7-methyl-4-(5-methyl-pyridin-3-yl)-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described for Example 10. <sup>1</sup>H NMR (DMSO-d<sub>6</sub>): 8.73 (s, 1H), 8.66 (d, *J* = 1.8 Hz, 1H), 8.55 (d, *J* = 2.1 Hz, 1H), 7.84 (m, 1H), 7.51 (d, *J* = 3.3 Hz, 1H), 7.31 (d, *J* = 9.0 Hz, 1H), 6.73-6.70 (m, 2H), 3.82 (s, 3H), 2.43 (s, 3H).

## EXAMPLE 12

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene

The title compound was prepared from 2-amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methyl-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described for Example 10. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.23 (d, *J* = 2.1 Hz, 1H), 7.12 (d, *J* = 3.3 Hz, 1H), 7.07 (dd, *J* = 0.6, 9.0 Hz, 1H), 6.98 (s, 1H), 6.98-6.95 (m, 2H), 6.87 (d, *J* = 3.0 Hz, 1H), 3.97 (s, 3H), 3.92 (s, 3H), 3.83 (s, 3H), 1.64 (brs, 1H).

## EXAMPLE 13

3-Cyano-4-(5-methyl-pyridin-3-yl)-2-oxo-2H-pyrrolo[2,3-*h*]chromene

A solution of 3-cyano-2-imino-4-(5-methyl-pyridin-3-yl)-2H-pyrrolo[2,3-*h*]chromene (83 mg, 0.28 mmol) in 10 % HCl (5 mL) was stirred at room temperature for approximately 5 h. The yellow suspension was diluted with water (5 mL), neutralized to approximate pH = 10 using 10 % NaOH and extracted with EtOAc (3 x 25 mL). The EtOAc extracts were washed with brine (10 mL), dried over MgSO<sub>4</sub>, and evaporated to yield a yellow solid. The solid was purified by flash column chromatography (silica gel, EtOAc:hexanes, 50-80 % EtOAc) to yield a yellow solid (27 mg, 35 %). <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 12.10 (s, 1H), 8.70 (d, *J* = 1.8 Hz, 1H), 8.58 (d, *J* = 2.1 Hz, 1H), 7.88 (m, 1H), 7.62 (d, *J* = 3.3 Hz, 1H), 7.45 (dd, *J* = 0.3, 9.0 Hz, 1H), 6.91-6.88 (m, 2H), 2.45 (s, 3H).

## EXAMPLE 14

3-Cyano-4-(5-methyl-pyridin-3-yl)-7-methyl-2-oxo-2H-pyrrolo[2,3-*h*]chromene

A solution of 3-cyano-2-imino-4-(5-methyl-pyridin-3-yl)-7-methyl-2H-pyrrolo[2,3-*h*]chromene (50 mg, 0.14 mmol) in 10 % HCl (2 mL) and DMSO (0.5 mL) was stirred at room temperature for approximately 4 h. The yellow suspension was diluted with water (5 mL), neutralized to approximate pH = 9 using 10 % NaOH, and extracted with EtOAc (3 x 20 mL). The EtOAc extracts were washed with brine (10 mL), dried over MgSO<sub>4</sub>, and evaporated to yield a yellow solid. The solid was purified by flash column chromatography (silica gel, EtOAc:hexanes, 50-80% EtOAc) to yield a yellow solid (31 mg, 68 %). <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.71 (d, *J* = 1.8 Hz, 1H), 8.58 (d, *J* = 2.1 Hz, 1H), 7.88 (m, 1H), 7.61 (d, *J* = 3.0 Hz, 1H), 7.53 (d, *J* = 8.7 Hz, 1H), 6.93 (d, *J* = 8.7 Hz, 1H), 6.91 (d, *J* = 3.3 Hz, 1H), 3.88 (s, 3H), 2.45 (s, 3H).

## EXAMPLE 15

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methyl-2-oxo-2H-pyrrolo[2,3-*h*]chromene

5 To a solution of 4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-7-methyl-2H-pyrrolo[2,3-*h*]chromene (100 mg, 0.216 mmol) in THF:water (10:2) was added a ZnCl<sub>2</sub> solution (1 mL, 1.0 M in CH<sub>2</sub>Cl<sub>2</sub>). The solution was stirred at room temperature for approximately 7 h. The reaction mixture was made basic with saturated NaHCO<sub>3</sub> (10 mL), and extracted with EtOAc (2 x 10 25 mL). The EtOAc extracts were washed with brine (10 mL), dried over MgSO<sub>4</sub>, and evaporated to yield a yellow solid. The solid was purified by flash column chromatography (silica gel, EtOAc:hexanes 30-70% EtOAc) to yield 17 mg (18 %) of the product as a yellow solid. <sup>1</sup>H NMR (acetone-d<sub>6</sub>): 7.51-7.48 (m, 2H), 7.42 (d, *J* = 1.8 Hz, 1H), 7.34 (d, *J* = 2.1 Hz, 1H), 7.17 (d, *J* = 8.7 Hz, 1H), 6.91 (dd, *J* = 0.6, 3.3 Hz, 2H), 3.98 (s, 3H), 3.97 (s, 3H), 3.85 (s, 3H).

## EXAMPLE 16

4-(3,5-Dimethoxyphenyl)-3-cyano-2-oxo-2H-pyrrolo[2,3-*h*]chromene

20 To a solution of 3,5-dimethoxybenzaldehyde (1.35 g, 8.12 mmol) and ethyl cyanoacetate (0.92 mL, 8.1 mmol) in ethanol (10 mL) was added piperidine (0.4 mL, 4 mmol). The mixture was stirred at room temperature for approximately 2 h. A precipitate formed, which was collected by filtration and dried to yield approximately 2.12 g of a white solid, which was used directly 25 in the next step. To a solution of 4-hydroxyindole (250 mg, 1.91 mmol) in THF (10 mL) was added sodium hydride (153 mg, 3.80 mmol, 60 %) and the mixture was stirred at room temperature for approximately 10 min. To the mixture was added a solution of 3-(3,5-dimethoxyphenyl)-2-cyano-acrylic acid ethyl ester (500 mg, 1.91 mmol, prepared as described above) in THF (2 mL). 30 The mixture was heated at approximately 60 °C overnight. The solvent was

evaporated and the residue was purified by flash column chromatography (silica gel, EtOAc:hexane, 1:2), yielding 7 mg (1.1 %) of the title compound. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 8.64 (brs, 1H), 7.35-7.24 (m, 2H), 7.19-7.16 (m, 1H), 7.04 (s, 1H), 6.65-6.59 (m, 3H), 3.85 (s, 6H).

5

## EXAMPLE 17

3-Cyano-4-(3-methoxy-phenyl)-7-methoxy-2-oxo-2*H*-chromene

10

The title compound was prepared from 3-methoxyphenol and 3-(3-methoxyphenyl)-2-cyano-acrylic acid ethyl ester by a procedure similar to that described for Example 16 in 0.2 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.50 (t, *J* = 8.1 Hz, 1H), 7.32 (d, *J* = 8.7 Hz, 1H), 7.12 (dd, *J* = 8.4, 2.4 Hz, 1H), 7.03-6.96 (m, 2H), 6.90-6.83 (m, 2H), 3.93 (s, 3H), 3.87 (s, 3H).

## EXAMPLE 18

15

7-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-2-oxo-2*H*-chromene

20

The title compound was prepared from 3-aminophenol and 3-(3-bromo-4,5-dimethoxyphenyl)-2-cyano-acrylic acid ethyl ester by a procedure similar to that described for Example 16 in 7 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.20-7.16 (m, 2H), 6.96 (d, *J* = 2.1 Hz, 1H), 6.59-6.55 (m, 2H), 4.63 (brs, 2H), 3.96 (s, 3H), 3.92 (s, 3H).

## EXAMPLE 19

2-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-5,6-dihydro-benzo[*h*]quinoline

25

a) 2-(3-Bromo-4,5-dimethoxy-benzylidene)-3,4-dihydro-2*H*-naphthalen-1-one: To a solution of 5-bromoveratraldehyde (245 mg, 1 mmol) and alpha-tetralone (146 mg, 1 mmol) in ethanol (10 mL) was added NaOH

(40 mg, 1 mmol) and the mixture was stirred at room temperature overnight. The solution was neutralized with saturated aqueous  $\text{NH}_4\text{Cl}$  and the solvent was removed under vacuum. The crude material was purified by column chromatography (silica gel, EtOAc:hexanes, 1:2), to yield 300 mg (80 %) of the title compound.  $^1\text{H}$  NMR ( $\text{CDCl}_3$ ): 8.13 (d,  $J = 7.5$  Hz, 1H), 7.74 (s, 1H), 7.54-7.48 (m, 1H), 7.38 (t,  $J = 7.5$  Hz, 1H), 7.28-7.24 (m, 2H), 6.91 (d,  $J = 1.8$  Hz, 1H), 3.91-3.90 (m, 6H), 3.15-3.11 (m, 2H), 2.97 (t,  $J = 6.9$  Hz, 2H).

b) 2-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-5,6-dihydro-benzo[*h*]quinoline: To a solution of 2-(3-bromo-4,5-dimethoxybenzylidene)-3,4-dihydro-2*H*-naphthalen-1-one (300 mg, 0.8 mmol) in ethanol (10 mL) was added cyanothioacetamide (80 mg, 0.8 mmol) and  $\text{NH}_4\text{Ac}$  (62 mg, 0.8 mmol) and the mixture was stirred under reflux for approximately 2 h. The solvent was removed under vacuum. The crude material was purified by column chromatography (silica gel, EtOAc:hexane, 1:3) to yield 6 mg (2 %) of the title compound.  $^1\text{H}$  NMR ( $\text{CDCl}_3$ ): 8.27-8.24 (m, 1H), 7.38-7.35 (m, 2H), 7.23-7.20 (m, 1H), 7.09 (d,  $J = 1.8$  Hz, 1H), 6.83 (d,  $J = 1.8$  Hz, 1H), 5.19 (brs, 2H), 3.94 (s, 3H), 3.90 (s, 3H), 2.82-2.69 (m, 2H), 2.64-2.62 (m, 2H).

#### EXAMPLE 20

4-(3-Bromo-4,5-dimethoxyphenyl)-3-cyano-7,8-dihydro-8,8-dimethyl-2-oxo-2*H*-furo[3,2-*h*]chromene

The title compound was prepared from 2,3-dihydro-2,2-dimethylbenzofuran-7-ol and 3-(3-bromo-4,5-dimethoxyphenyl)-2-cyanoacrylic acid ethyl ester by a procedure similar to that described for Example 16 in 0.7 % yield.  $^1\text{H}$  NMR ( $\text{CDCl}_3$ ): 7.51-7.50 (m, 1H), 7.31-7.30 (m, 1H), 7.07 (dd,  $J = 1.2, 8.1$  Hz, 1H), 6.80 (d,  $J = 8.4$  Hz, 1H), 3.94-3.91 (m, 6H), 3.34 (s, 2H), 1.52 (s, 6H).

## EXAMPLE 21

## 3-Cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2H-chromene

5           The title compound was prepared from 3-dimethylaminophenol and 3-(3-bromo-4,5-dimethoxyphenyl)-2-cyano-acrylic acid ethyl ester by a procedure similar to that described for Example 16 in 0.5 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.21-7.18 (m, 2H), 6.98 (d, *J* = 1.8 Hz, 1H), 6.62 (dd, *J* = 2.4, 9 Hz, 1H), 6.53 (d, *J* = 2.7 Hz, 1H), 3.96 (s, 3H), 3.92 (s, 3H), 3.15 (s, 6H).

## EXAMPLE 22

## 7-Amino-3-cyano-4-(3,5-dimethoxyphenyl)-2-oxo-2H-chromene

15           The title compound was prepared from 3-aminophenol and 3-(3,5-dimethoxyphenyl)-2-cyano-acrylic acid ethyl ester by a procedure similar to that described for Example 16 in 0.5 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.42 (d, *J* = 8.4 Hz, 1H), 6.72 (d, *J* = 2.4 Hz, 2H), 6.61-6.60 (m, 1H), 6.20 (d, *J* = 2.1 Hz, 1H), 6.10 (dd, *J* = 2.1, 8.7 Hz, 1H), 4.30 (brs, 2H), 3.83 (s, 6H).

## EXAMPLE 23

## 3-Cyano-7-dimethylamino-4-(3,5-dimethoxyphenyl)-2-oxo-2H-chromene

20           The title compound was prepared from 3-dimethylaminophenol and 3-(3,5-dimethoxyphenyl)-2-cyano-acrylic acid ethyl ester by a procedure similar to that described for Example 16 in 0.4 % yield. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 7.09 (d, *J* = 8.7 Hz, 1H), 6.80 (d, *J* = 7.5 Hz, 1H), 6.73-6.71 (m, 2H), 6.65 (d, *J* = 2.1 Hz, 2H), 3.80 (s, 6H), 3.11 (s, 6H).

25

## EXAMPLE 24

3-Cyano-4-(2,5-dimethoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

The title compound was prepared from 4-hydroxyindole and 3-(2,5-dimethoxyphenyl)-2-cyano-acrylic acid ethyl ester by a procedure similar to that described for Example 16 in 2.6 % yield. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 8.64 (s, 1H), 7.33-7.31 (m, 1H), 7.29-7.24 (m, 1H), 7.10-7.01 (m, 4H), 6.83-6.82 (m, 1H), 3.82 (s, 3H), 3.77 (s, 3H).

## EXAMPLE 25

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methylamino-2-oxo-2*H*-chromene

To a flask containing anhydrous DMF (0.5 mL), heated to approximately 65 °C, was added tert-butyl nitrite (0.40 mL, 3.0 mmol) followed by 2-amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-7-dimethylamino-4*H*-chromene (52 mg, 0.12 mmol) in anhydrous DMF (0.5 mL). The reaction mixture was stirred at approximately 65 °C for approximately 15 min, and FeSO<sub>4</sub>·7H<sub>2</sub>O (92 mg, 0.33 mmol) was added in one portion. The reaction mixture was stirred for approximately 30 min, cooled to room temperature, diluted with EtOAc (25 mL), washed with water (10 mL), brine (10 mL), dried over MgSO<sub>4</sub> and evaporated to yield a yellow solid. The crude solid was purified by column chromatography (silica gel, EtOAc:hexanes 1:2 to 1:1) to yield 8 mg (16%) of the product as a yellow solid. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.73 (dd, *J* = 2.4, 9.3 Hz, 1H), 7.59 (d, *J* = 2.4 Hz, 1H), 7.56 (d, *J* = 9.0 Hz, 1H), 7.26 (s, 1H), 7.03 (d, *J* = 1.8 Hz, 1H), 4.00 (s, 3H), 3.95 (s, 3H), 3.46 (s, 3H).

## EXAMPLE 26

7-Amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene

The title compound was prepared from 4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2,7-diamino-2*H*-chromene by a procedure similar to that described for Example 10. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.36 (brs, 1H), 7.28 (dd, *J* = 2.4, 9.3 Hz, 1H), 7.20 (d, *J* = 1.8 Hz, 1H), 6.79 (d, *J* = 8.7 Hz, 1H), 6.63 (brs, 2H), 6.41 (dd, *J* = 1.8, 8.4 Hz, 1H), 6.33 (d, *J* = 2.1 Hz, 1H), 3.86 (s, 3H), 3.83 (d, *J* = 0.3 Hz, 3H).

## EXAMPLE 27

7-Bromo-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene

To a suspension of tert-butylnitrite (34 mg, 0.33 mmol) and CuBr<sub>2</sub> (68 mg, 0.30 mmol) in anhydrous acetonitrile (1.5 mL), cooled to approximately 0 °C, was added 7-amino-3-cyano-2-imino-4-(3-bromo-4,5-dimethoxy-phenyl)-2*H*-chromene (100 mg, 0.25 mmol). The reaction mixture was stirred at approximately 0 °C for approximately 4 h, diluted with EtOAc (50 mL), washed with saturated NaHCO<sub>3</sub> (25 mL) and brine (10 mL), dried over MgSO<sub>4</sub>, and evaporated to yield a yellow solid. The solid was purified by column chromatography (silica gel, EtOAc:hexanes, 1:2 to 1:1) to yield 50 mg (43 %) of the title compound as a yellow solid. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.82 (brs, 1H), 7.38 (m, 1H), 7.30 (dd, *J* = 2.1, 8.7 Hz, 1H), 7.18 (d, *J* = 2.1 Hz, 1H), 7.09 (d, *J* = 9.0 Hz, 1H), 6.93 (m, 1H), 3.96 (s, 3H), 3.92 (s, 3H).

## EXAMPLE 28

4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-oxo-2*H*-chromene

To a suspension of 7-amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene (99 mg, 0.25 mmol) in anhydrous THF (10 mL),

cooled to approximately 0 °C, was added tert-butyl nitrite (0.10 mL, 0.66 mmol), followed by CuCl<sub>2</sub> (104 mg, 0.774 mmol). The reaction mixture was stirred at approximately 0 °C for approximately 3 h and the solvent was evaporated. The residue was suspended in anhydrous acetonitrile (5 mL) and CuCl<sub>2</sub> (104 mg, 0.776 mmol) was added to the reaction mixture, while stirring at approximately 0 °C. The mixture was allowed to gradually warm and stirred at room temperature for approximately 17 h and the solvent was evaporated and the residue was diluted with EtOAc (50 mL). The EtOAc solution was washed with saturated NaHCO<sub>3</sub> (15 mL) and brine (10 mL), dried over MgSO<sub>4</sub> and evaporated. The residue was purified by column chromatography (silica gel, EtOAc:hexanes, 1:4) to yield 66 mg (63 %) of the title compound as a yellow solid. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.48 (d, *J* = 1.8 Hz, 1H), 7.40 (d, *J* = 8.4 Hz, 1H), 7.33 (dd, *J* = 1.8, 8.4 Hz, 1H), 7.22 (d, *J* = 2.1 Hz, 1H), 6.98 (d, *J* = 2.1 Hz, 1H), 3.99 (s, 3H), 3.93 (s, 3H).

## EXAMPLE 29

4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-imino-2*H*-chromene

To a suspension of 7-amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene (82 mg, 0.20 mmol) in anhydrous acetonitrile (10 mL), cooled to approximately 0 °C, was added tert-butyl nitrite (0.8 mL, 6 mmol), followed by CuCl<sub>2</sub> (104 mg, 0.774 mmol). The reaction mixture was stirred at approximately 0 °C for approximately 4 h, diluted with EtOAc (50 mL), washed with saturated NaHCO<sub>3</sub> (25 mL) and brine (15 mL), dried over MgSO<sub>4</sub>, and evaporated to yield a yellow solid. The crude solid was purified by column chromatography (silica gel, EtOAc:hexanes, 1:3) to yield the title compound as a yellow solid: <sup>1</sup>H NMR (CDCl<sub>3</sub>) 7.82 (s, 1H), 7.22-7.16 (m, 4H), 6.94 (d, *J* = 1.8 Hz, 1H), 3.96 (s, 3H), 3.92 (s, 3H).

## EXAMPLE 30

## 2-Imino-3-cyano-7-methoxy-4-(3'-methoxy-phenyl)-2H-thiochromene

## (a) 2-hydroxy-4-methoxyphenyl-(3'-methoxyphenyl)-methanone:

To a solution of 3-methoxyphenol (500  $\mu$ L, 4.55 mmol) in 5 mL of anhydrous toluene was added *meta*-anisoyl chloride (640  $\mu$ L, 4.55 mmol) at approximately 0 °C followed by boron trichloride (4.55 mL of a 1.0 M solution in xylene, 4.55 mmol). The resultant mixture was warmed and stirred at approximately 85 °C for 24 h. It was then diluted with 40 mL of ether, washed twice with 25 mL portions of saturated aqueous sodium bicarbonate, dried with sodium sulfate, concentrated and purified by flash column chromatography (silica gel, EtOAc:hexanes, 1:5) to yield 883 mg of the title compound as a colorless oil. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.53 (d, *J* = 8.9 Hz, 1H), 7.39 (dd, *J* = 7.5, 0.5 Hz, 1H), 7.18-7.20 (m, 1H), 7.15-7.16 (m, 1H), 7.10 (ddd, *J* = 8.3, 2.6, 1.0 Hz, 1H), 6.52 (d, *J* = 2.5 Hz, 1H), 6.41 (dd, *J* = 9.0, 2.6 Hz, 1H), 3.87 (s, 3H), 3.86 (s, 3H).

(b) Dimethylthiocarbamic acid *O*-[5-methoxy-2-(3'-methoxybenzoyl)-phenyl] ester: A mixture of (2-hydroxy-4-methoxy-phenyl)-(3'-methoxy-phenyl)-methanone (872 mg, 3.38 mmol), dimethylthiocarbamoyl chloride (835 mg, 6.76 mmol) and 1,4-diazabicyclo[2.2.2]octane (758 mg, 6.76 mmol) in 10 mL of anhydrous DMF was stirred overnight at room temperature. A portion of 100 mL of ether was added and the resultant mixture was washed twice with a saturated solution of aqueous sodium bicarbonate, dried with sodium sulfate and concentrated. Purification by flash column chromatography (silica gel, EtOAc:hexanes, 15% to 20% EtOAc) yielded 975 mg (83 %) of dimethylthiocarbamic acid *O*-[5-methoxy-2-(3'-methoxybenzoyl)-phenyl] ester as a pale yellow oil. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.51 (d, *J* = 8.6 Hz, 1H), 7.33-7.35 (m, 2H), 7.08-7.11 (m, 1H), 6.83 (dd, *J* = 8.6, 2.5 Hz, 1H), 6.41 (d, *J* = 2.4 Hz, 1H), 3.90 (s, 3H), 3.85 (s, 3H), 3.32 (s, 3H), 3.16 (s, 3H).

(c) Dimethylthiocarbamic acid *S*-[5-methoxy-2-(3'-methoxybenzoyl)-phenyl] ester: Dimethylthiocarbamic acid *O*-[5-methoxy-2-(3'-methoxybenzoyl)-phenyl] ester (879 mg, 2.54 mmol) was stirred in 8 mL of *N,N*-dimethylaniline at approximately 215 °C for approximately 3 h. After cooling at room temperature, a portion of 100 mL of ether was added. The resultant mixture was washed twice with a solution of approximately 10 % hydrochloric acid, once with a saturated aqueous solution of sodium bicarbonate, dried with sodium sulfate and concentrated. The crude compound was purified by flash column chromatography (silica gel, EtOAc:hexanes 1:5) to yield 502 mg (57 %) of dimethyl-thiocarbamic acid *S*-[5-methoxy-2-(3'-methoxybenzoyl)-phenyl] ester as a pale yellow oil. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.40 (d, *J* = 8.5 Hz, 1H), 7.30-7.34 (m, 2H), 7.19 (d, *J* = 2.6 Hz, 1H), 7.07-7.10 (m, 1H), 6.95-6.97 (m, 1H), 3.88 (s, 3H), 3.82 (s, 3H), 2.89 (s, 6H).

(d) 2-Mercapto-4-methoxy-phenyl)-(3'-methoxy-phenyl)-methanone: A mixture of dimethylthiocarbamic acid *S*-[5-methoxy-2-(3'-methoxybenzoyl)-phenyl] ester (164 mg, 0.475 mmol) and potassium hydroxyde (200 mg, 3.56 mmol) was stirred in approximately 2 mL of dry methanol at approximately 70 °C for approximately 1.5 h. After cooling at room temperature, the solvent was removed. The crude compound obtained was purified by column chromatography (silica gel, EtOAc:hexanes, 1:5) to yield 35 mg (27 %) of (2-mercapto-4-methoxyphenyl)-(3'-methoxyphenyl)-methanone as a pale yellow oil. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 7.50 (d, *J* = 8.8 Hz, 1H), 7.33-7.37 (m, 1H), 7.22-7.27 (m, 2H), 7.10 (ddd, *J* = 8.2, 2.6, 1.0 Hz, 1H), 6.90 (d, *J* = 2.5 Hz, 1H), 6.65 (dd, *J* = 8.8, 2.5 Hz, 1H), 4.76 (s, 1H), 3.85 (s, 3H), 3.84 (s, 3H).

(e) 2-Imino-3-cyano-7-methoxy-4-(3-methoxy-phenyl)-2*H*-thiochromene: To a mixture of (2-mercapto-4-methoxyphenyl)-(3'-methoxyphenyl)-methanone (35 mg, 0.13 mmol) and malononitrile (8.5 mg, 0.13 mmol) in approximately 200 μL of dry ethanol was added piperidine (7.0 μL, 0.06 mmol) at approximately 0 °C. The resultant mixture was stirred at approximately 0 °C for approximately 2.5 h. The solvent was evaporated and

the residue was purified by flash chromatography (silica gel, EtOAc:hexanes, 1:4) to yield 31 mg (75 %) of 2-imino-3-cyano-7-methoxy-4-(3'-methoxy-phenyl)-2*H*-thiochromene-3-carbonitrile as an orange waxy oil. <sup>1</sup>H NMR (CDCl<sub>3</sub>): 9.31 (brs, 1H), 7.42-7.46 (m, 1H), 7.03-7.11 (m, 2H), 6.91 (d, *J* = 7.8 Hz, 1H), 6.85-6.86 (m, 1H), 6.80 (bs, 1H), 6.68 (dd, *J* = 9.1, 2.6 Hz, 1H), 3.85 (s, 3H), 3.84 (s, 3H).

## EXAMPLE 31

2-Imino-3-cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxyphenyl)-2*H*-chromene

4Å Molecular sieves (20 mg) were added to 2-amino-3-cyano-4-(3-bromo-4,5-dimethoxyphenyl)-4*H*-chromene (20 mg, 0.05 mmol) in dichloromethane (1 mL). The solution was stirred for approximately 15 min. Then 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (10 mg, 0.05 mmol, 1 eq.) was added and stirred continuously at room temperature for approximately 1 h. The reaction mixture was diluted with ethyl acetate (20 mL) and washed with saturated aqueous sodium bicarbonate solution (20 mL) and brine (20 mL), and dried over sodium sulfate and concentrated to yield 17 mg (79 %) of the desired compound. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.33 (s, 1H), 7.28 (d, *J* = 1.9 Hz, 1H), 7.21 (d, *J* = 1.9 Hz, 1H), 6.87 (d, *J* = 9.1 Hz, 1H), 6.56 (dd, *J* = 2.5, 9.1 Hz, 1H), 6.40 (d, *J* = 2.5 Hz, 1H), 3.84 (s, 3H), 3.82 (s, 3H), 3.03 (s, 6H).

## EXAMPLE 32

3-Cyano-2-imino-7-methyl-4-(3-nitro-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene

The title compound was prepared from 2-amino-3-cyano-7-methyl-4-(3-nitro-phenyl)-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 11. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.75 (s, 1H), 8.49-8.44 (m, 2H), 8.04 (dt, *J* = 7.8, 1.5 Hz, 1H), 7.94 (t, *J* = 8.1 Hz, 1H), 7.51 (d, *J* = 3.0 Hz, 1H), 7.29 (d, *J* = 9.0 Hz, 1H), 6.73-6.68 (m, 2H), 3.82 (s, 3H).

## EXAMPLE 33

3-Cyano-2-imino-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2*H*-  
pyrrolo[2,3-*h*]chromene

The title compound was prepared from 2-amino-3-cyano-7-methyl-4-(3,4,5-trimethoxy-phenyl)-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 11. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.61 (s, 1H), 7.49 (d, *J* = 3.0 Hz, 1H), 7.32 (d, *J* = 8.7 Hz, 1H), 6.92 (d, *J* = 8.7 Hz, 1H), 6.87 (s, 2H), 6.71 (d, *J* = 3.0 Hz, 1H), 3.82 (s, 9H), 3.78 (s, 3H).

## EXAMPLE 34

3-Cyano-4-(3,5-dimethoxy-phenyl)-2-imino-7-methyl-2*H*-  
pyrrolo[2,3-*h*]chromene

The title compound was prepared from 2-amino-3-cyano-7-methyl-4-(3,5-dimethoxy-phenyl)-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 4. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.62 (s, 1H), 7.49 (d, *J* = 3.3 Hz, 1H), 7.30 (d, *J* = 9.0 Hz, 1H), 6.82 (d, *J* = 8.7 Hz, 1H), 6.71-6.66 (m, 4H), 3.81 (s, 9H).

## EXAMPLE 35

3-Cyano-2-imino-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-  
2*H*-pyrrolo[2,3-*h*]chromene

The title compound was prepared from 2-amino-3-cyano-7-methyl-4-(3-methoxy-4,5-methylenedioxyphenyl)-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 11. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.60 (s, 1H), 7.49 (d, *J* = 3.3 Hz, 1H), 7.31 (d, *J* = 9.0 Hz, 1H), 6.90 (d, *J* = 9.0 Hz, 1H), 6.86 (d, *J* = 1.5 Hz, 1H), 6.82 (d, *J* = 1.5 Hz, 1H), 6.71 (d, *J* = 3.3 Hz, 1H), 6.15 (d, *J* = 3.0 Hz, 2H), 3.86 (s, 3H), 3.82 (s, 3H).

## EXAMPLE 36

3-Cyano-2-imino-4-(3-methoxy-phenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene

5           The title compound was prepared from 2-amino-3-cyano-4-(3-methoxy-phenyl)-7-methyl-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 11. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.63 (s, 1H), 7.55 (t, *J* = 8.1 Hz, 1H), 7.49 (d, *J* = 3.0 Hz, 1H), 7.30 (d, *J* = 8.7 Hz, 1H), 7.18 (dd, *J* = 2.7, 8.4 Hz, 1H), 7.10-7.06 (m, 2H), 6.77 (d, *J* = 9.0 Hz, 1H), 6.71 (d, *J* = 3.0  
10       Hz, 1H), 3.83 (s, 3H), 3.81 (s, 3H).

## EXAMPLE 37

3-Cyano-2-imino-4-(3-bromophenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene

15           The title compound was prepared from 2-amino-3-cyano-4-(3-bromophenyl)-7-methyl-4*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 11. <sup>1</sup>H NMR (DMSO-*d*<sub>6</sub>): 8.69 (s, 1H), 7.82 (dt, *J* = 7.8, 1.8 Hz, 1H), 7.80 (m, 1H), 7.60 (dt, *J* = 7.8, 0.6 Hz, 1H), 7.55 (dt, *J* = 7.8, 1.5 Hz, 1H), 7.50 (d, *J* = 3.3 Hz, 1H), 7.31 (dd, *J* = 0.6, 7.3 Hz, 1H), 6.72-6.68  
20       (m, 2H), 3.82 (s, 3H).

## EXAMPLE 38

3-Cyano-7-methyl-4-(3-nitro-phenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

25           A solution of 3-cyano-2-imino-7-methyl-4-(3-nitro-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene (31 mg, 0.087 mmol) 10% HCl (3 mL) and methanol (5 mL) was stirred at room temperature for 7 h. The reaction mixture was neutralized with 10% NaOH. The yellow precipitate was collected by vacuum filtration, washed with water, and dried *in vacuo* (24 mg, 77%). <sup>1</sup>H NMR (acetone-*d*<sub>6</sub>): 8.58-8.52 (m, 2H), 8.11 (dt, *J* = 7.2, 0.9 Hz, 1H), 8.03 (dt, *J* = 7.8, 0.9 Hz, 1H), 7.53 (d, *J* = 3.3 Hz, 1H), 7.49 (dd, *J* = 0.6, 8.7 Hz, 1H), 7.05 (d, *J* = 8.7 Hz, 1H), 6.94 (dd, *J* = 0.9, 3.3 Hz, 1H), 3.97 (s, 3H).  
30

## EXAMPLE 39

3-Cyano-4-(3,5-dimethoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

5           The title compound was prepared from 3-cyano-4-(3,5-dimethoxy-phenyl)-2-imino-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 38. <sup>1</sup>H NMR (acetone-*d*<sub>6</sub>): 7.50 (d, *J* = 3.0 Hz, 1H), 7.48 (dd, *J* = 0.9, 9.3 Hz, 1H), 7.15 (d, *J* = 9.0 Hz, 1H), 6.90 (dd, *J* = 0.9, 3.3 Hz, 1H), 6.74 (s, 3H), 3.97 (s, 3H), 3.89 (s, 6H).

## EXAMPLE 40

3-Cyano-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

10           The title compound was prepared from 3-cyano-2-imino-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 38. <sup>1</sup>H NMR (acetone-*d*<sub>6</sub>): 7.50 (s, 1H), 7.48 (d, *J* = 4.5 Hz, 1H), 7.24 (d, *J* = 9.0 Hz, 1H), 6.92 (d, *J* = 1.5 Hz, 1H), 6.90 (dd, *J* = 0.6, 3.0 Hz, 1H), 6.81 (d, *J* = 1.5 Hz, 1H), 6.18 (d, *J* = 6.18 Hz, 2H), 3.97 (d, *J* = 0.9 Hz, 3H), 3.96 (s, 3H).

## EXAMPLE 41

3-Cyano-4-(3-methoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

25           The title compound was prepared from 3-cyano-2-imino-4-(3-methoxy-phenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 38. <sup>1</sup>H NMR (acetone-*d*<sub>6</sub>): 7.59 (dt, *J* = 0.6, 8.1 Hz, 1H), 7.50 (d, *J* = 3.3 Hz, 1H), 7.47 (dd, *J* = 0.6, 8.7 Hz, 1H), 7.22 (ddd, *J* = 0.9, 2.4, 8.4 Hz, 1H), 7.20-7.13 (m, 2H), 7.09 (d, *J* = 9.0 Hz, 1H), 6.91 (dd, *J* = 0.6, 3.3 Hz, 1H), 3.96 (s, 3H), 3.91 (3H).

## EXAMPLE 42

3-Cyano-4-(3-bromo-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

The title compound was prepared from 3-cyano-2-imino-4-(3-bromo-phenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described in Example 38. <sup>1</sup>H NMR (acetone-*d*<sub>6</sub>): 7.89-7.83 (m, 2H), 7.66-7.64 (m, 2H), 7.52-7.48 (m, 2H), 7.03 (d, *J* = 9.0 Hz, 1H), 6.92 (dd, *J* = 0.9, 3.3 Hz, 1H), 3.97 (s, 3H).

## EXAMPLE 43

3-Cyano-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene

The title compound was prepared from 3-cyano-2-imino-4-(3,4,5-trimethoxy-phenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene by a procedure similar to that described for Example 38. <sup>1</sup>H NMR (acetone-*d*<sub>6</sub>): 7.50 (d, *J* = 3.0 Hz, 1H), 7.49 (dd, *J* = 0.9, 9.0 Hz, 1H), 7.25 (d, *J* = 8.7 Hz, 1H), 6.94 (s, 2H), 6.90 (dd, *J* = 0.9, 3.3 Hz, 1H); 3.97 (s, 3H), 3.91 (s, 6H), 3.87 (s, 3H).

## EXAMPLE 44

Identification of 3-Cyano-7-methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene and Analogs as Caspase Cascade Activators and Inducers of Apoptosis in Solid Tumor Cells

Human breast cancer cell lines T-47D and ZR-75-1 were grown according to media component mixtures designated by American Type Culture Collection + 10 % FCS (Invitrogen Corporation), in a 5% CO<sub>2</sub> -95 % humidity incubator at 37 °C. T-47D and ZR-75-1 cells were maintained at a cell density between 30 and 80 % confluency at a cell density of 0.1 to 0.6 x 10<sup>6</sup> cells/mL. Cells were harvested at 600xg and resuspended at 0.65 x 10<sup>6</sup> cells/mL into appropriate media + 10% FCS. An aliquot of 45 µl of cells was added to a well of a 96-well microtiter plate containing 5 µl of a 10% DMSO in RPMI-1640 media solution containing 0.16 to 10 µM of 3-cyano-7-

methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene (Example 1) or other test compound (0.016 to 1  $\mu$ M final). An aliquot of 45  $\mu$ l of cells was added to a well of a 96-well microtiter plate containing 5  $\mu$ l of a 10% DMSO in RPMI-1640 media solution without test compound as the control sample.

5 The samples were mixed by agitation and then incubated at 37 °C for 24 h in a 5 % CO<sub>2</sub>-95% humidity incubator. After incubation, the samples were removed from the incubator and 50  $\mu$ l of a solution containing 20  $\mu$ M of *N*-(Ac-DEVD)-*N'*-ethoxycarbonyl-R110 fluorogenic substrate (SEQ ID NO:1) (Cytovia, Inc.; WO99/18856), 20 % sucrose (Sigma), 20 mM DTT (Sigma),  
10 200 mM NaCl (Sigma), 40 mM Na PIPES buffer pH 7.2 (Sigma), and 500  $\mu$ g/ml lysolecithin (Calbiochem) was added. The samples were mixed by agitation and incubated at room temperature. Using a fluorescent plate reader (Model 1420 Wallac Instruments), an initial reading ( $T = 0$ ) was made approximately 1- 2 min after addition of the substrate solution, employing  
15 excitation at 485 nm and emission at 530 nm, to determine the background fluorescence of the control sample. After the 3 h incubation, the samples were read for fluorescence as above ( $T = 3$  h).

#### Calculation:

20 The Relative Fluorescence Unit values (RFU) were used to calculate the sample readings as follows:

$$\text{RFU}_{(T=3h)} - \text{Control RFU}_{(T=0)} = \text{Net RFU}_{(T=3h)}$$





The activity of caspase cascade activation was determined by the ratio of the net RFU value for 3-cyano-7-methoxy-4-(3-bromo-4,5-dimethoxy-phenyl)-2-oxo-2*H*-chromene, or other test compound, to that of control  
25 samples. The EC<sub>50</sub> (nM) was determined by a sigmoidal dose-response calculation (Prism 2.0, GraphPad Software Inc.). The caspase activity (Ratio) and potency (EC<sub>50</sub>) are summarized in Table I:





TABLE I. CASPASE ACTIVITY AND POTENCY

Example # Compound #	T-47D		ZR-75-1	
	Ratio	EC50 (nM)	Ratio	EC50 (nM)
1	6.2	257	4.2	97
2	4.1	44	5.4	11
3	Inactive	Inactive	Inactive	Inactive
4	Inactive	Inactive	Inactive	Inactive
5	2.0	200	10.4	111
6	9.1	4795	10.6	881.8
8	4.1	1172.2	10.1	878.2
9	4.4	4410.5	7.4	2048.7
16	3.1	105.5	3.6	173.5
17	8.9	99.7	11.7	43.4
18	2.2	1492.7	7.1	320.2
19	5.4	4059.7	7.9	556.3
20	1.6	Inactive	3.1	1000.0
21	5.8	545.8	9.1	279.0
22	1.5	Inactive	3.4	400.0
23	2.3	456.5	7.2	429.3
24	4.5	584.9	7.1	404.7
25	4.9	1091.4	6.1	356.1
26	1.9	Inactive	8.8	2767.8
28	2.2	2960.6		
30	Inactive	Inactive	Inactive	Inactive
31	2500	2500		
38	1.8	>100	5.0	22
39	1.9	>100	5.2	20
40	1.7	>100	4.9	24
41	2.3	55	4.9	22
42	2.6	56	4.2	17

Thus, 3-cyano-7-methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2H-chromene (Example 1) and analogs are identified as potent caspase cascade activators and inducer of apoptosis in solid tumor cells.

Other active compounds with a fused-pyridine structure include the following compounds obtained from commercial sources.


Cmp. #	Structure	Max efficacy		EC50 (nM)	
		T47D	ZR751	T47D	ZR751
44		10.7	19.2	3123	2037
45		Inactive	7.0	Inactive	571
46		Inactive	3.1	Inactive	3407
47		Inactive	2.7	Inactive	6111

48		Inactive	2.9	Inactive	6040
49		Inactive	4.8	Inactive	5712
50		Inactive	2.4	Inactive	576
51		Inactive	2.8	Inactive	5385

Having now fully described this invention, it will be understood by those of ordinary skill in the art that the same can be performed within a wide and equivalent range of conditions, formulations and other parameters without affecting the scope of the invention or any embodiment thereof. All patents, patent applications and publications cited herein are fully incorporated by reference herein in their entirety.

## WHAT IS CLAIMED IS:

1. A method of treating a disorder responsive to the induction of apoptosis in an animal suffering therefrom, comprising administering to a mammal in need of such treatment an effective amount of a compound of Formula I:



or a pharmaceutically acceptable salt or prodrug thereof, wherein:

the dashed lines cannot both be double bonds at the same time;

X is O, S or  $\text{NR}_6$ , wherein  $\text{R}_6$  is hydrogen or optionally substituted alkyl or aryl;

Y is CN,  $\text{COR}_7$ ,  $\text{CO}_2\text{R}_7$  or  $\text{CONR}_x\text{R}_y$ , wherein  $\text{R}_7$ ,  $\text{R}_x$  and  $\text{R}_y$  are independently hydrogen,  $\text{C}_{1-10}$  alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl; or  $\text{R}_x$  and  $\text{R}_y$  are taken together with the nitrogen to which they are attached to form a heterocycle;


Z is O, S, halo,  $\text{NR}_8$ , or  $\text{NCOR}_8$ , wherein  $\text{R}_8$  is independently H,  $\text{C}_{1-4}$  alkyl or aryl; and

A is optionally substituted and is aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl or heteroarylalkyl; and

B is optionally substituted and is an aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, or partially saturated heterocyclic ring.

2. The method of claim 1, wherein Z is O, S,  $\text{NR}_8$  or  $\text{COR}_8$ .

3. The method of claim 1, wherein said compound has the formula:



IIA


5 wherein:

R<sub>1</sub>-R<sub>4</sub> are independently hydrogen, halo, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, C<sub>1-10</sub> alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, methylenedioxy, carbonylamido or alkylthiol; or


R<sub>1</sub> and R<sub>2</sub>, or R<sub>2</sub> and R<sub>3</sub>, or R<sub>3</sub> and R<sub>4</sub>, taken together with the atoms to which they are attached, form an aryl, heteroaryl, partially saturated carbocyclic or partially saturated heterocyclic group, wherein said group is optionally substituted.

4. The method of claim 1, wherein A is optionally substituted and selected from the group consisting of phenyl, naphthyl, quinolyl, isoquinolyl, pyridyl, thienyl, furyl, pyrrolyl, 2-phenylethyl and cyclohexyl.


5. The method of claim 3, wherein said compound has one of the Formulae III-VI:




III



IV



V



VI

or a pharmaceutically acceptable salt or prodrug thereof.

5            6.        The method of claim 5, wherein A is optionally substituted and selected from the group consisting of phenyl, naphthyl, quinolyl, isoquinolyl, pyridyl, thienyl, furyl, pyrrolyl, 2-phenylethyl and cyclohexyl.

10           7.        The method of claim 5, wherein R<sub>1</sub> and R<sub>2</sub>, or R<sub>2</sub> and R<sub>3</sub>, or R<sub>3</sub> and R<sub>4</sub>, are taken together to form a structure selected from the group consisting of -OCH<sub>2</sub>O-, -(CH<sub>2</sub>)<sub>3</sub>-, -(CH<sub>2</sub>)<sub>4</sub>-, -OCH<sub>2</sub>CH<sub>2</sub>O-, -CH<sub>2</sub>CR<sub>2</sub>O-, -CH<sub>2</sub>N(V)CH<sub>2</sub>-, -CH<sub>2</sub>CH<sub>2</sub>N(V)CH<sub>2</sub>-, -CH<sub>2</sub>N(V)CH<sub>2</sub>CH<sub>2</sub>-, -N(V)-CH=CH-, -CH=CH-N(V)-, -N(V)-CH=N-, -N=CH-O-, -N(V)-CH=N-, -O-CH=N-, -N=CH-O-, -S-CH=N-, -N=CH-S-, -O-CH=CH-


$-\text{CH}=\text{CH}-\text{O}-$ ,  $-\text{S}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{S}-$ ,  $-\text{CH}=\text{CH}-\text{CH}=\text{CH}-$ ,  $-\text{N}=\text{CH}-$   
 $\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{N}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{N}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{CH}=\text{N}-$ ,  
 $-\text{N}=\text{CH}-\text{CH}=\text{N}-$ ,  $-\text{NH}-\text{CH}_2-\text{NH}-$ ,  $-\text{NH}-\text{CO}-\text{NH}-$ ,  $-\text{N}-\text{CO}-\text{CO}-\text{N}-$ ,  $-\text{N}-$   
 $\text{CH}_2-\text{CH}_2-\text{N}-$ , and  $-\text{N}=\text{N}-\text{NH}-$ , wherein V is hydrogen,  $\text{C}_{1-10}$  alkyl, haloalkyl,  
 5 aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl,  
 alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl,  
 heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or  
 aminoalkyl.

10 8. The method of claim 5, wherein  $\text{R}_1$  and  $\text{R}_2$ , or  $\text{R}_2$  and  $\text{R}_3$ , or  $\text{R}_3$   
 and  $\text{R}_4$ , are taken together to form a structure selected from the group  
 consisting of  $-\text{CH}=\text{CH}-\text{CH}=\text{CH}-$ ,  $-\text{N}=\text{CH}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{N}-\text{CH}=\text{CH}-$ ,  
 $-\text{CH}=\text{CH}-\text{N}=\text{CH}-$  and  $-\text{CH}=\text{CH}-\text{CH}=\text{N}-$ .

15 9. The method of claim 1, wherein X is O and Y is CN.

20 10. The method of claim 5, wherein  $\text{R}_1$ - $\text{R}_4$  are independently  
 hydrogen, halogen, hydroxy,  $\text{C}_{1-10}$  alkyl, hydroxyalkyl, aminoalkyl,  
 carboxyalkyl, amino, acylamido, acyloxy, alkoxy, methylenedioxy or  
 alkylthiol.

25 11. The method of claim 1, wherein A is



25 and  $\text{R}_{10}$ - $\text{R}_{14}$  are independently hydrogen, halo, haloalkyl, aryl, fused aryl,  
 carbocyclic, a heterocyclic group, a heteroaryl group,  $\text{C}_{1-10}$  alkyl, alkenyl,


alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, methylenedioxy, carbonylamido or alkylthiol; or

$R_{10}$  and  $R_{11}$ , or  $R_{11}$  and  $R_{12}$ , taken together with the atoms to which they are attached, form an aryl, heteroaryl, optionally substituted carbocyclic or optionally substituted heterocyclic group, wherein said group is optionally substituted.

12. The method of claim 11, wherein  $R_{10}$  and  $R_{11}$ , or  $R_{11}$  and  $R_{12}$ , are taken together to form a structure selected from the group consisting of  $-\text{OCH}_2\text{O}-$ ,  $-(\text{CH}_2)_3-$ ,  $-(\text{CH}_2)_4-$ ,  $-\text{OCH}_2\text{CH}_2\text{O}-$ ,  $-\text{CH}_2\text{N}(\text{V})\text{CH}_2-$ ,  $-\text{CH}_2\text{CH}_2\text{N}(\text{V})\text{CH}_2-$ ,  $-\text{CH}_2\text{N}(\text{V})\text{CH}_2\text{CH}_2-$ ,  $-\text{CH}=\text{CH}-\text{CH}=\text{CH}-$ ,  $-\text{N}(\text{V})-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{N}(\text{V})-$ ,  $-\text{O}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{O}-$ ,  $-\text{S}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{S}-$ ,  $-\text{N}=\text{CH}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{N}-\text{CH}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{N}=\text{CH}-$ ,  $-\text{CH}=\text{CH}-\text{CH}=\text{N}-$  and  $-\text{N}=\text{CH}-\text{CH}=\text{N}-$ , wherein V is hydrogen,  $\text{C}_{1-10}$  alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl.

13. The method of claim 3, wherein  $R_3$  and  $R_4$  together form an optionally substituted ring, wherein said ring is selected from the group consisting of benzo, pyrido, furo, dihydrofuro, thieno, pyrrolo, imidazolo, imidazol-2-one, pyrazo, thiazolo, oxazolo, oxazol-2-one, 2-oxadihydroimidazolo, 1,4-dihydropyrazine-2,3-dione, imidazolino, triazolo, and piperazo rings.

14. The method of claim 3, wherein said compound has the formula:



VII

or a pharmaceutically acceptable salt or prodrug thereof, wherein Z is halo.

15. The method of claim 1, wherein said compound is selected from the group consisting of:

3-Cyano-7-methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

3-Cyano-7-methoxy-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

3-Cyano-4-(3-methoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-phenyl-quinolin-1*H*-2-one;

3-Cyano-7-methoxy-4-(3-methoxy-phenyl)quinolin-1*H*-2-one;

7-Chloro-3-cyano-4-(3-methoxyphenyl)-quinolin-1*H*-2-one;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methoxy-quinolin-1*H*-2-one;

3-Cyano-2-imino-4-(5-methyl-pyridin-3-yl)-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-7-methyl-4-(5-methyl-pyridin-3-yl)-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(5-methyl-pyridin-3-yl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(5-methyl-pyridin-3-yl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3,5-Dimethoxyphenyl)-3-cyano-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-phenyl)-7-methoxy-2-oxo-2*H*-chromene;

7-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-2-oxo-2*H*-chromene;

2-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-5,6-dihydro-benzo[*h*]quinoline;

5 4-(3-Bromo-4,5-dimethoxyphenyl)-3-cyano-7,8-dihydro-8,8-dimethyl-2-oxo-2*H*-furo[3,2-*h*]chromene;

3-Cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

7-Amino-3-cyano-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

10 3-Cyano-7-dimethylamino-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

3-Cyano-4-(2,5-dimethoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methylamino-2-oxo-2*H*-chromene;

15 7-Amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene;

7-Bromo-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-chromene;

20 4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-oxo-2*H*-chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-imino-2*H*-chromene;

2-Imino-3-cyano-7-methoxy-4-(3'-methoxy-phenyl)-2*H*-thiochromene;

25 2-Imino-3-cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxy-phenyl)-2*H*-chromene;

3-Cyano-2-imino-7-methyl-4-(3-nitro-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2*H*-pyrrolo[2,3-*h*]chromene;

30 3-Cyano-4-(3,5-dimethoxy-phenyl)-2-imino-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-4-(3-methoxy-phenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

5        3-Cyano-2-imino-4-(3-bromophenyl)-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-7-methyl-4-(3-nitro-phenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

10       3-Cyano-4-(3,5-dimethoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

15       3-Cyano-4-(3-bromo-phenyl)-7-methyl-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene; and

3-Cyano-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene.

20       16.    The method of claim 1, wherein said disorder is cancer.

17.    The method of claim 16, wherein said cancer is selected from the group consisting of Hodgkin's disease, non-Hodgkin's lymphoma, acute and chronic lymphocytic leukemias, multiple myeloma, neuroblastoma, breast carcinoma, ovarian carcinoma, lung carcinoma, Wilms' tumor, cervical carcinoma, testicular carcinoma, soft-tissue sarcoma, chronic lymphocytic leukemia, primary macroglobulinemia, bladder carcinoma, chronic granulocytic leukemia, primary brain carcinoma, malignant melanoma, small-cell lung carcinoma, stomach carcinoma, colon carcinoma, malignant pancreatic insulinoma, malignant carcinoid carcinoma, malignant melanoma, choriocarcinoma, mycosis fungoides, head and neck carcinoma, osteogenic sarcoma, pancreatic carcinoma, acute granulocytic leukemia, hairy cell

25

30

leukemia, neuroblastoma, rhabdomyosarcoma, Kaposi's sarcoma, genitourinary carcinoma, thyroid carcinoma, esophageal carcinoma, malignant hypercalcemia; cervical hyperplasia, renal cell carcinoma, endometrial carcinoma, polycythemia vera, essential thrombocytosis, adrenal cortex carcinoma, skin cancer and prostatic carcinoma.

18. The method of claim 16, wherein said cancer is a drug resistant cancer.

19. The method of claim 16, additionally comprising administering at least one known cancer chemotherapeutic agent, or a pharmaceutically acceptable salt of said agent.

20. The method of claim 19, wherein said known cancer therapeutic agent is selected from the group consisting of busulfan, cis-platin, mitomycin C, carboplatin, colchicine, vinblastine, paclitaxel, docetaxel, camptothecin, topotecan, doxorubicin, etoposide, 5-azacytidine, 5-fluorouracil, methotrexate, 5-fluoro-2'-deoxy-uridine, ara-C, hydroxyurea, thioguanine, melphalan, chlorambucil, cyclophosphamide, ifosfamide, vincristine, mitoguazone, epirubicin, aclarubicin, bleomycin, mitoxantrone, elliptinium, fludarabine, octreotide, retinoic acid, tamoxifen, Herceptin®, Rituxan® and alanosine.

21. The method of claim 16, additionally comprising treating with radiation-therapy.

22. The method of claim 16, wherein said compound is administered after surgical treatment for cancer.

23. The method of claim 1, wherein said disorder is an autoimmune disease.


24. The method of claim 1, wherein said disorder is rheumatoid arthritis.

25. The method of claim 1, wherein said disorder is inflammation or inflammatory bowel disease.

26. The method of claim 1, wherein said disorder is psoriasis.

27. The method of claim 1, wherein said disorder is a skin disease.

28. A compound of Formula IIA:



IIA

or a pharmaceutically acceptable salt or prodrug thereof, wherein:

X is O, S, halo or  $\text{NR}_6$ , wherein  $\text{R}_6$  is hydrogen or optionally substituted alkyl or aryl;

Y is CN,  $\text{COR}_7$ ,  $\text{CO}_2\text{R}_7$  or  $\text{CONR}_x\text{R}_y$ , wherein  $\text{R}_7$ ,  $\text{R}_x$  and  $\text{R}_y$  are independently hydrogen,  $\text{C}_{1-10}$  alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl; or  $\text{R}_x$  and  $\text{R}_y$  are taken together with the nitrogen to which they are attached to form a heterocycle;

Z is O, S, halo,  $\text{NR}_8$ , or  $\text{NCOR}_8$ , wherein  $\text{R}_8$  is independently H,  $\text{C}_{1-4}$  alkyl or aryl;

A is optionally substituted and is aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl or heteroarylalkyl; and

R<sub>1</sub>-R<sub>4</sub> are independently hydrogen, halo, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, C<sub>1-10</sub> alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, methylenedioxy, carbonylamido or alkylthiol; or

R<sub>1</sub> and R<sub>2</sub>, or R<sub>2</sub> and R<sub>3</sub>, or R<sub>3</sub> and R<sub>4</sub>, taken together with the atoms to which they are attached form an aryl, heteroaryl, partially saturated carbocyclic or partially saturated heterocyclic group, wherein said group is optionally substituted.


29. The compound of claim 28, wherein X is O.

30. The compound of claim 28, wherein Z is O, S, NR<sub>8</sub> or NCOR<sub>8</sub>.


31. The compound of claim 28, wherein A is optionally substituted and selected from the group consisting of phenyl, naphthyl, quinolyl, isoquinolyl, pyridyl, thienyl, furyl, pyrrolyl, 2-phenylethyl and cyclohexyl.

32. A compound of claim 28, wherein said compound has one of the Formulae III-VI:


75




III



IV



V




VI

or a pharmaceutically acceptable salt or prodrug thereof.

33. A compound of claim 28, wherein said compound is of

5

Formula VII:



VII

or a pharmaceutically acceptable salt or prodrug thereof, wherein Z is halo.

34. A pharmaceutical composition comprising a pharmaceutically acceptable excipient or carrier and a compound of claim 28.

5 35. The pharmaceutical composition of claim 34, further comprising at least one known cancer chemotherapeutic agent, or a pharmaceutically acceptable salt of said agent.

10 36. The pharmaceutical composition of claim 35, wherein said known cancer chemotherapeutic agent is selected from the group consisting of busulfan, cis-platin, mitomycin C, carboplatin, colchicine, vinblastine, paclitaxel, docetaxel, camptothecin, topotecan, doxorubicin, etoposide, 5-azacytidine, 5-fluorouracil, methotrexate, 5-fluoro-2'-deoxy-uridine, ara-C, hydroxyurea, thioguanine, melphalan, chlorambucil, cyclophosphamide, ifosfamide, vincristine, mitoguazone, epirubicin, aclarubicin, bleomycin, 15 mitoxantrone, elliptinium, fludarabine, octreotide, retinoic acid, tamoxifen, Herceptin®, Rituxan® and alanosine.

20 37. The pharmaceutical composition of claim 34, wherein said excipient or carrier is selected from the group consisting of saccharides, starch pastes, gelatin, tragacanth, cellulose preparations, calcium phosphates and polyvinyl pyrrolidone.

25 38. The pharmaceutical composition of claim 34, wherein said excipient or carrier is a saccharide selected from the group consisting of lactose, sucrose, mannitol and sorbitol.

39. The pharmaceutical composition of claim 34, wherein said excipient or carrier is a lipophilic solvent.

40. The pharmaceutical composition of claim 39, wherein said lipophilic solvent is selected from the group consisting of fatty oils, fatty acid esters, polyethylene glycols and paraffin hydrocarbons.

5 41. The pharmaceutical composition of claim 39, wherein said lipophilic solvent is selected from the group consisting of sesame oil, ethyl oleate, triglycerides, polyethylene glycol-400, cremophor and cyclodextrins.

10 42. The pharmaceutical composition of claim 34, wherein said excipient or carrier is selected from the group consisting of vegetable oils, mineral oils, white petrolatum, branched chain fats, branched chain oils, animal fats and high molecular weight alcohol (greater than C<sub>12</sub>).

15 43. The pharmaceutical composition of claim 34, wherein said excipient or carrier is a saline solution.

44. A compound selected from the group consisting of:

3-Cyano-7-methoxy-4-(3-bromo-4,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

20 3-Cyano-7-methoxy-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

3-Cyano-4-(3-methoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-phenyl-quinolin-1*H*-2-one;

3-Cyano-7-methoxy-4-(3-methoxy-phenyl)quinolin-1*H*-2-one;

7-Chloro-3-cyano-4-(3-methoxyphenyl)-quinolin-1*H*-2-one;

25 4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methoxy-quinolin-1*H*-2-one;

3-Cyano-2-imino-4-(5-methyl-pyridin-3-yl)-2*H*-pyrrolo[2,3-*h*]chromene;

30 3-Cyano-2-imino-7-methyl-4-(5-methyl-pyridin-3-yl)-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-7-methyl-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(5-methyl-pyridin-3-yl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(5-methyl-pyridin-3-yl)-7-methyl-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methyl-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene;

4-(3,5-Dimethoxyphenyl)-3-cyano-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-phenyl)-7-methoxy-2-oxo-2*H*-chromene;

7-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-2-oxo-2*H*-  
chromene;

2-Amino-4-(3-bromo-4,5-dimethoxyphenyl)-3-cyano-5,6-dihydro-  
benzo[*h*]quinoline;

4-(3-Bromo-4,5-dimethoxyphenyl)-3-cyano-7,8-dihydro-8,8-  
dimethyl-2-oxo-2*H*-furo[3,2-*h*]chromene;

3-Cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxyphenyl)-2-  
oxo-2*H*-chromene;

7-Amino-3-cyano-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-chromene;

3-Cyano-7-dimethylamino-4-(3,5-dimethoxyphenyl)-2-oxo-2*H*-  
chromene;

3-Cyano-4-(2,5-dimethoxyphenyl)-2-oxo-2*H*-pyrrolo[2,3-*h*]chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-3-cyano-7-methylamino-2-  
oxo-2*H*-chromene;

7-Amino-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-  
chromene;

7-Bromo-4-(3-bromo-4,5-dimethoxy-phenyl)-3-cyano-2-imino-2*H*-  
chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-oxo-2*H*-  
chromene;

4-(3-Bromo-4,5-dimethoxy-phenyl)-7-chloro-3-cyano-2-imino-2*H*-  
chromene;

2-Imino-3-cyano-7-methoxy-4-(3'-methoxy-phenyl)-2*H*-thiochromene;

2-Imino-3-cyano-7-dimethylamino-4-(3-bromo-4,5-dimethoxy-  
phenyl)-2*H*-chromene;

3-Cyano-2-imino-7-methyl-4-(3-nitro-phenyl)-2*H*-  
pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2*H*-  
pyrrolo[2,3-*h*]chromene;

5        3-Cyano-4-(3,5-dimethoxy-phenyl)-2-imino-7-methyl-2*H*-  
pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-  
methyl-2*H*-pyrrolo[2,3-*h*]chromene;

10       3-Cyano-2-imino-4-(3-methoxy-phenyl)-7-methyl-2*H*-  
pyrrolo[2,3-*h*]chromene;

3-Cyano-2-imino-4-(3-bromophenyl)-7-methyl-2*H*-  
pyrrolo[2,3-*h*]chromene;

3-Cyano-7-methyl-4-(3-nitro-phenyl)-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene;

15       3-Cyano-4-(3,5-dimethoxy-phenyl)-7-methyl-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene;

3-Cyano-4-(3-methoxy-4,5-methylenedioxyphenyl)-7-methyl-2-  
oxo-2*H*-pyrrolo[2,3-*h*]chromene;

20       3-Cyano-4-(3-methoxy-phenyl)-7-methyl-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene;


3-Cyano-4-(3-bromo-phenyl)-7-methyl-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene; and

3-Cyano-7-methyl-4-(3,4,5-trimethoxy-phenyl)-2-oxo-2*H*-  
pyrrolo[2,3-*h*]chromene.

25

45.    A pharmaceutical composition comprising a compound of  
claim 44 and a pharmaceutically acceptable excipient or carrier.

46.    A process for the preparation of a compound having  
30    Formula III:



III


wherein Y is CN, COR<sub>7</sub>, CO<sub>2</sub>R<sub>7</sub> or CONR<sub>x</sub>R<sub>y</sub>, wherein R<sub>7</sub>, R<sub>x</sub> and R<sub>y</sub> are independently hydrogen, C<sub>1-10</sub> alkyl, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl or aminoalkyl; or R<sub>x</sub> and R<sub>y</sub> are taken together with the nitrogen to which they are attached to form a heterocycle;

A is optionally substituted and is aryl, heteroaryl, saturated carbocyclic, partially saturated carbocyclic, saturated heterocyclic, partially saturated heterocyclic, arylalkyl or heteroarylalkyl; and

R<sub>1</sub>-R<sub>4</sub> are independently hydrogen, halo, haloalkyl, aryl, fused aryl, carbocyclic, a heterocyclic group, a heteroaryl group, C<sub>1-10</sub> alkyl, alkenyl, alkynyl, arylalkyl, arylalkenyl, arylalkynyl, heteroarylalkyl, heteroarylalkenyl, heteroarylalkynyl, carbocycloalkyl, heterocycloalkyl, hydroxyalkyl, aminoalkyl, carboxyalkyl, nitro, amino, cyano, acylamido, hydroxy, thiol, acyloxy, azido, alkoxy, carboxy, methylenedioxy, carbonylamido or alkylthiol; or


R<sub>1</sub> and R<sub>2</sub>, or R<sub>2</sub> and R<sub>3</sub>, or R<sub>3</sub> and R<sub>4</sub>, taken together with the atoms to which they are attached, form an aryl, heteroaryl, partially saturated carbocyclic or partially saturated heterocyclic group, wherein said group is optionally substituted;

the process comprising reacting a 2-aminobenzopyran having the formula:



with an oxidant in an organic solvent to produce a 2-imino-2*H*-chromene of

Formula IV:



IV

contacting said 2-imino-2*H*-chromene with an aqueous acid, and isolating the product of Formula III.

47. The process of claim 46, wherein said organic solvent is dichloromethane, chloroform, toluene or xylene.

48. The process of claim 46, wherein said aqueous acid is aqueous sulfuric, hydrochloric, nitric and hydrobromic acid.

49. The process of claim 46, wherein said oxidant is 2,3-dichloro-5,6-dicyano-1,4-benzoquinone (DDQ), 2,3,5,6-tetrachloro-1,4-benzoquinone (chlorinal), bromine, palladium dichloride or ferric chloride.

## SEQUENCE LISTING

<110> Cytovia, Inc.  
Shire BioChem, Inc.  
Cai, Sui Xiong  
Zhang, Hong  
Kemnitzner, William E.  
Jiang, Songchun  
Drewe, John A.  
Storer, Richard

<120> Substituted Coumarins and Quinolines and Analogs as Activators of  
Caspases and the Use Thereof

<130> 1735.066PC01

<140>

<141>

<160> 1

<170> PatentIn version 3.1

<210> 1

<211> 4

<212> PRT

<213> Artificial

<220>

<223> Fluorogenic substrate

<400> 1

Asp Glu Val Asp

1

SKGF\_DC1:15133.1

## INTERNATIONAL SEARCH REPORT

International application No.

PCT/US02/15401

**A. CLASSIFICATION OF SUBJECT MATTER**

IPC(7) : A61K 31/35, 31/385, 31/47; C07D 215/16, 215/20, 311/04, 335/04

US CL : 514/312, 313, 314, 433, 456; 546/153, 155, 156, 157; 549/23, 399

According to International Patent Classification (IPC) or to both national classification and IPC

**B. FIELDS SEARCHED**

Minimum documentation searched (classification system followed by classification symbols)

U.S. : 514/312, 313, 314, 433, 456; 546/153, 155, 156, 157; 549/23, 399

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)  
CAS Online, Registry, Marpat, East**C. DOCUMENTS CONSIDERED TO BE RELEVANT**

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 6,160,010 A (UCKUN ET AL) 12 December 2000(12.12.00), column 2 line 40.	1-49
X,P	US 6,221,900 B1 (UCKUN ET AL) 24 April 2001(24.04.01), column 2 line 40.	1-49
X,P	US 6,258,824 B1 (YANG) 10 July 2001(10.07.01), abstract.	1-49
X,P	US 6,294,575 B1 (UCKUN ET AL) 25 September 2001(25.09.01), column 2 line 40.	1-49
X,P	US 6,303,652 B1 (UCKUN ET AL) 16 October 2001(16.10.01), column 2 line 40.	1-49
X,P	US 6,365,626 B1 (UCKUN ET AL) 02 April 2002(02.04.02), column 2 line 40.	1-49
X,P	US 6,388,092 B2 (YANG) 14 May 2002(14.05.02), abstract.	1-49
X	WO 99/54286 A2 (UCKUN ET AL) 28 October 1999(28.10.99), page 3, all.	1-49

☐ Further documents are listed in the continuation of Box C.☐ See patent family annex.

## \* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier application or patent published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T"

later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X"

document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y"

document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art

"&amp;"

document member of the same patent family

Date of the actual completion of the international search

27 June 2002 (27.06.2002)

Date of mailing of the international search report

27 SEP 2002

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks  
Box PCT  
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

D. Margaret Seaman

Telephone No. 703-308-1235

catgggttcg	ttgaggtgat	acaggagtg	aagagcttg	tcccttgaaa	tgaatgatag	114540
ggaaaagggg	aagtgtctgc	tagaggagg	tgtgatccct	ggctggggct	ccatcccaca	114600
gacctagtg	aggacaggca	tttttgcatt	tcccaagacc	accctggcct	gccacacccc	114660
catcctatga	ctataaaaa	tcgcgagacc	ctggcaggca	cgcacaagct	gctggacgtg	114720
gagaggagcg	gattggcaga	ggagcactca	ggcggttgga	cgtcgagagg	aacgcactga	114780
cgggcgcgg	caccccgcca	ggctaccaac	cggcagcaga	atgacctgga	gtttggctgg	114840
ggcagccaga	ggagagcccc	ggcccgaact	caggggaaaa	ccgtcccact	ccatcttctt	114900
ctgccttccc	ccatctgcta	cctccactca	ataaaacctt	gcactcattc	tccgagccca	114960
cgtgtggtec	aattcttaca	ccaaggcaag	aaccttgagg	tgcagaaagc	catctgtcct	115020
tgcgataaag	cagggctcta	actggggttt	aattgagctg	agtaacagaa	gccaccgata	115080
gagttaaact	aaaacagcaa	aactaaaaga	gcaccctgta	acacgctcac	tggggcttca	115140
gctataaaca	ttcaccccta	gacactgccg	tggggttgga	gctccacagc	ctgcccgtct	115200
gtatgttccc	ctagagattt	gagcagcagg	gcactgaagc	aagccacaac	ccatttgcac	115260
gtactgtgag	gggaacaagg	ggacttttcc	tgtttcacca	gcacacagca	ggtgcctaata	115320
aaacgcacag	cgaactggtc	agagagagag	ggaccctcca	ccgagccacg	ccactgcaca	115380
ggctgggagg	gcaggactcc	tgcgagctt	ggcacccttt	cctgcaccca	ggtggctgtg	115440
agcctggccc	tgcccgggtc	agcaggcctg	tgtgcacccc	acatgcaatc	tgtgtgtggg	115500
gccaaggaag	tgctacctgt	gcagctctca	gaatgtcagg	ctgggtgctc	ctccactgag	115560
gtcagggcca	agagacccta	ggccagctct	ggggggccca	cagggcgtag	ggggggtcca	115620
ggcagccagc	ccggcccagc	ctggttccac	tgttacttgt	gtggccttgg	ggggctccct	115680
tggctttctg	gggcttgggg	aaccaggcgc	gagcttgggt	ctgtgggtctg	aatccaagaa	115740
gacaggttgt	gggtggggac	atttggaggg	agggacagcc	tcggcctcag	ctttgggacc	115800
gtgtggcaga	agcacctgt	ctggccctct	atgagctcct	ccagggtctg	gccaagcag	115860
ggacctcttc	ttccatgagg	gtttactcat	tcctcaaaaac	aggcacaana	gcagagggtc	115920
gttgaggggt	agtgcactgc	ccctggctct	ggccatgcgg	gtctgggcac	tgtggatcca	115980
ctccatggcc	acctggctgg	gtgaggacca	gcctggagga	tcaggaagag	cttcttggag	116040
aagggaagtg	tgtcagaact	gaatactgag	caaagaggaa	ggaccaagaa	gaagatccta	116100
aggagtctct	gggctggggg	ctggggattg	ggagcaaaaag	gagagatgag	gctggacagg	116160
tgcctgttcc	tccaccact	ggctcaggac	tccaggcact	gccagcaag	ggtcccctgc	116220
ccctgggagc	agactcccc	tgcagcagac	agagcagggt	ggggagtgcg	acgcacctgg	116280
aaggggcttc	cggagaggtg	tgccctggca	gagccccacc	tccccagga	aaagacagta	116340
gcaccaggcc	ccagccctgg	agaagcctga	ccaaccagag	aagtcccacg	gcctcctcca	116400
tggagtttgg	ggctcctcct	ctagacctgg	gattggcact	ttggggctag	gccagctgct	116460
ggggagccct	gggccccgac	acatgcaccc	tcccaacagg	agtggggctc	cgggggccac	116520
tgggtcatg	cccctcgcag	ccactctcca	aggccttggc	ataatgggat	ccttgagctg	116580
ctgtgcccg	cggggtgggg	ggggatgggc	tgagatacac	cctttgtctga	cagtggccat	116640
tgcacttttc	ccaccaggcc	ctcatgtggg	gagccctgcc	aagcccaggc	tgtggtgtac	116700
acaggggctg	ggctgcaggg	cagggctccg	gagcggccta	gcccagagca	gggtgggaaa	116760
ggagccagct	ggggtccagg	cagaacagag	gccaaggcca	ccagtgaaga	atctgggcat	116820
gaggggtggc	accaggccgg	caacgtgggg	gaaattgagt	tgagggctgg	gcctcctcac	116880
tgtggctgga	ggcgcccaaa	aggccagctg	accagacaca	gagctgcctc	agtcacagag	116940
gtgccacagc	tcagggtgcc	accccagtg	acatccctag	gctgactgac	acagtggagg	117000
gaattgacac	caagggtctt	gtgatgtccc	cgggcactgg	gatggagaag	cagagcagca	117060
ctctggagca	caaacacagt	tggcagcgaa	gggtctgtct	ccgcgtggcc	tcggggccaa	117120
tcctgcctga	catgttgctt	catgtctctg	ggcctccgtt	tcctcatctg	tgccctgggg	117180
acattagcag	tgtcttctct	cgggatgtg	agtgtgaggt	gccctaccac	cccaggagg	117240
ctgtgagctg	caggcagccc	ggcagtgagg	agccccacc	cctgccgccc	ccgcagtggc	117300
ccgccccggg	ccccagctca	caccacaaac	acttgccctc	ctctcaactt	gtttccggca	117360
tgttctcagt	ctcgttggat	gttagtttac	catcggtgc	tgaacattcg	gcagcttcta	117420
ttatttcaga	actaatttaa	ggattaaaaa	gtaattctcc	caattactag	gcaaagccct	117480
gggcagccag	ataaacaggg	ggcaggcgct	ccatcccaag	gacagggtct	ctcctgcagc	117540
cctgggcaga	caggtgtgca	gggcagctct	ggtgcagctc	agcccccagg	gccgcagggg	117600
tggagtccgg	gtggttgaga	ggaatcccca	ggagcagccc	agcctggggc	cgacatctga	117660
gggttgcttg	cccttatccc	ccaccagggt	cggctacagc	cacctagtgg	tgagcccagc	117720
cccagctgtc	acctccacca	attgtgtctg	gtggtgtctg	cctggttagg	cctgcaacac	117780
aggacagagg	ccatgagctg	tgaaggattc	ggtccacagg	gccccctggg	gctggccagg	117840
catctttgga	cggggccagg	agagtctgtg	gtagaccagc	agcccgcag	gggtgggggc	117900
caggatttga	tacctcaag	gctgattcac	gcagctttta	ttagctttct	gcacctgtct	117960
tggggtctgg	gtgatcaagg	ctggacacca	gctgccaccc	ccaacccctg	cctggtccag	118020
cacctgacct	caggggcccc	gccggccggg	gctggtcagg	cagagctggg	gagtgcgggg	118080
gtcggcgag	gaaggagctg	agtccctggg	ccctggccca	acgccccgcc	cactccgggc	118140
ccctcgtag	cagcgccggg	ccggtgagct	catctcttcc	tgggctgtaa	atatcaccca	118200
agtgtcagc	actcccaaat	gtgtcctcca	gccggggccc	tctgtgagc	tcagctgca	118260
cagccacagc	gacacccccg	cccagatgtc	tcttgggcct	cgacaaagcg	gccgctcctc	118320
tcggcgcccc	cacctcaggg	acgggcgccc	cgtgcgggct	gctcaggcct	gggagccctg	118380
cctgcccgt	ccaccccatg	ggagcgtcca	tgcactctgc	tgagtccaac	ttaaaactcg	118440
tccacttctt	tccggtacct	ctcaccocgt	cctcagggtc	ggttgagact	tgcccaactc	118500

ccccccctg	ccactgcaca	ggcccccaact	gtggcctgga	ggggagggtg	cagagccctg	118560
agggcagctg	gtggtgacag	tcagccccga	agctggcctg	agggcgacag	gtgcctgctt	118620
cttagttagg	agtgggcccc	gcagaggtaa	tgaactcctt	gtcctgggag	gtgtgcaagc	118680
tgaggcagga	tctgtgtcc	ttccacaagc	cattgagggc	gccagcatcc	actgcagttg	118740
ggctactcag	gtggggctca	aggctctttg	gaaatgggtg	gcttcgggtt	cctggctctg	118800
actgcaagga	gccccagcc	tcagctgaga	gcactagccc	agatccagca	gtttagctgc	118860
ctcttctcag	gcatgacagg	ggccacttgg	gagaaaaact	gaataaaacc	ctgcctatgc	118920
cagtgccacg	gcacagcctg	gcagaatcct	gggcctggct	gtggggctcac	agagactggg	118980
gggtgccagg	gtgctgatgg	tagggctcca	ggcacaggac	agagactgca	caacattttg	119040
acatcaggcc	atccatggag	aggcctctgc	tggggctgcc	aagggtctcc	tgggcccaga	119100
ggggctgcag	agggagccct	gggcaaacag	cacccccacc	cggcagggtc	gccctgcctg	119160
agctgcccc	agccttgggg	caaggctgcc	ggccctggat	ctcagggtgag	cagaggggca	119220
aactgcagg	ggaggtgtgc	gcagccacac	ggggggcctc	agcacctgtg	ggcacaggca	119280
cagggctctt	caggagagac	aggacatgtg	ggaggaccct	gaggagggtg	caggccagac	119340
aggaccactg	catcctggct	ctgccctgtg	cttgatggga	ggggctctgag	ccttgggccc	119400
cagcacacgc	acagagaagc	gggcggagga	gctggggcct	tggctgctaa	gcgcgtcctc	119460
cccgtctctt	ctccctcctt	ctcctcccc	caggctctctg	gagccccggc	cgcccccacg	119520
accatctggc	ttcaccagca	acgtctcccc	acaccctccc	ccacgtcact	gtttttctcc	119580
ctctccccct	ccccagccac	tgccctggcg	gggagggggc	cctttcctgg	gaaggcttcc	119640
tggccacgtg	gcccttccct	tttgtttctg	agtctcttcc	ggcccaggcc	gtgggaaagc	119700
gtgcctgtgc	atattttctg	ctgtgcata	ttttgcctgg	atgcgtgtgc	tgtctctcag	119760
cccccggtgc	ctgcatgtgt	gtggacatgt	gttccctgcc	ctgctgtgtg	tgcacgtgtg	119820
tatgcataca	tgggtgcagg	gacatgcaga	cccaccacgg	cctatgtttg	gggtgtgggc	119880
atgctgtaag	tgggggtgcc	ccagacacgc	atgtgggttc	tagtgtgacc	accagcagcg	119940
gtgtgaggg	gcatacagcc	cccactgggc	cttgaggcca	ggcctgaccc	gcccgaactc	120000
ccttcagggc	cttctctctc	tgccacccac	caggggtagg	aacagggtcc	ctcatcctca	120060
gcctcctcct	gggggctgcc	cgggcagcct	gattgggggtg	ggggggcccga	gagcaactgt	120120
ccccacagg	gctgctatgt	ccagacccat	ggacctggca	tgtgctccat	cagccaggct	120180
caacgacgtc	agccaccaag	catgtcccat	ctgtgcgggt	ggggggccac	gggcacctga	120240
cattggagct	gcccttggcc	aaggctgtcc	cacctgtggg	gccaggcaac	tcccttctcc	120300
tgggggcctt	gtgatggggg	agaggctgcc	cgctccagcac	ccacccctgc	ttctcaccgc	120360
ccacagcacc	ctagcctgag	aggccacagc	ttaaagaaaag	agctctttat	tccacgtcgt	120420
ccgatatttt	tacacaagta	aaataaaaatg	catatctcta	tataccgcga	tctgggtggg	120480
aggcggcggt	ctggaacaaa	cgctgccgcc	gaaccctgta	aacatgatgg	ggtggagatg	120540
gggggtggcg	gcggcaggcg	tccatcaggg	aggacctggc	ctggcctgcc	ccacgggtcg	120600
gcccggccggc	tggcttggcg	gcgtggagag	agaccccgta	tgtacacaca	cctggctgct	120660
gagcacgctc	tttgttccgc	tgggggtcag	cagggcccaa	gcactgtcca	cagcaccagc	120720
gccaggccca	ggggggtgag	gctgcagggtg	aggctgggta	gggcacctga	gccttctgag	120780
tcaccagtc	cgccaccccc	gctgcctgcc	tggccagagc	ggcagtggtc	gcgggtgcgg	120840
ttcttgctg	aacagcctgg	cctccggcga	gggcccagg	tggggaaccc	tgggtggctcg	120900
gagccctcgg	gccgcactgc	agtgagcggg	ggctcagcag	agccaggcag	agtcccaaag	120960
ggtgagtc	tgatgtgccg	tgggccaag	ccgttgcccc	gcgggtgtgc	accgggcggc	121020
acgcgtccct	tcagcgcatt	gcctgccgaa	gctggtcttc	caggctccag	tactgaggcc	121080
ttgtcagcgg	catctggctg	gcagcacttg	ggaagcccca	gcggctcctc	atcgggtggc	121140
ctgccggctc	agatgggatg	gtaagggccg	gtggccacag	cgcagccctg	caggctcattg	121200
gcagctaggc	gtttgaggtc	acggccagcc	aggcgttgcg	ggaggctgca	gggcacctcg	121260
gaggaggagc	cgcggaactt	ctgcagccag	gccagagtg	ggcgtgcccc	gcagtcacac	121320
accaggggtt	tgtcgttgag	cctcaggtac	tgcagggcac	gcaggggggc	cagggcctca	121380
gtgggcagcg	ctgatagatt	gttggaacac	agatagagtg	tcatgaggcg	gccaaggcca	121440
cggaaggcat	gcgggtgcac	atgggcccag	cggttctggt	gcagtaggag	acgggtcgag	121500
ctgtgcagcc	cacggaaggc	gcgctcgggc	acgctggaga	tgcggttgcc	gtgcaggaa	121560
agggtgtgta	ggttgcccag	gtcgcggaag	gtgtcatcag	gcagtgctcg	cagcgcgctg	121620
tcctgcagg	agaggtactg	cagggcagcc	aggccgcgga	acagcccccg	gcccagctcc	121680
tgcaggccgc	agcgggtccag	gtgcagcgtg	tgtaggcgcc	ccaggccgtg	gaatgtggca	121740
gggtccacag	accggagctg	tgcatattcg	ctgagggtcca	gctgctccag	gagggccagg	121800
ccagtgaagg	cagccgcagc	aattcgggct	agcacattcg	agtgcagcca	caggatgggtg	121860
aggttgcggc	aggcagggaa	gctggcagct	gcacatgcg	agatgcgggt	gccgtgcagg	121920
aagatgcgct	ggctggcagc	agggatgcc	acgggcacag	cctgcaggcc	ctgctggggg	121980
cagcttgctg	tcaccttggg	ctcattgtag	catacgcagg	cacctgggca	tggggctgcc	122040
acctgccagg	cctgcagcca	cagcaccat	gccagcagcc	ggctccctgt	gggcagaaga	122100
cagagtgggt	agcaggaagg	gcagggggtac	tggagaagct	ggagggtttt	ctagagccag	122160
gtgggccccg	gagattgggt	ctcaggagga	cctggggctg	ggtccaagat	gtggccacca	122220
ccccgggaa	tcgcagtgtt	gggatccctg	cttcacagcc	ctcatggagc	atgctgggct	122280
agaacatgcc	ttggagccat	gcactccacc	ctggaagcca	catctgcaga	ctccccatac	122340
cacacccagg	agcagccac	tgggtcacca	ggggcactca	cttgaaggcc	tcttggaatg	122400
gacactgggt	actgcaggta	cctcctcagg	actccagtga	acacagagcc	cgcattgcag	122460
gagtcccccg	gggggtccag	tgggggttcc	acccacagg	cctaggaaac	actgcaatgg	122520

ggctgggggc	cctctgggca	cgtctatctc	aaaaacgggc	gcctggatgc	ccgagggcgg	122580
gggtggagg	caagtgtgtc	cagggcttag	gaggagtgcg	gtccccacaac	caccaggcca	122640
gcctgtcccc	tcctccacac	atcctccttt	caagcacttc	ctgacttggc	aggaaccctc	122700
ctgaagcctc	cgccccctgg	cctcattctc	tgctccatct	cctccctggg	aggagtccac	122760
tcctccccag	ccaaccctcg	cagtgcacgc	tgctgcacc	cctccccacc	agacgccatc	122820
agcaggagata	gcctcccagt	gggttctccc	ccagccccag	gtgcctgcaa	cccctcctcc	122880
attacagggc	cagatacacc	tggggcttca	ccaaggccct	acatgggcag	tagtccctcc	122940
cggggtgcg	cattccagagc	tggctctacc	agcgggggtc	cccactccgg	agtaagcttt	123000
cctgcctctc	attccacccat	tgagccccc	cccctttgga	atgctgaaga	ttctttctgc	123060
cttcagcagt	gagcttatta	aaatgtgaat	ccccctggga	aggttatggc	ttatcagcta	123120
acacttgagt	tatcagctaa	cacctgcgtt	gacagetaac	accttccacg	gcagctggct	123180
aagagcagga	ttctgcagac	atgaggccgg	ctaagtgtct	gggttggagc	cgggcaggag	123240
gaaggagtgg	accacaggcc	agcttcccc	acctagaact	gtgacctggg	ggccctccta	123300
cccacatggg	gcccctgccc	cactgggtcc	tctctacttg	ggcagacagt	gcagtgcgcc	123360
taaacgcaga	gcccgacaag	cccagcacgc	gcagtgcacc	ctgggcagtgt	gcgtccctcc	123420
agactcaggt	tcataggtcc	tcagaccccc	tccccacagc	ctggggggcct	cctctgccaa	123480
accccctgcc	ccagggccat	ttgttggcta	ccagggagat	ggcagcccg	ggatgggggt	123540
ccggaggccc	ctccctgggt	gggctgggtg	aggaaagcac	ctggcctcgt	gttctgttta	123600
aactgcggac	accctctctg	ctctctttct	acacactctt	cctaggaagg	tggggcctga	123660
ccatgtcagc	tccccactgc	tgtctcacct	gctgtcacca	gagggaaaac	tgtgctatgt	123720
aaatggcact	tctgtcctg	ggggcagggt	gggtggaggc	cccacatgct	catggggcag	123780
ggtcaggact	cactgcacac	ttatcgacca	caccacacca	ctgactgtgg	gggtcaccaa	123840
ctgagccttg	tcaccaacca	taccatgcgg	ctgactgcac	ccaccaagac	tagccaccca	123900
tggtggccac	gcccggccaca	ttaccactga	gccatgccac	catccaccca	ctgtcctgtg	123960
gctccaggcc	cgaagctgtg	ggctgtgagt	ctggctgtgg	tcagggtctc	gctcactcgc	124020
cttgaaccga	gcctctgtgt	catggatctc	cctcccgaag	cagctgtgtg	tccactctaa	124080
acatgcccc	agtgaaggtc	cagaactgag	ccacacgggt	gtgcgggggtc	gggggagaca	124140
ggggaggaca	tgggggagtg	gccacgtggc	gctcagttct	gccaggaagt	gggtattggg	124200
cgcaaagaca	cggctcgggt	cctgcccaga	caactgtctt	tcgtaaaacca	acttctgaga	124260
gtcgggtgag	gtgggtctct	tcctcgctgc	agccatggta	attgggtcca	gcctggcccc	124320
ccttggggcc	tgcccgtggg	tctccatggc	aaccctctct	ctgagcgagc	aggagggggc	124380
atctttttat	gagataatca	aaccacactt	tgcagcatgg	gtttgtcttc	acagccgggg	124440
ccctgggatg	aggagacgc	agccagggtg	ggggagggtg	tcctctgacc	ccatcccagg	124500
ggccagactg	gtgactcacc	agcctcctcc	ctggccccat	ggtggactgc	agccccctcc	124560
caccccaata	gacctccctg	gcccgtggcc	cctgacctgt	cccctgggct	ctgcagcctc	124620
aaggccacaa	ggcctctctg	gcctctctgc	ccactttctt	ctctcctcta	tctgcctggc	124680
caactctaata	aggatgtctt	actgtccttc	tggagatagc	atggcctccc	tgcttgccat	124740
caccccactt	tccactctca	cccagtctca	ccctggcccc	agttctcacg	gagcctccag	124800
tatgagctct	gtccttctct	ccccttgcac	acgggggtgag	caaccagccc	tgccatggcc	124860
ccagctctca	cagagaaacc	acggatagcg	tgctgttcca	ccgtccccac	ccagggtggc	124920
cctgcggcca	cctgagcctg	cgagggcccc	agagggtctt	cctcagcctc	caagctgcac	124980
acaaactggt	acatctgtgc	ctctcccacc	ctcccaggcc	aattaacatc	tcttctttcc	125040
tccaggggtc	cctcctggga	cctccccgga	ggaatggcct	gctggctgtc	agggctgggt	125100
catagctagg	agctcctgtc	tcagcccagg	cctggctcag	gagccacagt	caggggaggg	125160
ctggctctcc	tgcttggagg	gctctgagct	ttcccagcgg	ggacagtgc	cggatactga	125220
cccagagcct	ctccctgcgg	cagccagact	gggcagggtg	ggacccagga	tcaccaggct	125280
gaaggcccg	gaggctgggc	agcaaacagt	ccaggacgca	tccccctgac	gggagcaaca	125340
ggcagcccg	gtgggcacct	gcaccatcag	ttctgggtgag	tggagggtct	ttcacgttca	125400
tgcaaggagg	gagtgtggcg	gggggaggag	gaggtgggag	gagagcgagg	agggcaggag	125460
cagaggggag	gggtggagaa	gggggatggg	gaggtggcgg	tgggaggctc	tggggatatg	125520
cccagccatt	gggcaggcag	gcggctgctg	aggtcagcag	ctcaccacag	cagcccaggg	125580
agctgagccg	agccgagcag	ggatggcctt	cttcatgtgg	tccttgcccc	ccactgttcc	125640
tggggccccg	ccacactccg	tgccctccca	agcttgggct	gaagttccac	agggatgcct	125700
ttgcctctgc	ccagcgatgc	caggaggcag	cacagggcag	gcagctgtgg	agggcgccag	125760
caccggcttt	cattccacgca	cagcttgggt	ccctggggcc	ccaatgcccg	ccctgggctg	125820
ggatcacccg	agggtcccat	cacctgctat	aaaaagttag	acagcaatac	atttacagat	125880
taggaaactg	aggcagtgag	tgggttaagg	ctgcccctgt	cccactccag	actaccagag	125940
tggagaggcg	gccaagggag	acactcacag	tgctgccccg	agggggccacg	aggcatgtcc	126000
tgccaagca	ggaaggctgg	cggcctgggt	agtaattggg	gaggggtgtg	aggggctggg	126060
ctgcaggcca	cgtgcagagg	ggcaggcagc	gcctcctgtt	gtcatgggtg	gccgggaggg	126120
gaatctccag	ggaggctctg	agctgctgct	tcccagggct	ggggtaagag	gctgcagagg	126180
gctggggctg	gggggtgggac	cagctgtagc	acagccggga	catcagtcag	ctcaggatcc	126240
tctcggacac	cagccatgtc	ccgctcaggc	ggctcagctc	cagaccacag	ttatgaggca	126300
gaacaggagg	ccacagctca	gtgcaccaag	gccagaaata	gctccaggcg	gggggtggcg	126360
gcctatgtca	tccccacacc	acagagggtc	agggcacccc	tcccacgcct	gctccccact	126420
cctggccctc	caccactgac	tactcccccc	cggccccccac	ccatctgtcc	cccgatcctc	126480
gcttgcttct	cacatgtaca	cccacccgcc	atccatcctc	aggccacag	acacgtgcag	126540

gggcagccag	aattcccatg	gtgtttcctg	tgccttccca	gggctccagg	tgctgcggca	126600
ggagattggc	agcagcttct	ggtgggggca	gtctgccctt	gaggggtcct	gagtctccta	126660
gggaagtggag	taccagcccc	tgatgccctg	gccttgcccc	ctgctccttg	ttgatccttg	126720
ctgcaggggc	agggtaggca	gaccaggtca	ataacaggca	aggacacctg	ccatgggtgag	126780
aggctactgg	acccagactg	aagcagctcc	aggcctagct	agctacatgc	tgtgggggaa	126840
actgaggccc	agtgtgggca	gagccttcag	gactggcctc	ctgagtgtgc	ctagtgtctc	126900
ctcagccccc	tgggtccac	tctttgccct	ggcgggcagg	gctcgtccct	gccccgtgat	126960
gctgggctca	ccagagacaa	cgagatgtag	gtagggtccag	ggccagcagg	ccaggccaga	127020
ggctggggccc	ttcaatccag	caaattctct	tggagggggt	gtcaagttta	ttgacccatt	127080
ttacaaatga	ggaacataag	aactgggtgtg	ggtataatca	atagcaaaca	caatccaagg	127140
tcaaattccaa	ccatatgcta	cttacaagaa	acatgcctaa	aagtacacaa	aatcttgcaa	127200
ttaaagatat	tatcagaaaa	ataataacaa	gtaaagcagg	agaagccaca	gccccagggc	127260
tagcgggctt	cccagtctca	tggccccagg	ggtgcgaaaa	ggtcttgctg	ggcagtaaa	127320
gctcagccac	ccccgctcct	aacctgagct	ccacagtcct	gtttccaggc	agcagggcac	127380
ctgagagggg	acacctttca	agtcacagac	actgaagcta	gcagaggatg	gcctggccca	127440
gggtgagagct	ggcagccctg	gatggcaccc	tcaccccagg	gacacatcaa	cgtggggcac	127500
accgtgcagg	atcatccact	cgcttgggcc	tccttcgcta	ccttggcaag	gtgtgaagtg	127560
gccccgtgcc	cagggtgctgt	gctgagtggc	gccccataca	gaccaggccg	aggagccggg	127620
tcccaggcac	tcacggtcca	gggccagctg	accacgggca	gccaccctgc	tgcatggcag	127680
gtgccctatg	ggagagttag	gagccacaga	gggctgagcc	agccccaggc	agcatgaggg	127740
tggtggcagg	agcccaggag	cccactacca	gccaaagggt	cttggcagag	ccccaaagtg	127800
gcaggtacct	tggcctagca	cctaggcctc	gaggattcat	ctttgggtcaa	tgctgggctg	127860
cctgcgtgga	gggtccaga	accttgcccc	atccagccca	tacaccctc	actggagggtg	127920
caccctcctc	gggtcccacc	ccagttagcc	ccacactggg	ggccccctgga	ggctctgccc	127980
agtggaggcc	tcgcccagcc	cagggcacag	ccagtgcctc	cttgcctcac	aggaggcttg	128040
agcccacctg	ctcctccatg	ctccaccagg	agccaacaaa	cacctgctgc	ctaattatct	128100
ggagaatcct	gtctccacca	agggtcatc	ttggtcctgc	agctaattca	atccagcagc	128160
cagagcaagc	tgagtcccca	gaggacacta	atgagcaagt	gaccgggtggc	cggcctgtct	128220
ccacctggg	gagcactct	gagccaggtc	tgggcccagg	actgccatac	acctgcctcc	128280
catgcccatc	tgctcgctg	accctgccc	ctacgtgtg	cctagccctg	caggggccac	128340
atccactccc	atgggctagc	atccagacct	aagccccagc	cctccacac	tccccaggga	128400
ccctggatct	gctgcatgca	caaggctgac	cactgcctgt	gagcccagag	tgctggcctt	128460
gacagggcag	gaggaagtac	aagagcacat	gctcagggtg	cacgagccag	gagcacagac	128520
tcagtgcag	caatgggacc	cctgggggtg	cacacgatag	gcgtgcatac	cggaaacaca	128580
caataagagc	ccccagggtc	ggtcagggtc	caggcagagt	ccactgagca	gtagagggtt	128640
gctgggatgc	gagccctcc	caggagccc	ggccggctgc	gagggctcgc	atgccgctgc	128700
ggcagaggaa	gagtgttagg	cacatcccca	tgtgttctct	tgccctcagc	atttgtaaaa	128760
catgatcaac	caggcaggcg	agcggcctct	gtccgagcag	aattttattct	gctgtgaaaa	128820
gacacgtgtg	ggtcctgagg	ctcttgccgg	cttgtttctca	gcagccttgg	atcagcctca	128880
gtcagcagaa	cagcagctgg	acaggctccc	attggagcca	tcccaggggac	tgcccagccc	128940
ttcacattag	aaactgagct	gggggcagca	gctggcccac	ggcacataag	cagtgcctgc	129000
taagaccaca	gagaagctca	gccaggcagg	gccagtgga	tccagcactc	cccaggggat	129060
gaggaatcta	agaggcagga	gaggatcctc	ctcagcctgg	gatgttccca	ttggaattcc	129120
cccagccaag	gccagagctc	cgtgtccggg	ggccagagtg	gaacccttgt	cagagccgac	129180
aggccttggc	ctcctattct	actggcacct	ggcaaactgg	cccaagggtc	ggctgctgct	129240
tctgtaaagg	atgtgctatt	ggcagccagc	cacacctatg	tgttcacgca	ttgtccatgg	129300
ctgctttccc	gcaacaacag	cagagctgag	ttgttatgac	acactgtgtg	gcccacaaa	129360
ctggaattat	ttagtatcac	accattcaca	caaacagttt	gccgacctgg	tttgtgagca	129420
agccgagtgt	gggtgctgcc	accttcaccc	tcacaatggc	cccagcagtt	cactcagacc	129480
cccactaatg	aaaaggaaac	caagggtcag	agaagaccac	ggtcctgctg	aagtccacata	129540
gccagggtgaa	cagagccag	caacctcagt	gcaggctcag	ctctgtggag	acctgggcaa	129600
ggtcagcatc	tcacggaggc	ctagggtgag	gggttctagg	caagaaagag	actcagaaat	129660
actgaaatac	tctgcagggtc	aaaacagaaa	tgatcatttt	tctaaagagg	ctgtcaggag	129720
tctcacagtc	aaatatgcat	aaaataggac	aacctaacac	aaataagttg	ggaggggtgg	129780
ctcacacctc	agcctcctga	gtagctggga	ttacacacac	acacatgcat	gcacacacac	129840
acacacacac	atcacacaaa	agagaacaaa	atggttgtaa	ggagaggggg	acagcagagg	129900
aagtgtctgaa	tgacacagtc	cggcttcgga	ggaaaggact	tgggtggcac	ttcagaggag	129960
acaaatccag	tgagggtagt	tttgaagagg	gcagccgttt	aactgaggta	gggggtctct	130020
ggggacaggg	cccctccatg	ccagtcaccc	caccttgga	ccctgcagag	gctgggcccga	130080
ggcctctccc	tgacacttgt	atcagggact	ctggccagggt	cacaccaagg	tggtcttatga	130140
cccattaaca	tcaagctgcc	tccttggggt	ggacaggggc	tggaaagagg	tgacctgggc	130200
agatccgtgt	cgatgtactt	cccaggacat	caggattcca	gcctctgcta	aagggtatctt	130260
cacagttaat	aacaagaaa	tattaaagat	gagaacactt	ggtgcaggaa	acaagagagg	130320
aaaggagtg	cgttccctcc	ttgcaaacag	gatgccctgg	accaccctcc	acggcctcag	130380
gcctggatgc	tctgcagac	ccatagccaa	gattgtgaag	gaaaagtagg	ctgtggaggc	130440
atcttctgtc	cttgttatca	tcattgtaaa	catactcatc	atcaccatca	ccatcctcat	130500
caccatcact	atcattatca	tcaccataat	catcatcagc	atcatcatca	tcatcatcac	130560

caccactatc	atcattacca	ttctcattac	catcactatc	accaccatca	tcttcatcac	130620
catcctcatc	atcatcacca	tcatcaccat	caccatcacc	accatcctta	tcttcatcac	130680
tatcaccatc	accgaggcca	ggatcaccat	cctcatcctc	atcaccatca	tcacatcact	130740
atcatcacca	tcctcatcac	aatcactatc	atcaccatca	ccatcctcat	catcaccatc	130800
gtctcatca	ccatcacgc	catcagcatc	ctcatcacta	tcatcatcac	catcctcatc	130860
cctgtcacca	tcctgtctt	catcatcatc	accgtcatca	tcactatcat	cacaccagct	130920
ctgtgcaagg	cccttagata	aagggcagcc	tggggctgac	ctcacacaag	gataggaagc	130980
cccaggtgag	caatgggtca	gtactgggtc	gacaccagat	atccctgggc	agaggccctg	131040
gcccaggat	ggggaaggga	agaggacaag	ggatggggag	taagaaatga	gggcccctcg	131100
cctccctggg	acagcccaag	gtgcagcctt	tcctcatcc	tggaggttcc	aggatatccc	131160
tgtgctgcat	cctcccattg	tacgggtgag	gggtgactgc	caaccactc	ctcagatgag	131220
gactgactg	aggcaagtgc	cttgtctggc	accttgcaag	gccaggagac	agtgcacaca	131280
atctggactc	caagatctct	gcccaccccc	atcttcatca	ccactatcct	tatcaccatc	131340
atcatcccca	ggcgaccaga	gcagaccctg	agccccagg	atgacacagc	agggaggggc	131400
agccactctg	ggctccccag	tccccatgg	cacctcaacc	tcagcccagg	aggctgcccct	131460
cccagggatg	gctgaaagtg	ggccctgggg	tcttgagcc	ctgggctcag	atgtagcctc	131520
tgcacccctc	acagagtag	gcagagaatc	gtgcagcccc	ctccaaatct	gtccccacac	131580
cagtgatgtg	aggacaatga	gaggccagca	cctacctccc	cccaggaccc	caaagaaacc	131640
ccaccaggc	ccccaccag	catcctgcct	ccccagaggc	ctgccaatgt	gacctgggtc	131700
agcctcgtct	caggtgagga	gtccaggag	gcaaggtaca	gtcacagcg	tcccagagcc	131760
acacggaccc	ctctgctcca	gcggtcttgc	aaggccactc	tggcctggcc	tggcagtagc	131820
cctgctttat	tgaggagata	tggcaggcag	gatcctgggt	gcactctggg	tggagagagg	131880
ggcagcagcc	aggctgtgct	acaaacccac	ctggagccac	ttcctcgtcg	cttctgccc	131940
tctcagcctc	agcagagaaa	gaaggcttga	ggacaggcct	gggtcagcct	gactcatctc	132000
atgagagacc	cggcctgtgc	tcagagtcca	gttctgttgg	cttctcatgc	aacactgatg	132060
gtccccctcc	cctgtctacc	caccatgtgt	tagacacggg	gatctgcatg	aaagacacgt	132120
gttccctccc	ttccagagac	ccaccgaaat	gaggtgatg	cagagtgagg	agtggggagc	132180
acagtggcag	gctgtcccc	tggagaaca	cccagagaaa	ggggttccac	cactgggtatc	132240
caggagcacc	agggccgat	gggcagaaga	aaagctccat	ctcagcagag	cagccaacca	132300
gcttccctca	taaaagtgc	cagaaaacca	gtgaccacca	ggcatccgga	aaacatatca	132360
atgcagaaaa	agagggagaa	tgatgctaga	ggaagccgac	agtgtgggaa	aaagacaaaa	132420
attaggagaa	acatctaatt	tgtgtcttcc	taggcataga	tggggattta	aaacaagaac	132480
aggctgctat	gaacaaggag	gcacagaca	aaaagaaaga	gtgcctggaa	attaaaaata	132540
gaatcactaa	aattaaaaaa	aaaatcaata	caagtgttag	aaaacaaggt	caaagaaatc	132600
ttccagaaa	aaaaacaaag	gagaaagaca	aatgaatgag	atttgggaga	caaatatagg	132660
ttgaacatcc	aggggagtt	ccagaagaga	aaacaaaaaa	actgagaaaa	gctagcaaa	132720
aaacaatacc	agaaaacttc	ccaaaagctga	gtaccagtc	ctccactggg	cattcacagt	132780
gcactttcag	gccccagg	gtcaagggaa	gtctgaagct	ccaggaggag	aagctgggtca	132840
caaagaggca	acacgaagcc	atgagcagca	gtgcacgccc	gtaatcccag	cactttggga	132900
gactgaggtg	ggaggactgc	ttgaggccag	gagtttgaga	ccagcctggg	taacacagta	132960
agacctgtc	tctacaaaaa	attaaaaagt	tagccgggtg	tgggtgatgca	tgctgtaat	133020
cccagctact	tgggaggttg	agggtgaagg	attgcttgag	cccagaagtt	tgaggctgca	133080
gtgagccatg	atcatgccac	tgactccag	cctgggtgac	agagttagac	tttctccaaa	133140
aaaacacaca	acaaagaaga	tgactatgg	tattggcctc	cttcatagca	cactagatgc	133200
caggaaacaa	caacactgca	acagcttcat	agctctgagg	ggaaactaat	ttcaacatgg	133260
aattctagac	cgaacaatc	cagcttgaa	atacttgtaa	atacaggaag	acttccggaa	133320
tgattcttca	ccatatcttc	tttagagagt	gagtcaggct	tatgtttcag	ccaaaatgag	133380
gtgcaaaccc	agaaagagga	aaacgtgggg	cccaggaagc	attaactgaa	atttcaacag	133440
gtggtaaagg	gaagtatatg	ggcagcagga	caagtgtctg	gggtgaatct	ttatccagg	133500
aaaaaaatga	gacccaata	gaagccctga	tgtggggaag	agtaagccca	tgagggtggt	133560
ggatgggtaa	aaaacatcaa	ctgtaagccc	caagggaac	aaaaggccat	gaaagagaag	133620
gaaggtcacc	catcccacgg	caggattgag	aagaacattt	atgggacctg	ggttgggaaa	133680
cactggctgt	gaatttaact	gatggcagcg	agacagccat	gctggggagt	gtgctggagg	133740
agacagagct	ggagtagaag	ctgaggaaat	gtggcggcaa	ccactggcaa	agccagggaa	133800
cagagggcag	agtggctgcc	tcccaggagg	acgccccgca	ggggcagatt	gagcccatc	133860
tccagaccag	cctccgaggc	tgggtgcagg	tgtaactct	gcaatatgtt	gttgaccgaa	133920
tgttatatt	ttttaaaaca	actgcataat	tggcactaaa	atctcagaaa	acagataaat	133980
aaaaagaaaa	aaaagaaagt	gtatcttcca	gaaggtggag	acaaatgtag	gttagaagca	134040
ggtgtctcca	agggtcagga	ggagagcgag	ggacagttag	agctcaagag	cacctggaca	134100
tacagcccca	ggcagctgg	catctggcca	gggaggatcc	acatgctgct	ttttgggtccc	134160
ctgctcggcc	aaggggtggct	gaggatacat	ctgggtctcc	caggacacta	tgggtctctg	134220
gccccagaga	ctctgcaatc	cagacacccc	aaggggcagc	ttctggccta	aaagcccaac	134280
tctgtgcttg	ggccttccct	gcaggccagg	cagctgcttc	cctgaaccag	cctcagagtt	134340
cctgtcctgc	caccacgccc	agccctcaca	ctgtgatgaa	gccccacccc	tggattcccc	134400
ttaccctctg	ccgtctctgt	cccctccttg	tcacagatct	gagcccccca	ctccaggctg	134460
gggcccctca	ggagccgggg	gtaggggtgt	gtggtcaaca	cccagcagg	gtcgcttagc	134520
actggggtgg	gtgtgcagcc	cccagcctcc	ttcttgaccg	tgacacagg	cttctctcag	134580

ctgctatgag	agcccccaat	gcgctctccac	aaccaaaccg	aggcacgcac	gcagcggcga	134640
cgtgaataag	taattgctct	tttattaaca	agtgtataat	tattcctata	tgattgtgtg	134700
tgataactct	tccttatctt	aaatcaattt	gggtatgaaa	ctgttgctcg	cttctcatcc	134760
acgaggggtg	gaggccacag	tgccgctgcc	tcttggaaaa	cgaggtcagt	gtatttcagc	134820
tacttcctga	ggctgatgcg	ccgccccact	gcgcagggcc	agtggaagg	ggtcagctgc	134880
cctccgggag	gcggggcagt	ccggccttat	ttcctcagca	tctctgtctg	ggaccacgc	134940
cactgagccc	agggcacaga	ggggtccctc	aagtccaagg	ccacactggg	cgtcaccaca	135000
gggtcatcag	gggtcagggg	gccatgcaca	ggccatactg	cattcatccc	cccatgtaag	135060
ccccaaagac	tgggcagcct	gacctttcat	cccacagagg	acactccagc	accagcttg	135120
tctcctggcc	tgcccgggccc	accccacggg	ggcttctcaa	acctgcaaa	gcataagcca	135180
ttctcctaaa	attgtcctga	tgattttaca	acagccctgg	ccccatcccc	ttttcttctt	135240
cccccagcct	cacagaggag	gggttcaggga	ctcagcctgt	tcagggcagc	ccctgggcca	135300
ggcctcagca	cctcttctgt	taatgcatat	ttaaaacctt	gcaacccacc	gggcagccag	135360
ccagccgggtg	cctccctccc	aggccaggcc	tgcaaggagg	catgccccgt	cccgtcact	135420
cctccactgg	ctgcttctcc	gaccccgatc	atggctgcag	caggcctgga	ggcccgggtc	135480
cccccaggcc	cagtcacatg	gccctactac	ggcaccacct	gtgcttcttg	gctgggtttc	135540
tcacttgaga	aatgggaagg	ctgggtcttg	gtgaaggcact	tctgtggggc	cactccacag	135600
gtctccttga	cacccctcca	ccttctgccc	actgccaggg	tgcccatttc	actccacacc	135660
tcgctggccc	acttagcagg	cttctgtgta	gcttgtttct	gtcggttgag	gcaccctggg	135720
ctttgggctc	cacaggggct	ggtagcccg	atacaggagg	tgctccataa	atgttagtca	135780
tgtgaatgca	ctaaatgctc	accactaagg	gcaagtggca	ggctttgtgc	agctatagag	135840
acagcattcc	ccaggatgtc	cagccctggg	agagagcctt	ggcccacagc	ccatgaggga	135900
acggatgttc	ctgggttggg	ggcatggctc	cagcacccca	tgcccaaggg	cacggtctct	135960
aagtgcacac	atggatagct	ttacttctgt	tacagctcca	tgtctgcgtc	tccccagat	136020
tcacgtgtcg	aagccctaac	ccccagtgtg	atgggtattt	gaggcggggc	ctttgggagg	136080
tgattacggt	tagataagg	cacaaggctg	gggccctcac	catggcatta	gtggcctgga	136140
agagaaagag	acctcagaga	gtacatgccc	tcctctctct	ccacccttcc	atcccttacc	136200
acgtgagggc	acggtaaagg	ggtggctacc	tgcaaggccg	gaagggaact	tccaccagaa	136260
ccagcccatg	ctggcaccct	gatctcagac	tccagcctc	cagaactgtc	aggaaatgtg	136320
cttcggttgt	ttaggacacc	ttgtctatcg	tattttgtca	tggcagcttg	atcagactaa	136380
tacaacttct	ttcttaaaac	tttggtgtat	ttttccagat	tttctacaat	gaacatgacc	136440
tcataaaatc	aagagtgttt	ttcgtttgtt	ctgtttgggt	ttatgctgac	actgggcccag	136500
gtggaagggt	gggtgagtc	gtcttgccag	tggcaggagc	ccctcccatg	agccccaca	136560
ccccagggtc	cctgcccac	gtgatcgccc	ctgcagggca	gtcctggaac	cagttcaggg	136620
cttgggggccc	tggtctctgc	tagggagggt	tcaggcaggc	cccccaacgt	ctcagaactg	136680
cttcctctag	ttggaatagg	agataataag	gccacctca	tggcaccac	aaagaatggg	136740
gcagctgca	cctggcctct	ccctggagga	ccttctcaca	tcaccccggg	agggaccacc	136800
atccccaccc	cacagaggag	aaagcccagc	tccaaggcca	agttgcagcc	aggaagtgt	136860
ctgctggcat	cctacctggc	cctgacgcca	ggcctgaagc	cagcaccacc	cggggctctg	136920
ttgctccaag	gccattgccc	ctgctggcgt	ttgctcaagg	agctccccct	ccagaatgcc	136980
ctgccttatt	cccagacaca	cttcctctgg	ggggctcttc	tccccagcc	ccaccctgc	137040
cacccttaag	gaggtggg	ccttcccaat	cccttctctg	tctgcaccac	tgcttgccc	137100
aaagtgtcca	tcctcagacc	caatggggcc	accatgggag	ccggctggg	taatggccca	137160
taagctcctg	cccatggagt	actcaggcag	ggaggggcac	aaagcttggc	gagcatgagt	137220
gacaggctgg	gtgggtctca	acctcaccct	gggcctgggg	tagcccatg	caagtgagga	137280
tggtgaacac	ggtggacccc	caggcagaaa	gtgagccacg	gggggctatg	caggactgca	137340
gccctcccc	ccctcaatt	cactgggtgag	tagcctgcta	ctccccctgg	tcccagggca	137400
gggcctcat	cacctcgaga	cccagaagca	gtgatggaga	ccgtcctgca	acatcaagct	137460
ccctgtgatc	tgggggccag	gggatcctga	gtacctgccc	tcctggagt	ctctgcctgc	137520
agggggcagt	agcagcacct	tcagggtggg	tggttgggg	ggcttcccgg	aggaagtgat	137580
aactcagcta	ggagtggggc	gtgggggtgg	tcctgacatg	taccaaggct	gggggtcaag	137640
tgtgactgt	ctctcagcca	ggagggtgga	ggcgtggac	caaggctggg	ggtcaagtgt	137700
gcaccgtctc	tcagccagga	ggtagaggc	actggaccac	tggggcctca	ggtgtccagg	137760
tcacttgtcc	ctggagtccc	tggctatgac	agaggccctg	gtgggcagct	cggggttggg	137820
gacaggccaa	ggcatagggg	agggcacaaa	gggaggttgg	tgccccaccc	atcaccatc	137880
atccgcctca	ggccacccca	ggggaccggc	ctccgctccg	gcagcgggtg	agaatggac	137940
tccattaggg	cgcctatctg	tctcagccat	gacgggtcct	cgcggtgaca	tccgggaggt	138000
atgtagatgg	aatatcttta	tggggagagt	ttttcttttg	ccagttttca	aataggaagc	138060
cagacacttg	tcacacctgt	ccctgtgtca	gcctctgcct	gacataaatt	ggggccgagg	138120
caggagatg	aaagacagcc	tggaggcagc	cgggtgcgca	gggcccattg	gtcaggccga	138180
gggagcacca	gagctgcagg	cagcctcctg	ctggggccaa	ggagagctcg	ccccgcagtc	138240
cacctccgca	gcctctgccc	ctccctccac	tccctcttgg	acccacaagt	tcttcacctg	138300
ccctccccc	accagagcc	ctccaagcat	ctcaccggg	cagtggcctg	tcctgcagcc	138360
actgggcttc	tggttagggg	cactggagcc	tcctcagccc	ccaggccagc	agctccagct	138420
cctcttccag	acctggggcc	agtgtggcct	tcatgagcgg	tcaatgtggg	aggctcagag	138480
tcctcaacct	cacccccgct	gccactccta	gggaccttgt	gggcttcagc	atgtttccct	138540
ggaatctggg	ggacttgggg	gtagagcatg	tcaagaacct	caaggctcct	gccgcccagc	138600

atgggactat	cttagaactg	atgccaggaa	gaatttgcta	agagaatgaa	gggagaagca	138660
agtgacctt	gtgggcctcc	cctgcatcgg	ggagtgagcc	agggccact	gggagtgcac	138720
cttgggtgct	gaaactgcac	caaggatgag	gaggggagga	ccctccccag	gggacacttg	138780
gggttcacct	ggcagggccac	actcaagtcc	acagtcctcc	atggccccag	cgggtggggc	138840
aggggacgca	cccagctgag	ggaactgtgg	cagtcctgct	gttgtctcac	gtggccctag	138900
ggggctcatc	tgtagcccc	acgggagccc	caagaagcca	atccctgctg	ggctcatggg	138960
ctaccacctc	atacagcccc	atccctcggg	aggccctgag	gagaccctgg	ggctggggcag	139020
ggcgtgaccg	gccagctcca	tgctccctga	caagggggcc	tggatgtcca	gggagagcca	139080
ggagggaaag	ggagactcaa	gtggagagtg	tgtgggaggg	aacgttgctg	ggctccacaa	139140
aggagggggc	accagggctg	actcccaggt	tcctggtggc	atgctgggag	gcaggtgggg	139200
ccaggagcac	cagcgcagca	catcctgcgt	gaccttgggc	cagctcctca	gcctccctc	139260
gacagccgtg	ctggtagctg	gccagggccc	ggtgagtgag	ttccccaggt	aggtggaagg	139320
ggcttctggg	gtagggggcca	cgcccggggg	caggtggccc	accctcccaa	taccaggtcc	139380
caccccgccc	taccacaact	gaggactctg	cccaaggacc	agttagggac	gaggcatcct	139440
ctccaactgc	actgcaaggc	cagcacaagt	gaaggggcgg	acagaagcct	ccacacaaca	139500
aaggcagagg	accctatact	tctctctgag	tcagtgcaga	ggtcctgcgg	cagagctcct	139560
gctggaaccc	aaactgcacc	gtaggctcct	cactgagaac	tagggacttc	tcacatgca	139620
cccagcctcc	cctccggact	ccacagctgc	tagccctgcc	cggaccctgt	gcacccact	139680
cccaccccg	catagcctct	cagccccc	gtcatttggg	ctccctggc	atgaactaac	139740
gtgtctctca	ggatgtccta	cgaggacctt	cacggcagaa	ggaccgatgg	ggaggagtgg	139800
ccccagagag	cagttccttc	tctgtaccca	ccagggttca	gcagaggctc	ctgctccagg	139860
cagtacagtg	ggggccacat	gccatcctc	actggccacg	tgggctggtc	agagtcacag	139920
ctggatcccc	ccagggcagg	acaggacagg	taagaaacgg	tgaaaacctg	ggaggcctcc	139980
aggaggtgag	ggacctgcca	ccccctccca	caaggcccta	aggccccaat	cactagtctc	140040
gattttccaca	gctagttag	tccaggccag	gaaagggcgt	gcaagggggc	tggcctggaa	140100
gaaggggtcc	ctggagccag	gtgcaccagg	agcctccagc	ttgcccaaat	caagctgcca	140160
ctatggccgg	gtcctgtggg	cagtgtctac	tcaccaccgc	tccagcttca	cgatagccac	140220
gtgcggacag	ggaggctcag	agggtaggtg	gctccccggg	ggaacacagag	caacccttgt	140280
gcagccggct	gggccaactg	atctgcacct	aacagccagt	cttgaaggcc	accaaccctg	140340
gggtctcccc	gagctgaccc	agggacagaa	gggcaccagg	cactgcccac	aaaggtgcaa	140400
ctgatcctcc	tcaccggcgc	ctgggccctc	cctccctgcc	agtgtggctg	tcacaccctt	140460
catggctttc	tgcactctca	agctaggcct	gggctcttca	agtggagagg	ggtaggcaga	140520
cacaggtgcc	aggcactggg	aactagggac	gggggcttcc	ctggtgagga	tggaaaagaa	140580
ggttcctaca	tgagaccctc	tagcccaagc	cctgagaacg	aagggggcca	agcttcacct	140640
aggggagccc	atgggggagt	ttaggcaggc	agtgcctggc	tggaaacatg	tcttagggaa	140700
gcacttgaat	cccgggttgg	ggaacaagat	ggttagggcc	gagccggggc	cggctgtggc	140760
cacagggcgg	ggacagaggc	caggctctgag	gattggccctc	agttagggagt	aaaggggatg	140820
gaccggggaga	caggggtgcag	gtttgacact	gattttgcct	ttgggggatgg	gtcgagggaa	140880
gaggctgaga	ctctgggctt	ggacgttggg	tacggaggat	gtgacactag	cagacaggct	140940
ggatctggag	gccaagggtg	tgtagtgtgg	ggagctgtgt	gtgcaggaga	gatacagggc	141000
actagggagc	ctgaacccct	gctccagtgc	acaggccggg	cacacggcag	ggaggaggca	141060
gtcaccattc	cctcacttgc	cgggaccttg	gaggcagggc	agagtgggtg	atggggccagg	141120
ctgggcccctt	ggaatgacat	ctggcatgtg	gcagcggagg	ggggacatgt	aactggggac	141180
tgtggactcc	cagctggaat	ccacctccac	cttccacatc	cacgcactgc	attttgggtc	141240
ttactgagca	cctgtgtgtg	gcaggggctg	ctctagcccc	tgggaccacc	aagggccagc	141300
cctccacaac	cccagacctg	cactcagccc	cccccactt	cctccagagc	cccacacccc	141360
acacactgag	gactctaggc	attttccccc	tcttgaagac	actgagctgg	gaacaccacc	141420
tctggctacc	agccgtggac	tgacagaggg	cctacggtga	ccaggaaggg	tggagctgcc	141480
caaggtcaca	cagcaagcca	gcactgcaca	agcttaccca	tggctgcccc	gccttgggga	141540
atgggggact	tctggcatgt	ccccgagctg	ggccctggca	gaaggcaaat	aaaggcaaca	141600
tctcaacaag	gttgtgatag	ccggggatcc	aggcaagcaa	gggacaatcc	aggaaggctc	141660
ccaggaggag	gtgagggggc	tggagccccc	cctggcctga	gccccctcct	ggcactccag	141720
cctgcctagc	cctgccccct	tccttgacgg	gccccctacc	cagcctcagc	cttggcctga	141780
catttcccgt	gacatttgc	gcaaagaaat	agagtcataa	atccaaaggt	taaatttgca	141840
catcgctca	aattgctggg	agaagcagtg	gtccctccac	ccactggggc	ccccgtgggt	141900
gcgggggttg	tgtggcagg	tctaccatc	ccagggccct	tgtggaggc	ccacaggtct	141960
cctcctctgt	tcctccgggg	cacttcaacc	actgtttccc	aaaacaggtt	cctggggaca	142020
ccaggccctg	aggtacatcg	cataggggtg	cctctcagag	aaggtgctgc	ccacccctct	142080
ccaaaacagg	gccaagacg	ccctgtggga	aaggagcacc	atcagcacca	tttattccag	142140
caggtcccac	atttgaccac	aaagccctta	tgtgataccc	ccaacattcc	aaagaatttc	142200
aactccatgg	accgtgaccc	gtgacagcca	gctaagaatg	ccagggtgct	gactggagag	142260
ccaagaggca	cccggggggc	cagggcaggc	tgctctgagt	gaggctgggt	cagcacccga	142320
cacctcactc	ccagatcagc	cagctccat	gtggccaggc	cctgcatggg	gctttccacc	142380
tgccaggcct	gtgtagacct	acatggggac	cctggcctgt	gcccactcag	ccccctctaa	142440
ggccactctc	gaggtgtgcc	aactgccctg	cctttcttct	ccacctcctg	gtctggctgc	142500
tgtgggttgc	ctccatcgga	caggacacag	ctgcggaaca	gtgtcagcat	caccccatgc	142560
cccgctgccc	tgctgccccg	cagaagaggc	ccgcaggcc	atagcaggca	agaccagagg	142620

ctgtatgaaa	gaggcagggg	agaggtggcc	ccaaggcacc	caactgcacaa	atggctgccc	142680
agactctact	cactcaccat	cacctaaccg	gccagcccac	ggttgtcaaa	ggcctcagt9	142740
ggctaggagg	ggcaggatct	ggccctgctg	ccaggtcccc	tgaaatcagc	ccaagcatcg	142800
ggggagaggc	acgtgaccag	accccagacc	tggtgggtgc	cagctgagga	catggtgggg	142860
tgggtgtgca	gagctgcac	tcccagtgtc	cagctccacg	gctgcaggca	gtgcaggagg	142920
ccggtgcagg	tttgataaaa	taaatgatgg	tgcattctca	ggaagggatt	ccacacacac	142980
cagaaaaccc	atgatgcaca	agaatagttc	ccgatgtgca	aaatgtttaa	aatacagcga	143040
taaaagaaga	aacggcagca	cagaacacct	ggtgtggggg	agcccagctg	ggccccaggg	143100
acagtgacag	gagatttgtg	gggtggggca	gcataccccc	cactccgata	gggcttccct	143160
ggggcactct	gtgacctcct	atcctttaaa	gcatttaata	ctagagatgc	ccgatgccaa	143220
ggatcacacc	ccttgatttg	cctggctcag	aagagaatct	gacaggctag	gaacgaacga	143280
gtgaatgaat	gaacaaatga	gaaagtgaat	ggatggttgg	ggcaaatgca	gcactctggga	143340
tctggccttg	aggaggggtg	ctgtgacctt	ggccttgggtg	cagccagacc	gcagagcagg	143400
gacactgagg	ggtgcagaga	gggacccgag	agggcatctg	cacagctgca	gaggcagcag	143460
gcggccaagc	cagctcccgc	agaccctgag	gccacggccc	tggttggctg	cagaggggtca	143520
ggcagaccag	cctgggggtc	agaggtcagg	ctaccagaaa	tgggggcggg	acggcatgaa	143580
cctcattgat	cagatagtag	ccaagtgtca	ggagccctca	ctaaccctgt	gccagggccg	143640
ggcggggcgc	ctggctcaca	cacgcatttg	ttcatttcca	ggtcactctg	aaactcccca	143700
tgtgcttctc	gctcttgacc	cctttcccag	gtgcacagac	caaggctccc	ggtgagaggt	143760
tccgggccac	aggcccagga	cagcaggagg	gctcctctgc	ctcccgcggg	tctgtctctc	143820
accagctgga	ccttcctggt	gttgacccgg	ctgcacaggg	ccgtccgtgc	cacaaagcat	143880
gaattcaagg	ctggggcagg	gacgaggaga	gggcaatgct	acaaggctgc	actgttctctg	143940
ggcagaggga	gggggagagc	acggtcccac	acacactggc	cctcacagcc	tgctgtcac	144000
tcacagcaac	agcaaaacaa	ccttggcccc	tccacaggct	gtgggccagt	tcccagcctc	144060
ccaggacagc	aggaccttcc	cccaccttcc	agggccccag	cccctgtagg	ggtgtcctcc	144120
atggaccctc	cacaagccct	ctggctttca	gagacgtgct	gggccaggcc	ctccctcagc	144180
ctctcccctg	cttctcactc	catgcaaaac	tacgtttctg	ccagtcccag	cagaaggacc	144240
ctggcacggg	gaaactgagg	ctcaggggtt	ccacagaccc	ccaggtgagg	aacaggggga	144300
gggcagggag	ggagtgaagg	tactatggga	gggtctccca	agctgggcag	catccctgcc	144360
ctgtcccctc	tccactcacc	tgtggcccga	ggttgcctgac	taggggcttt	tattgtccct	144420
tctgcacatg	gatggggtga	ggggccagct	ggcagtgcaa	aggtcccagg	aggactctgc	144480
tgagtggggg	tgtggggagg	tgttgtgggc	attctgaggc	agaagcacca	gagtcagaac	144540
tccacagggg	aagccggggc	aattccgccc	agcctcagcc	tggaaagtgc	ccgataatcc	144600
ctgaccactg	gcccattggtg	caggtgagga	agactgaggc	agagaggcga	cctgtcacac	144660
ccaaggtcac	accgcccagc	ggtggctgag	ccaggaccca	aatccaggtc	acggttctgc	144720
cacgcaggcc	ctgcacgtg	cccctctgcc	aggtggcgct	taggtgctga	tggccaccca	144780
ttcccacccc	cggtcaggga	gctcacttcc	tcctcacctc	agtagagaag	aacagggaac	144840
agtacccctt	ttatagatgg	gaagactgag	gcttagaaaa	agagactggc	cagccccact	144900
gcttcagctg	cccctctgct	agtatgtttc	accctcacac	aacctacaag	gataacctgc	144960
tgggtccccac	tctatagatg	agcctctggt	ggtggcccagg	ggagcaggag	gtgtggcctg	145020
ccaatccaag	ccccagccca	gggcccctgc	cacagtgtca	gtggggccacc	cttgcccac	145080
atgcagcatg	gcataccatc	gctcagcacc	ctacacacaa	ccggaggtag	gggagccac	145140
cacagaaccc	ctcaccaaga	aggtcctcac	catggagaaa	ctgaggcact	ggaggcgggg	145200
cctctgcagt	cacgttgggt	cacgtgtctc	agtcagccaa	gctgcagcgg	ccaccaaggg	145260
tgcccagggt	ctggcctggt	ggtcacagtg	ttgacctcat	ggcctgaaat	gggtcttccc	145320
tgcccagaca	ggttccagcc	caccatcatc	tatctgcctc	agccctgggtg	ggtagggagt	145380
ggctggggaga	ccttgcctct	cacaccctgg	gctttgcggt	attcaacgag	cccccaacac	145440
acattccagg	gcctctgctc	cagattaggg	cacagcctgt	ctaggcacac	aaggggcacc	145500
cacaccctgg	aggcaaagag	acatgcctat	gtgcccgcag	gcacacatga	tcacgcgcac	145560
agacacacgt	gcagatgcat	accaagttag	acacacgcac	acaagcccga	ggcggggacc	145620
cccaggacac	ggaggcaggc	aggcagagg	ggggcccagg	atgtcttgcc	cctgtctgtg	145680
ggcctggcct	ccccactcaa	cagacgagca	tgtgggtgcg	ggagtgggta	ttgcgaaagg	145740
ggccccagca	tgtgccaccc	gtggagacca	cagcaggcat	gccgcgtgca	tgcattgtgtg	145800
gccgtgggtg	tgcaggcggg	ggcgaggaca	cagatatgca	ccctcagagt	ccgtgtgtgc	145860
accagtggtt	tgtgcatgtg	cacactgggg	cggcgttggc	ttgcatgtgc	accagagggtg	145920
tgcaagtgtg	cagtcctgtg	agacaagtgc	acgtgcaagg	aaacgtgtgt	gcagcctgctg	145980
gcaccatgga	catcagcagg	gcagcctggg	tgggacacctg	gggagcacc	tccaggcggg	146040
gcattgccc	ctcacatgga	gcccaccctc	ccttgcctgc	accgcgggac	ctcacagccg	146100
gtggggcggg	ggagtccac	gagggctgct	agggagggtg	tgctgattgc	cccaccgccc	146160
ctgattcccc	cagccaagcc	tctcaatgtc	cctcgggctg	cagatggcgg	gcgttgctgc	146220
ctcctctcac	cgccccccct	ggaggcagcg	ctggggacaac	cctgtccccc	acgccctcta	146280
ctgcccgc	cgcccccat	catcccactg	tggactgacc	tcggagaaac	gggagggttct	146340
gagcccagac	cgtgaggctg	gggtggaggc	ggcccgacac	cccacccac	cctcggtacc	146400
cacgtttctg	caaaaaacccg	ctcggttaacc	ccttgggtggc	cggggcgctc	cgaggccggg	146460
ccccgcctt	ccagcccacg	gcccccgccc	tcgacttggc	ccagcatcgg	ggaccctcgg	146520
accgccaccc	tcggccctgc	cgaagccgtc	aactttcccg	ggaagcggca	acttttctctg	146580
ccggctccgg	cttcgcccctc	ccggggccgg	gcccgtcccc	aagcgggcaa	gggcttctgc	146640

ccgaggccta	ggaatggcct	ctgcctgacc	cactcccttc	ctggcctcac	gaaacccatg	146700
aatcccccg	ccccctgcac	gaagcccctt	gctgcagcac	gatcgccccc	atttttcagt	146760
aagaaacagg	ctcagggctt	aagagagttc	tgggggccc	cctgggccc	tgtggccc	146820
tctgcacat	cttagagaag	ggacctaggc	ctgatgttac	ccgtaaccc	gcaggggtcc	146880
cccacctctt	cccttctg	gaatgggggc	tccaaaccca	gaagacgctc	tccgaggtca	146940
cctgcttagt	atccccccac	tctaccaagc	cagcccccca	cgggcggtgt	gaggcatggg	147000
gccagagaat	ccagtgcacg	ccctgcacac	accacacagg	ggtgcagggt	tcccttctca	147060
atcttctgct	cggggcacct	accgggcctc	accgatgagc	tcctaagtgc	atccccgggt	147120
cttcagacaa	ctgccaggct	gccccctgc	ctggagaagt	gctgggagtc	agctcagccg	147180
ggctgggtcc	tccccaggcc	caccctgcat	gagaggacca	tgcagatgag	ggtcttgag	147240
gcccacctgg	tgtcagtctg	taggacctg	actcaaggac	ggagtgggccc	agcctgatgc	147300
cttgatggcc	ccccctcagag	cccaggtcca	ctgatatgaa	gcagagagac	ctggtgactg	147360
ggcacccttg	tgccctctgc	ctgcccctgg	ccatggagggt	ggccctgagg	gagatgagca	147420
gggcgcagg	ccggtgacct	gcctgccttg	tgcagaggaa	gtgaggacct	cccagagccc	147480
tgggtgctccc	atctgatccc	agtggcaggc	agcttcgcag	ggtggagcca	tgctgggtgg	147540
gccctctgccc	tgggtggag	gctgcactgc	ccacatgccc	ctggctgccc	ctctgtggcc	147600
ctcatcactt	tggcctgctt	tatccctatc	acccttgtcc	cagcctaggc	ttatgagggc	147660
attgtggagt	gcattgccatt	cccagccaca	cagaagggtga	ggtggggccc	agaacacccc	147720
agccactctg	tcccctggcc	tctgaagggt	gtgggctgtg	cacacactgc	cacctcccca	147780
gaggggtgctg	gctgccgagt	gccaccagct	cagcccctga	ggtggctcaa	caggtcctcc	147840
cagagccaca	ccaagacgct	atcacccatt	gcacagatag	ggaacctcag	gcgaagctca	147900
cagagccagt	gggaggctga	ggcctgaccc	ccagacaagc	attcttctcc	agggtccctg	147960
cacacagcag	ccccaggct	aggaactgag	ctctctccac	agggatgtat	cagaccctag	148020
atgagtcaag	tggcactgac	catcagtctg	aggacacgct	tggggtggac	caggctccag	148080
tctcgggctg	ctctgtgctt	gcagaaaggc	cttgagaggga	cacttgcttg	cttactccgc	148140
aggcgtctct	tcaattacca	gtgaccacga	gcagcccact	atagctgaag	attgtgacct	148200
cacaccctat	ctcatagggt	taaagcccct	cccaccccct	ctgccgcagc	cgaagtgacc	148260
attctggggc	atgggatggg	catggggtga	aatggggagc	agggggtggc	ctggaggctt	148320
ttggcaccag	caccctctcc	agccaccaac	ctggctgttc	ccggttgctc	tgcgctggga	148380
cctgggcttc	cacctccccc	caggctctctg	catgggagca	gggctgaggc	ctgcagaggg	148440
agcgtgggg	gatgggctgg	tttctgtgtg	cccccccctc	ggtcagcagc	ttggccagca	148500
ccctccccac	tgggaagctgg	gcccactcct	gggtgctagc	tgggatgggt	aggcgtcggc	148560
cagcgtgat	agggagtat	gggggtgcag	aggcagagtt	gagcagggct	aggcagccgg	148620
tgggtctgct	accagcaagg	cacagcccac	ttctcaggct	gcgcatgtgg	gaggggttgg	148680
taagccacat	ttttcagggt	gtagccgggt	gaggggtagc	atggggagtg	gtgtactctt	148740
tgggcaggcg	accacggagc	catcaccccc	caggccccaa	cgggcaagaa	ggggagcagc	148800
tgcaggctgg	tagggggcta	gcagggaggg	ctgcacaagg	gctggagccc	ctgggtcaag	148860
ggcacaacca	gttctatcgg	gtcaccttgt	gggaggagcc	agggaccctg	tgggcagagc	148920
ctggcgtct	gctgcccgga	gtctacacca	gtcagttcct	aggaaagccc	agcaggggtg	148980
ctgggaggac	aggccatctg	tgccagctg	atgcaagctc	ccaggctttc	tggacacgtg	149040
gccctgggga	tcaggagtga	gctggagact	gcagacagcc	gtgccctcag	ggccacacag	149100
acctgtcaca	ccctgcctgg	actgggtcag	cagggccaca	cgggcatctg	cccgaatcgt	149160
tccccacctc	acaccaccca	tgtagggcac	atcctttgcc	agcttcccca	gcccaccacc	149220
cccctccagt	gaggccaggg	gctgcctcac	ctcccaaccc	cacccccaac	ctggggctcg	149280
gcctccacga	ccagcatgcc	ggtcatgagg	gcctgcccc	gctgtgtgac	ctcagcccag	149340
tcccttggcc	tcgctgagct	tgcacagcat	gtggacgagg	cagacgctaa	tgcctcaggt	149400
cctggtcagc	tggtcaccat	ccctcctttg	ttcacctcgc	ctgtcccctg	agaggatcat	149460
gcagggtttt	cactcaaaac	tccaggactg	cccatagaag	ccagcttgag	atgaggggaa	149520
ctttcgcggt	ggcctgtctt	gggctgacag	ggacacgggt	cagcctcctt	ggaaggctac	149580
tgcttcccag	ggcttgggaa	gactcatctc	ctgcctggag	agataggcgt	gcatggctt	149640
tccttggcat	gcctgtgcgg	tactcacgga	catcacaggc	ctcagtgctt	cctggggagg	149700
gatggggcag	caaggaaact	gggtctttgc	tccacacatt	ctggggccact	ccaggccaat	149760
gcaaggagag	accaagaagg	aagctagaag	gtcatgtggc	aagcacatgc	ctgctgcccc	149820
agtgtgtcaa	tgtgactgac	cttccctgca	ctctgagttg	gcggctgggg	atgtgggtccc	149880
agtgccaggg	agctgggggg	tgttggcctg	ccatctgctc	tcaccatgga	gggcggctgc	149940
atgcccgaag	cctaagagga	ctctgtgcca	ggcctgtgta	gtgagtcac	ccattcaatc	150000
ctacagtgtg	gacactacta	ccactaccca	ttttccagac	cagagaagga	ggtctgggga	150060
gcttaggtgg	accacatctt	tggcagcccc	tttctgccc	ctctttgtcc	acagcctccg	150120
cctctccag	aagcctctca	ccatccccca	tccccggggc	tgcagagggt	gtcctggcct	150180
tccccatca	gctctgcacc	cctgaggact	cccaccccta	ggagtccctc	tgcccactt	150240
tgggtgatgt	taagccataa	ttaatctgct	tcctcatctc	ttattcatca	aagccacagc	150300
agcagcaaa	ggggctggga	caaggaaagg	accgacaacc	aaaccctggc	agtggcccca	150360
agaatcccac	tgggcctgcc	catctccaaa	gtcctctgac	ccttcactag	caggggcctc	150420
ctccacacaga	atggcatcct	gattgtgccc	acactaggca	ggccccctga	cggaccatgc	150480
gcacctccca	ccacctggag	gctgctgggg	accgtcaatg	ggacgtatgc	attgcacagt	150540
gatggccctt	acctctgcgt	ccccagccc	tggactggat	cccttgtggc	ccatctccag	150600
gatgggagcc	tgaacggaga	tgaaggagca	ctcgcccaag	tgggacatgc	caggctggca	150660

cctggacccc	tgggtccgcc	ctcttcctgg	tgcctagagg	aaggggtgag	tccccagggc	150720
tcctggacct	tgagatgagc	ctcgggccac	ttgtgtttgc	cagcagatgg	gctcaggggtc	150780
ttctctcagt	gggcacaacc	gagttggtgg	cctctctctg	gggaggccgg	ctgggtggggg	150840
ctggggagta	ggcggcttct	ggtccctgaa	ggcccaaata	tggtgcaggg	gcagagctcc	150900
ggaaggcggg	gggtccctggg	ctgtgcccaa	ggcatccgct	gtggcttcac	gccccctccc	150960
cgcccctgca	gggagtgtgg	atccttctag	agccaccac	ctggcagtga	cagctaaatt	151020
gggagccgct	gttcacacca	ggagcccagc	gggcagtcaa	aaccgggtcg	ggggggaggg	151080
gcacccgctg	aaaacaccca	caagctccca	gtggggcagg	gaaggcatgg	tgatagctgt	151140
cagcaggagt	gggtggggag	tggaaaggcag	ggtagaccgc	caaaccatc	ttggggccat	151200
agttagatgg	cccctgggat	gcttcggctg	gccagtggcc	agccttgctc	ttgtaggagc	151260
tccttgggcc	cctgggttcc	cactctgggc	caccacaate	catgcagcat	gcaggtttgt	151320
tccgtttccc	agatggagag	gctgagggct	taccacaggt	ttccgtcaag	gacgcaaaag	151380
ggccagcctg	actctgagct	cagtagcccc	accctccaca	gcctcccttg	ccgccttcat	151440
ctgctcactt	cctcagtcac	tcaacaaaca	ctctgggagg	cagactgtaa	caccctgcat	151500
acctctgctg	gacccccatt	ccacatatcc	ccactgggta	caggtgggga	aactgagtg	151560
ctgggaggcg	ggccttggcc	tgagtcccc	agtcagtgat	tccaggataa	agggcatagc	151620
catgccgttt	ggtcacttga	agccacacag	ggtgactggg	aagagcccac	ctagcacccc	151680
acattctgct	agggtgactc	agaccaagtc	cttggggctc	tgccccccag	ccagtggctc	151740
tgctctgag	agccatggga	cagggagctg	tgcagggtgg	ggccagcaga	gcctgtgccc	151800
ctgcctgagc	tagtcgtgat	ggggcctgcc	ctgacccctt	cccaggctca	tgggtgcgga	151860
gcagggcggg	gccttacagt	gagatggggg	cctctgtggg	cagtccctga	ggccaggccc	151920
tggggctggg	actactggc	acagggccta	agtttccctc	tgtgtccgca	ggccttattg	151980
cctgcaaggg	agggtggagg	gcacaggggc	ggtgccccag	gtgaggagg	ggctctgagg	152040
aggctgcagc	agccggcagg	cctctgagac	tgggatattt	ttagccagga	ttcctgctga	152100
cggttccagg	tggccggggg	ttgctgccag	ccttagaggc	gcttctccta	gtctgtgtcc	152160
ggacatctgg	ggtctgtctg	ccccaccac	cctctgtcta	atgccccgc	ccactggcc	152220
catccagcca	ggcgaggggc	tcccaggagg	ctggccatgg	tgggagcaga	gcctggggcc	152280
ctcggggtgt	ggctgagaag	aggccacatg	ggctgctggg	ggctgcctgt	gtcctgggtc	152340
tccagctccc	agctgccact	cttagccggc	ccgcttaagg	ggcagggttc	tggaggctcc	152400
ggttcatgcc	caggctcgag	ttctgaactg	agcattctca	gtccgctgcc	tgctgcctgc	152460
tggaaaggat	gctctcagag	agcggccaca	gcttggctcc	ctcctgggca	ctcctgctg	152520
cccttgccgc	ttaggtgctc	tggctcatcag	gcctctctgg	ctggctctac	caagggtgcat	152580
gtgtgcaggg	cctgggcttg	cagggccttg	tggctcagcc	aggaccacct	cccttcccat	152640
gggcaagtga	ggacatccag	aaagagggtc	ctctgcctcg	gccactccct	tgggacaccc	152700
ctccacccca	aagcctctcg	tggaaacaga	gtccagcact	cagcgtcatg	cctatgcact	152760
ccaccggcag	gactggctga	gtcccagagg	gccaggccct	ggggcacagg	ccaatcggat	152820
ggaaccagca	tgaagcccca	gtgctgggac	ccagggccca	ttctctggcc	tggctgaagc	152880
ctgatggcct	gttccctgaa	tgaatcagga	ggcccatcca	gagcaattgt	gaagttcaca	152940
tgaagaatg	aacgtacgga	gagagatggg	ccatgtcgca	tcctgaaacg	ccttatattc	153000
taagaccatg	ataattaaca	cagaccctgg	acagtacac	gatgggaaag	agtccagaaa	153060
gaggctcaaa	tgcaaatatg	agaagaggca	ggtcaaatcc	aagaggagag	atggaatatt	153120
caacaaataa	tcccacatat	acaatcaaca	cttggccctta	agacaacgga	attgacatat	153180
ggaggaaaca	tttggattcc	tacctcactc	cttgacgcta	aaacaagttc	caagtggaac	153240
taagatttaa	aaagtaaaaa	tgaaaaccata	aaactcctag	aagaaagcat	ggatggcaaa	153300
aaaccaatct	tgagtcactc	taagaattat	acaaaaacca	gaagccatga	agtaaaagat	153360
gggtatatct	aacctcgtga	aaataaaaagg	cagatgcacg	gagagaaaaa	aaccaccata	153420
aatgataac	caacaaaggg	taaaaacatc	ggcaactcag	ttcacaaaagg	gccgtttttg	153480
gttctcaata	caaatacagta	agaaaaagag	caacagccca	agagaaaaat	gggcaaaagg	153540
atgaaaggaa	cctcccatca	ccccctgctg	accttcactc	agagtggaaa	acatgcggat	153600
ctaagctgca	gtgagatgct	gcccctcacc	cacagggatg	gcagccgcat	caggctgggg	153660
gttccctagg	ggggctgctt	aggggtccc	acaggtctgg	ctgttgagg	gcagggagag	153720
gcctgcgggt	ctgttggggc	cgggggtgagg	cactcacaga	tatgtctagt	gggggtgagg	153780
agggggaccg	cctgcaggta	cagctggggg	tgtcaggtcg	ctggggatgg	ggtggaagg	153840
gaggataccc	attcaaaaca	ggaaatatat	atattttaaa	gtaaaacagg	ctaagtgcag	153900
tgactcacac	ctgtgatccc	agcagagcgg	ggagaatccc	ttgaggctag	aagttcggga	153960
ctagcctggg	gaacatagtg	agtcccagtc	tctataaaaa	ttaaaaaata	aaattatctg	154020
gctgttacga	tgcacgcctg	tagtctccgc	taattgggag	ctgaggcggg	aggatcacgt	154080
tagcccaagg	gttcgaggct	gcagtgcgac	atgattgtgc	cactgcactt	cagcctgggc	154140
aacagagcaa	gacctctag	aaaaataaatt	aaaaaaaat	aaaaataaat	ataaaaataa	154200
ataaaaacca	gctgacatcc	atcctctcct	tgccaccact	gacatggccg	tgggcccag	154260
tctcatggcc	atcccaccgc	gagtcccaaa	gcgctcctga	tgctgtctca	cccttcttgt	154320
ctttgttagc	gccccgttag	cagaggcctg	cttaacttgt	ctctgggtct	gcttctcagg	154380
agccgtgtca	cattcaacag	tggcagcaca	gaggccctgc	tcagccccag	tccttcaccc	154440
tgagcctcca	ctgccagatg	tggctcctgg	ggtcctgcgg	actcaagctg	ttccccctgt	154500
cccaaccttc	acagggcacc	agcaagtcct	agggcctcca	caggcatggc	tctgggcagt	154560
atctttacct	tcccagcctc	agtttccctg	atgggtgaaac	aggggtgagat	ctacttccta	154620
gcagagaatc	cgggggaatg	gaggccatgg	gagggaagagg	acttgaggaa	aggagcattc	154680

ctgaggggtc	ccagagcggg	ctggggctga	caggactgag	tttgacgggc	ctggggacat	154740
tccctgggga	ggtgctaaga	tgccggtcag	ctagagcagc	ggggagtgat	ccaggatggc	154800
tgcccgatg	aggggctggg	tcgctggtcc	ctgagtgcc	aggtgggctg	tccatgtctg	154860
caggaacaca	cccaccctgc	tgccctccagg	aggggtgctg	gacaggcctg	agctccagga	154920
tcataggagg	caagagccac	tctcaccaaa	gaacagcaag	tgtgcctccc	ctgccagcaa	154980
tctgtccggt	ccagcccctg	cccagctatc	tggggaaaag	gccacctttt	cagtggaggc	155040
tgagctcagg	gcaggaagag	gttgagaggg	gagaaatgga	gtgagaactg	gaaggtgaga	155100
ggtgtgggtg	agaggtgtga	gtgagaggtg	gggggtgtga	ttgggggtga	gatgtggtag	155160
gtgagagcgg	caggtgagag	gtagggatga	gaggtggggg	tgagaagtgg	aggtgggcag	155220
tcatggtgat	agcttgtggg	gtgagaagtg	gagggtgaga	attgggggtg	gagttggggg	155280
gtcacctccc	aaacctctc	accctcagat	taagaagccc	ctcctatggg	ccctggagga	155340
acaggccttt	gaccacccc	aaccccactg	gtgtcttggg	cagggagatc	tcgaggtggg	155400
ggcctcagct	ccccgtagga	ccgtctagcc	ctggaccacc	tgaccacagc	tacagtggga	155460
caaggcccct	gttgcctgtc	tgctgggggc	cgagcatggt	atggaggagc	cagcagcccc	155520
cgccttcac	acagaggagg	aatccgaggc	ccaggagggt	gtctctggca	cccaacacgt	155580
gagacccttt	gaaaaatccc	cgagtgtgtg	gggggctggg	atgaacatct	gggggcggca	155640
gcagcaggtg	gcccacctgg	ccaaacacac	tccctgtgtc	ccttgttttt	ggcaatttca	155700
atgacccaaa	tcagatcctg	gtatggagaa	aaagacatcg	gtaaggacga	aggaaatgtg	155760
aacactgcat	ggacgatggc	tgataatagt	gtgccgtat	tggctcagca	actctaacct	155820
accaatgcca	gatgtcaca	acggtgaaac	tggtgtgtgg	tagatgcgat	ctctctgtac	155880
tgtcttctca	atttttcagc	aaagataaaa	ctgttctaaa	gttgaaaagt	ttattaaaaa	155940
aaaaaaaaaga	aaaaagacgg	gcttatttagc	aaaaatctga	gatagaacca	agcagtaggg	156000
cccagcccac	ccccgcctca	gggcgcacca	gcagtacccc	tctctcaggg	acatggccag	156060
gcctgggcca	ctccgaagag	ctcttccctg	agctgggggg	cctgggtggg	ttattccacc	156120
tgtcagcttc	actgcaaaagt	gtggcagtg	tgctgaagtt	aggctgactc	ttaccctgcc	156180
aaggacaccc	ctgcactcag	gaccacagcc	cggccccctt	gccctgtggg	ctggaggcga	156240
ccctgtgtgc	agatggcaga	tggaggggca	tggtgtgtgt	gctctcaggt	caggggcagc	156300
agcctcagcc	ctgaccagcc	ctctcctgcg	tggtgtgtgg	tggtctcctc	ggtctctggc	156360
ctcctttcca	ttccaacctg	tagaaaacag	tgtgtgtggg	gatgctcggc	ctgcagatca	156420
gacagggcag	ggtcaaagcc	ccgaactacc	acctgaacta	gtcctggccg	agtggcgctg	156480
atggtctagg	ccgagggccc	ccttgacaga	acagccatca	tctagctccg	ccgagggtga	156540
ggggagggtg	cagtgtgggc	cgcagccctc	ggctgaagcg	ggggccaagc	ggggctctgc	156600
ctggtgcagg	gggtttcctc	tatggggcag	gggctcccaa	attagccctg	gtgacatctg	156660
gagctcacct	ctgggggctc	tgggggctga	gagagcaggc	ggggcccagt	tctatcaatc	156720
atctgccttg	ttcctggggg	atcgcggtca	gtcccagcct	cccacaaggt	cctggggcgg	156780
ggcaggcctg	ctggaaaacc	aagatgcaga	gaagagcgcc	aagcacctga	gacagggctc	156840
tgagcacgga	aggcaaggac	gcctccctca	gcctcagctg	gggagccagt	ggccctgcat	156900
gcactttctc	ccatctgggg	agcctgagcc	ctgaccaggt	cccagggccc	atgtgtgcac	156960
aaaagcctcc	tgctttctca	cccaggacac	tggcgatcag	tgggtaggcg	agccggagcc	157020
cagctgtctg	gctcccttcc	ctgccaggac	cgggccagct	gcacccctcat	gcctgggttt	157080
cagggcttct	cgggggatgt	gatggcactg	cctgaggatg	tgggatcctt	ccactgaaaa	157140
ggggcacacg	gctgtcccca	gcacccttcc	agaagggaca	accactcctc	gggaggtcct	157200
aatgtagaca	tcgaggtccc	ccgagcttcc	tccatggcct	ggccacttca	caaccatatt	157260
tctttatgtt	ccacgcgcct	tgctgtctcc	acggccagga	ccagggccac	catctttgca	157320
gccgtgtgaag	ggacagctgc	cgtgggctgg	gctgccgagg	caggacaggg	gtccgggcca	157380
gggaggggtg	gatggaggcc	aaggatgggc	cccttggaga	cagccttggg	gtgcagccgg	157440
ctctgccacc	tctccctggc	ttccttccct	ccaacctgtg	actcctggga	agtcctctgat	157500
ggggcagcca	cttggggccg	ggaagtaact	gtggtgtgtg	gtggtcaccc	tcaccagagt	157560
tcatgggggtg	gagcaagggg	gacagaatct	cccccaaaat	caggtgtcct	gttcccaggc	157620
ccagcacaga	gacctggccc	ccagacatct	ctggacattt	gttaagagtg	gacaactgct	157680
tccattacac	aggagaggaa	accgaggtct	taagggtgcc	cagacttgcc	tggtgtccac	157740
agtgaagcag	caacaaatac	caagtggctg	ccacaatggg	gtaggtggga	ggcagtggtc	157800
gaaccagaaa	gtgctgtgtg	cgattctgct	agttgcatga	gtcttaggag	atcatcaaa	157860
ggcagattgt	ggggagataa	aaagtatgag	tggggaacag	gattgggggg	agcagaagag	157920
cctcaaaagac	cctgcgacat	tctcaacgtc	tcgatggtga	ctcagagata	gctccaaccc	157980
gcattggcggg	cagagtgcgg	aggggacggc	tttgtggctg	gattagtcac	cccggtgcag	158040
ctcaccctcaa	atcccggtct	ccagccctgg	gccgtccatg	ctgggatgga	ggaagggcag	158100
cctctccgca	gggcatgtc	ctggagcctg	ataacctggc	cagcacactg	tgcaaagtgt	158160
gcattgagaga	gggagttggc	tctgtgttcc	ccacggtggc	caagggacca	gctgtgcctc	158220
agtttccctt	attctatcaa	actttgaaga	aggtcccgtg	aaagtgcac	tgtttccagg	158280
gtagggggcca	gagtcagcca	cccacaccag	agtgaagaat	ggtgggtgcc	ctagccctgg	158340
caggatctgg	cattttgctg	gacggagaga	ggaggcagca	cccactgggg	ctcgggcaac	158400
catcccggtc	acccccgccc	cggcccgcga	ggagaggagg	gaagccttga	agtgcagggc	158460
ctttgaatcg	cccatctcca	tggcaacgcg	tgggcacaaa	gggcccgggc	ggcgagcagg	158520
cggcggtcgc	gcaagctgga	aggaggaagg	gaatctttta	tttatgggga	gggagagctg	158580
gggagccagg	ctgcgcccac	gctcaggggc	aggccgcagt	cttgaggctg	ggccccctgc	158640
cccatagcca	gggcctctga	gcagcacctg	cccacacacc	cctgaccctc	cgtgcctggc	158700

tgggtggacg	gagcatgggc	aaatggaggg	cagaatggag	tgagtgtcca	gcatgcaccc	158760
aacctggaga	tgggcccgag	gggtccctgg	gagcctgcca	tcctccatac	cccagtcctc	158820
gtgatgcggg	caccgcggga	gataccatgc	tgagagccag	ctgggcctgc	agttagggaaa	158880
cgtagcccaa	agcagactgc	agagctggaa	ctcaggtggg	gctgctgcca	taggctctga	158940
agacagcgca	ggagaccggg	aggggtcacc	agtgccaaag	ccctgaggca	agccagagct	159000
gggagcatct	gaggatgggc	attagcgtgg	ggctccaggg	tacagccggt	ccactgcagg	159060
cagcctggcc	tccccagaga	cccagccacg	gctcctcacc	ttggacaggg	ggccctgggc	159120
cttgggcatc	aaatgacctg	cttgccgcgg	tggaggctgc	cataccaggga	cgccggccca	159180
cggcctccag	cggcccgctc	ccaccttccc	aagccctccc	cctcatggct	cacaccctgt	159240
tccttgagcc	cccaaacatg	ggaaatggca	cctgttgtgc	cccagcgggg	gaattctgac	159300
cccagaccct	ggggccagtg	cagaaaccac	cactgaatca	gattttattt	catctaaaaa	159360
atatctgagc	cagattgaaa	gcagcgggga	aagggctcca	tggctgtctc	ccccagcccc	159420
accctccaca	ggccctgggc	cctcccagcc	cccatttccc	ttccttgaga	aagtctaaag	159480
tggggcaata	ttttgtgaaa	ttggaggcac	cacgttgga	attccaaacc	cgtgtgtacg	159540
atgagctgca	cgcgcgtttt	gaacctgccc	tggttttgag	ctgaggggag	cggagggtgc	159600
aggagtgtcc	cactccagag	gcccctgggtg	tgcctgagga	gccctgaggc	tgggcccaga	159660
gcccgttgtg	ggaggcactg	tgcccctgc	ccccaaagtc	agggcctggg	tgcccaggac	159720
actacagacc	ttttggggat	cctgggggtt	gggaagccta	gagctgggac	ccacaggcca	159780
gagtctgagc	tttcatcccc	cacccccgaa	gacgctcccc	cagccactgc	ctgcgcacgc	159840
ggggagacaa	gctcccccca	cgcccacctt	gcctccagca	gggctgttcc	tcccctcatc	159900
tgctggcatc	agttttttct	ttaactgagc	cccattgctg	ggaaaggaga	gctccagggg	159960
accaggcagc	agagagggga	ggagagaagc	catcaaacag	gccgggggct	gggaggccat	160020
gcactcagca	tagagcccca	catggcagca	gggggctgga	tggccggctt	agagcccat	160080
ctctcctgga	cactgttctg	gaatggcccc	tggccctccc	gttccaaaga	tgggaccttc	160140
cggctcccgg	ggaccgggga	tgatgtcccc	caaaccacct	ctcttcccag	acttcatcaa	160200
tggcaatgaa	tgggtgcatcc	tggctggggc	cgccgcccct	cactgtgaga	cttcagccca	160260
gacgagcgcc	cagcccctcc	tggggtctca	gatagtccga	atgaaaggct	cacggctgcc	160320
atgcacttcc	acaggacttt	gtggttccct	ctgcaccccc	ggtgatgctt	tcacccctct	160380
ccagcaccat	tccagaggcc	agaaaacat	gatgtttggg	gtcaaacagc	tgggagaggc	160440
agttggaact	caggccaggc	ctgtctgact	ggacagtgc	gagactggga	ccatgctccc	160500
ctacaagtgc	tgtcagtgc	ccctcgatgc	ccccagagc	ttgccatgcc	ccgacagtcc	160560
cttcatggcc	aaagtgttcc	ctggcacagg	ataccctggg	gtgccatgtc	tgcaagagct	160620
cacacccttc	tctccccagc	tgctgctaac	tgctgccaga	ggtgggagtg	tggagggtct	160680
ggggcctcct	cacccctccc	gcaccaactc	agctccagaa	cattcccagc	agtgagaaga	160740
gggtggccac	tgtgtcgag	ccccaaaggga	tgggcaaggc	catgccagct	ggagtcatcc	160800
atgtcccctc	ggacatgggtg	gcctcattea	gagggcagca	tggaggaagg	tgcaatgagg	160860
gtggctacca	gagacagtgg	agatgaggca	gtcaggaagc	ccagggacag	gactggaggg	160920
gacacacggc	cagcctggga	cagggcataga	ggcctttgtt	ctgcgtgctg	tggcatacgg	160980
tgttggtctc	ggccctggcc	catcttttgt	tagtggtagg	aggggtgctc	tttaatcagc	161040
caactctttg	tttcaaattg	cccctgtcct	tgaaaacact	gcttcaggga	agcgtgagac	161100
aaagccagtt	cagtgggggtg	cctacctggc	cagcagccct	catccgcagg	ggctgctcct	161160
ggggcacgtg	ccagaatcag	acagtcccac	cgtcatgcag	gtgctggggc	cttcagtcag	161220
caggaccagg	cagcccatgt	cctggggacc	cttggggagg	tgtgggcatt	tgctgagttg	161280
ggctgtcatt	tgctagacag	gcgcttggcg	aaggggccct	tttgtgcatt	gatgccctgg	161340
gcagggtgca	gtcctgagtc	ctggagagga	aggcaagctt	tggagttgat	gctgggtcct	161400
aggagggagc	gtgtggtttc	gccagcttct	caaaagtcac	ctgagaccct	gccaagggac	161460
ctccagacat	tcggtgcagg	ctcctggagg	ctggacagag	ggcaccaaag	ggcgacgggc	161520
cccagaggaca	gaggtgtgca	gccaggtggg	gccatggcca	ggctggggacc	tgctggagct	161580
cttgtgtgtg	agcctggagg	agctgccagg	ctgggggaga	tcgggggctg	ggctgggggc	161640
ggggctgggc	gtcagcaggg	tctgcagctc	ccatcttccc	agcttataga	cctgaatatc	161700
caggttgaga	ataaaccatt	ctcccagggc	accatagcct	ccaggaagca	cctcctcctt	161760
ccaccatccg	cctttcagga	ggggcctccc	tggggggctg	tctctgggac	tgcaagggct	161820
gcttggtgta	tctggggctc	tgacatgagt	gagattgttc	cggggcctgt	gctgcccagc	161880
ctcttcccca	acagcttccc	ctggaggcaa	ggggcctggc	aggagctgca	gggagccaat	161940
tatccctgag	gcaagctggc	tgcaagataa	tgggaagaca	ggcttttcac	cagcagccaa	162000
gctctggggc	gactcgcca	caccaggact	tgggacttga	ggatccagag	gtctgccaaa	162060
ccccagcctc	gattgggagc	cccatgtgct	gcatcttacc	aggggagggtg	gcattttctt	162120
ggcaactgag	gggggaagcc	aggtgctgag	tgttgggcca	cgggacgcct	cgcttgggga	162180
cctcccagcc	cttctcctct	gcctcctagg	ggcctcctct	ccttacacat	gaaaacctcc	162240
aatgtctagc	ccagggtccc	agattagggg	tcagtgcgcg	ccccagccca	acttctctctg	162300
ggaagtgtgg	ggttctcccc	ggggcactca	ggcctctttc	ttacagggct	tcccaagggg	162360
aggcatccag	aggaaggcaa	aggctgtgat	caggtagaac	ccgctggacg	ccccaccat	162420
ctccctccat	caacatcaaa	agacaagctg	accaccccca	atgcaagggtg	gacattaggg	162480
ttaaaccctg	agtgaccagc	actcagctcc	cagcctggcc	gggatgagctg	gggggtgggg	162540
gtgggtgggct	catgggggctg	gtgagagccc	ggtgggggtg	gtttcagggtg	ctgcttgctc	162600
agggctcagc	tctgttccct	ggggctccct	cagcccaagg	gcccacctcc	cctctgggca	162660
gccccgatcg	gcgtgttctg	cctcggccag	ctgtcagcca	cctgcagctc	ctccctcatt	162720

gcaccaccct	ggagcatcac	ggtgcccagg	gcaggccgtg	gagacctggc	tagcccatgg	162780
tctgtctcagt	cctcaccagc	tgttgtgaca	gaaacaagtc	tgtgtctgatg	agctgagccg	162840
accaggctgc	agccctcact	tcaggagagg	gtcaggccca	gccaggcctg	gtgagcaggt	162900
gtggggaagg	atgggtgctc	atgtgcggga	agtttctcaa	gagtgggtga	aggaggatag	162960
acaacgaggg	cccagtggat	agggcgggga	ggcagggaaga	ggggacagag	aggggaccag	163020
tgaaggagag	tggagggtag	tgccccctg	ggggaaggat	ggggtggggc	tgggttagc	163080
tgggttgggt	gtgtgggtct	ggcaggggagc	cgggcatggg	agtgggtccc	gaggaaatgct	163140
aggttgagc	caggaccatg	ggcctcacca	gtcatagaag	cctcacctca	gggcagaggg	163200
ggctgacaga	ctgggctgac	gggaaggggg	gcttcctgtc	accagagaac	ataaagggac	163260
cactagtggc	ctgggccatg	aggctctgtg	gcctcaagg	tgctgagctc	aaggtggggc	163320
cagcccatgg	ctgcctttgt	ggggacccca	caaggagatg	ctggcctctg	aggatgctca	163380
gacctgggtc	agcatggcca	ggcctggcc	tcagccaagg	tcagcactgg	ccactaccct	163440
gggggctgag	tctccgtctc	gcctgtgac	atggtgcca	cactatgagc	cagtgtcaac	163500
cctttgcca	tacaccggga	gccttgtgtg	tccatactca	tggctgaggg	cctgtttggg	163560
ggtctctgtg	ttgggggagg	tgggtccagg	gtgcgtggcc	cctgggattg	ttcatcatga	163620
gtgccacctg	gaaggtgctg	gagcctcacc	cgtcctccag	agtgttttgg	ggagatcctg	163680
tgctgacatc	ttggctgggc	caggatggtg	tctaggaggg	acccttggga	gggaagcagg	163740
ggcatcaggg	ggcctgggtc	tgggtgggtg	ggcaggagag	gcctggaggg	cgccggccca	163800
agccagtggc	tgggcaggtg	tcaggagggga	gaggggtgag	gcctggcctc	cctgccacag	163860
cttagccagg	gcctgggggtg	tcttgggggtg	ggacaaggcc	cagggcagag	gcagggtgc	163920
ttgatgcag	ggtggccaca	tcccggcctg	gtgagtgcg	gccactcagt	tctgtggccc	163980
tctgtctgcc	tctgccggcc	gcctctgtcc	ctgcaggccc	agccatctac	ctgcagggtct	164040
ggacagaccc	tcagagccta	ggctgggagg	tctcaggagt	caagacaggg	ttgaatccca	164100
tttgagggca	tctgaaggag	tgagagccta	tgtaacccc	ctgcccagcc	ttgcctcggc	164160
cagtggctcc	caggggactc	tgggtggcag	tggctaaaga	tgacagaggg	gctcagagag	164220
gctgagctgc	tctgtaagg	tgacagtgta	gcaggggccg	agtggccttg	ggagaggcaa	164280
cagcaggagg	gtcctcgtca	tggccacagc	ccagggacag	gaaacccctg	ctgggttccc	164340
ccaccaagta	gctcccatte	ccagccctta	gggtgtctca	ggagaggttc	cgggggaggt	164400
cccacctgcc	tctgccttcc	tcccccaacc	acaccctaaa	tgggtcccag	ctccccagcc	164460
cctcccaaa	gggctcacc	gccagagctc	ggggagaggc	cctgcagggc	ggctgttctt	164520
ccgtgtgctg	gactcctctg	gacactgaaa	gccaatccca	tccatcttaa	tggcatttaa	164580
tatgcacagt	gaaagtccagc	agccacagcc	acgggcgtgt	gctcagggca	aggtttacac	164640
gcggatgcc	ccaggcttag	cccatgagtg	gcctcctggg	tcccaggaga	cctgtggggg	164700
gggggtgcag	ctgggtgggc	catggtagca	gagacctggg	gaggggatgt	gggaggtagg	164760
aactgggcta	ggcagggact	caggggaggg	tgaggcctgg	aacagggaga	ctgagacctc	164820
aaggaggctg	ggacattggg	agtcaagact	tggggaagct	ggaacatggg	caggccgaga	164880
cgcagggggt	taagaatgag	ggtctggtgc	agacctgagt	tggagcccag	ccgctgctgg	164940
ccccacgtag	ctggagagtg	tgctgacccc	atggtggcta	gagaatgtgc	tgttggtagg	165000
gaaggcaagt	gctgggaagg	gaaaagtgtg	gtccatttaa	atgatacgga	agcaggggag	165060
ggaagtgtg	ggtagaggag	ggcatggtcc	cagactaggg	ctccaacccc	acggacctag	165120
gtgagaacag	gcacttccta	cccaaattgt	gcattttctca	cgaccaccct	agcctgccac	165180
gcccccatcc	tgtgcttata	aaatcccccg	agaccttagc	aggcagacac	aggcagctgg	165240
acgtggagag	gaacacatca	gcggagacac	acacgggcgg	ctggatgtcg	agatgaacgc	165300
actgataggc	accggcatgc	tggcaggcca	ctgactggca	gaaccacacg	gagtttggct	165360
ggggcagttg	aggagacagc	cggtgacaca	cgggccccac	tccaggggaa	aaccttccca	165420
ctccaccccc	ttctagcttc	ccctatctgc	tgggagccac	ctccccctca	taaaaccttg	165480
cactcattct	ccaagtccac	gtgtgatctg	actcttctgg	tacacaaagg	caagaacccc	165540
aggatccaga	aagccctctg	actaacacaa	gccaccctac	agacgacaaa	ctaaaaaagc	165600
ccccgtgaca	cacgcccact	ggggcttcag	ctgtaaacct	tcacccttag	acactgctgt	165660
ggggctcggag	ctccacagcc	tgcccgtctg	taagctcccc	tagaggtttg	ggcagcagag	165720
cactgaagaa	gcgagccact	ccccttctca	cacacctgc	tagggcaaca	agggaaacttt	165780
ttccgtttca	ctggcccaag	gtggctggac	agtgtgctgg	ccccacagta	gctggagagt	165840
gtgtcgcgct	ccctggcttt	cctcctgatg	tataaaatga	gttagcgggt	cctgggggct	165900
gttcccacag	tgacgtgggtg	gaggctgacc	ctgacaccca	cccctgctga	atgctcagtg	165960
aatggtgggt	gctgtcagga	agcatcattg	ctgtcctcca	tcagtgtctg	tggggatggg	166020
tgactcttgg	aggatgcttc	cagcaacggt	gcaactgcaa	gacagaggcc	gtccacctgc	166080
ctctgggctt	cctggtgtga	acagatggat	ggatgcgtgg	gcctgctgcg	tgcaggggagc	166140
tgaggctggg	tcttcacctg	tgggcaggag	gctcacacag	gctctgggag	agacagcact	166200
gtggctggga	cagagcccat	gtgatgagat	gcctcgggtg	ccctggcct	ccctcctcgc	166260
tctgccccct	ctggaacatc	acccagagcc	ccccttgctc	ttttggggga	tgtctgggtg	166320
tctgcgggtg	ctgtcactct	tgatcccacc	cacccacccc	tgcagggttg	tggcaggaca	166380
agtgcaggag	tcactctcatg	gctttccctg	ggatctctgt	accgcgtgag	agccggggagc	166440
tgcacacagc	ctgtccacca	tcttgggaac	tcaccctgtt	gctgccgctt	gtcctgggtc	166500
atcctggggc	tcactccttg	ccattcagac	ccctgtgagg	agagcactgg	ctgtgagttg	166560
ctctgtggct	agtgtggca	aggcaggggc	tggagtagat	ccatcacgaa	tagttctttt	166620
tttttttttt	ttttttgaga	tggagtctcg	ctctatcacc	aggctggagt	gtgcgatctc	166680
ggctcactgc	aacctccgac	tccctgggtc	aagcaattct	cctgcctcag	cctcctgagt	166740

agctgggatt	aaaggcacat	gtccctatgc	ccagctaatt	tttgtatfff	tagtagagat	166800
ggggtttcac	catgttggcc	aggacgggtt	cgatctcctg	acctcgatg	ccacctgcct	166860
cagcctccca	aagtgtctgg	attacaggtg	tgagccacgg	tgcccagctg	agaattctta	166920
atgaaatggg	aacatgcctc	ccaggaaatg	cacagggggc	tgacgtgata	gagtggcctc	166980
aggtagtgcc	acaggtgtga	acacgccttc	cacagagggc	agtggacgtg	acatgcctc	167040
acacacactg	tggcgcagg	caagtgtccc	acatgtgttc	atgcttgccg	acatgtcagt	167100
gggctggatg	tgtgtgtgca	cacctgtgtc	atgcctgcag	agaagacagt	ggagagaaat	167160
atgcccaaat	ctcccctctg	ggtccctgcc	ctgggtgctg	ggatgtcaga	acaggtcgat	167220
gtccttttat	ccttccocat	atccaccacg	ctgtctacca	aagcacgctt	tagttttata	167280
atcagaaatg	aaatgcaccg	tttcaagaaa	gccatggggc	agccccctctg	tgccctgggtg	167340
ttggcggggg	cagagggggtg	gggtgtgtag	ggggagatta	gcctcatgca	gccgtggggc	167400
caggagggcc	aaactcagct	tgctcagcac	ctggaggtac	agcgagtacc	aacaacacag	167460
cctagtctga	ccgcggaagg	aaaatcaatg	ctgggcgcaa	ggactgacgg	cagactcact	167520
gggaacactg	tccaccgacg	tcagagctgc	tcacagggca	ccgggagctt	gccagcgagc	167580
ttggctgcct	gtgtttggaa	caaccctggt	gggcgagcac	gggcccccca	cctgactcca	167640
ctcagtgtccc	ttcccagagg	ggagacaaag	gccgtgaaca	gctctggagg	ccctccctgc	167700
cagtgtcccc	caggcctggc	taaagaaatc	tcaaatatcc	cgaaggccct	ggctccagcg	167760
gcccctgcta	tgggtcagcc	tcagggggag	gctcatcttc	aattgacctt	gactgttcca	167820
cattacaaga	taaactgtgg	ggttaaactca	aggcgggtatt	actttgtaaa	gactgtctct	167880
tatacaagag	cgggtggatgc	aaaaacaaaa	acattgcat	gtaagacggg	agtcctccga	167940
gtcctgtctt	cctccattcc	gtgtccttgc	accccatcca	tgtgtggcct	gcatggacag	168000
acagcttcac	acactcagac	tcttccctcc	ccacgcatca	gagatgtgtg	tccctgttac	168060
tgacatgcag	ggaggggctc	atcatcttgg	gcacacccca	tgggtgctctg	agcccatcat	168120
cacctatggt	ggacgttgaa	ggagtcccc	ggttttcctt	ttcaggagcc	atggctcggg	168180
ccagtgccta	ggaggtcaga	ggttgggggc	cacaggagag	gtcactgccc	aaccgtgcca	168240
ccttgagcta	agagtgcggg	cccagggaac	caggcaggcc	cggctctgac	cgtgcgctg	168300
ggcgaccgct	ggctgagacc	tggggctgaa	acacatccca	catcagccaa	ggaaacaggc	168360
tctgcatgag	gcctgaagcc	cctgaagggc	tctgggacag	gaggagagcc	caagccttca	168420
gctgtgatgt	gcacagcacc	gtctgtcctc	cacccaaggg	aactcacctt	ggtgaccctg	168480
ctggaaggca	caggttgcctg	acattctgac	ccctgacatt	cggacctcca	gcagagcctg	168540
cagtttgaga	cctctggttc	aggggctggg	actgatgggg	cccttgggga	ttcccgtgct	168600
gctggaggaa	gatgggggca	tgggggtgtc	cacagcaaa	aagtgagaag	tagaggccgc	168660
cagccccccg	ccccgacctt	tccctggcta	gagtggggca	ggcttggggg	tgagtctggg	168720
gtgctgattt	cacctcctctg	ggccaaagtc	tccccgtgac	tttatggact	gtctccctgt	168780
gctccctgag	accctggttc	tccctcacca	gcctgggtcc	ttcttgtctc	agctcagctg	168840
tcacctcctc	cgggaagccc	ccaagccctt	gagtgggtgc	ccagcaggca	tggctcagtgc	168900
tgaggctaca	agccctgccg	gcacccggca	gggaacacaa	ggccaggtca	ggctctgggg	168960
acagtagaca	agcttatccc	tgacactggg	ggactgcccc	cctgggggag	agagctaggt	169020
caggctgggg	agaggtcagg	ggatggccgg	gcacccctcc	ctgaggagag	ctccacctga	169080
gcaagagtat	caccaggccc	actccagaca	catgcactgc	ctcagacggg	ctggagagag	169140
gggtgtggccg	ggccatggga	tgaaccattc	tgggcggttg	tcctggcatc	accagacatg	169200
tggctctatt	aagcatctcg	actccacagg	agcccatgtg	gcattgtcctc	tgacctcctg	169260
ttcacttctg	aaagggcgcg	ccctctgaga	ttctgccttg	aacctgtcag	ccctcctgac	169320
aaggctctctg	gttcccggcc	atcacaggca	cccagccacc	ctacagagag	gctctgggag	169380
gctcagcctt	gcctggggcc	ccaagactga	tgcctagctg	ggcatctcac	agggagcacc	169440
cctacactga	aaccgcccag	ctcaagccct	gcctgcacct	ctccaagtca	gcagccgacc	169500
ttccccaggg	cccctcccag	cctgcagggg	gtctgaggct	ctgaggcttt	tctgcagcct	169560
ctcagtcctc	cacctgctta	cctgtctcag	cagagagatc	atggctctgg	gttatgtgtg	169620
gcttagtggg	tgctggagct	cgtgtctaac	aacttgggtg	ccccctgaat	cttgacaata	169680
atctgagggg	gcattattat	tactattctc	acttccccga	ggaagaagtc	ccaaaccccg	169740
tctggcaca	agccagcgcc	ccgagtctcc	ctctgcagtc	catgtgctcc	cacgtggggc	169800
atgcttggga	catcacaaca	tctgggtgca	atgcggtctg	tggtgtcact	gtggcattca	169860
gctttcccaa	ggctcacatc	tgctccatcc	agcaaaaggg	tcttgacccc	caagcctgcc	169920
tccctcttca	cacacacaat	cccacttcgt	caaccacaaa	gatgcatggg	tttaccacgc	169980
ctcaacccca	tcggcccttc	cccttccagt	tgccggaggg	ctcgggcccc	ttcagctggg	170040
ctccacattt	cctgacccct	ggcctgcagg	ccctcaagac	tatgccagcc	cgggctcacc	170100
tgggtgccaga	cacctgcac	tccctggggg	gggggttggg	ggcagtaggc	tccgtggacc	170160
tagcacacgt	atgattcttg	gaaaaatgta	atctctctga	ggacagcgat	cccagcttca	170220
aatattgctg	tgggtctctg	ggcaagtccc	tctcctctct	tgagcttcag	tttcccccg	170280
ataaaatgga	tagctgatcg	tagctcctgc	atgggaagg	tgtgaacacc	atgcttgtca	170340
gcagaatata	ccctaatttt	gcaaggaaac	aatatggcag	gggtgggggg	gatctaaata	170400
cctttcctta	tacacgcatt	gaaaaatgatt	atataaagt	gtgaagtgtg	attgcattca	170460
cataaacagt	ggcatgttct	gggatctagc	agacaatctt	aacttcaggga	aatgcaatca	170520
tattttacta	gcttttgagaa	aagtgaataa	aatgtcatag	ctaaatagaa	ctcaagtagg	170580
atctgtgaac	ggcagcatgg	agtggataag	gggataacgt	accgatgagg	gaatttatat	170640
acccagcagc	cagggtttgg	tgacagctga	tacgggaaag	acaaactcca	aattaaatga	170700
atgtgaatga	attcctttgc	ctgcggacag	acaaaaata	tcggtaaaag	tggctacagg	170760

gcaagcagaa	aaatgcaaca	aattagaatg	aacgcagggg	accatgtttc	tggcagagaa	170820
acaaatattt	cagagtacag	gtaagaggca	catggcaaaa	aaaacaacaa	cctgactttg	170880
ccagagctcc	aatgtcatgc	tcacggctga	ggagaaacaa	ttatctcgct	gggaatgagt	170940
gcaagtgaga	gaacggaagg	agtcttgagc	acggttgact	gcatgtgccc	agggggcccg	171000
acaggcagca	cagcggcctc	tctaccctcg	aaggctctgtt	tcttgtctgc	ttcctccttg	171060
agagtggcag	gccttggtaa	ctggcccaac	ctcgggggcg	cccagcagct	gggtccccac	171120
cacatgcccc	agtctggccc	tctcagatct	gcctgtctcc	tgagctggag	aacggagccc	171180
acccctccat	ccccgacact	catctcccat	ccagttgatc	tccttgagga	cccccccacc	171240
gacaactccc	acctggatcc	cctggccctg	gtggggcatc	attctttcaa	aataatccat	171300
gactgtgttc	agtggctcac	gcctgaatcc	cagcactttg	aaaggccaag	gtgggaggat	171360
tgcttgagcc	caggagtttc	agatcagcct	ggggtaacac	agccagacct	tgtctccaca	171420
aaaaactatt	ttttaaaaat	tagctgggtg	cagtcagacc	tatagtccca	gctacttggg	171480
aggctgaggg	agggggatca	caagcccagg	agtccaaggc	tacagtgagc	tgtgatcaca	171540
tcactgcact	ccagcctggg	caacagagac	cttgtctctt	aaaaaaaaaa	aaaaaaaaaa	171600
agccatcagc	tggctcaggg	tagccacctg	ccaaggggtc	ccagctgagc	gtaagacctg	171660
cttcctagga	tttacagagc	tctcttgaaa	ctcggttgtt	tcattgattg	tcacatggag	171720
ccagtgaact	tcaggccagc	cttgttcccc	cagtggggtc	ctcccgtggg	cctgggcacc	171780
cagcgttagg	cctgccctgc	tatggtctgg	atgtgagcag	agatctctgt	gatccctgta	171840
ccccctcgct	ctccccctgc	cctctctgca	gccttgcccc	tggcagcccc	tgcccacctt	171900
cgctctgtg	cagggccaca	ggcttctctg	aagcaaatgc	tagaactttg	agctctttgc	171960
tttttaaaaa	aagataacag	ctttattgag	atataattca	ttatactatt	catttattac	172020
cttttgcaat	ataccatgca	attttttcca	tttcaatggc	acaatcgaat	ggttttttag	172080
tctatacaca	agggttgagca	gacatcaaca	ctctgtagcc	ccagagtatt	tccagacccc	172140
aaagaaactc	cgtgggcctt	ggcagccctt	cccactcccc	ctgtcctcca	cctccagggc	172200
cttaccagtg	ccacagtcac	caggctacat	tatgggcttg	tcttcgtgtg	acttctgtct	172260
ctatgggttt	gcctattctg	aactcttcat	ataaactgaa	ccataaaact	tgtggccgct	172320
tgtgtctggc	atctttcttt	cttttcttaa	aaaaatttca	ctttattttt	agagacaggg	172380
tctccttcca	ttgcccaggg	tggagtgcag	tggcacgata	atagctcact	gcagcctcaa	172440
cctcctgggg	tcaagcaatc	ccctcacctc	agcctcctga	gtagctggga	taacagacat	172500
agaccaccat	gcctgggttaa	ttttgtattt	tttttatagag	atgaggtctt	attatgttgc	172560
ccagactggg	ctagaactct	tgggctcaag	tgactctcct	gccttgggct	cccaaattgc	172620
tgggattaca	gggttgagcc	accacacctg	gctattttta	ttttttaatt	gacacataat	172680
aattgtacat	attcgtgggg	tacgtagtga	tgtttctata	catgcaatgt	atggtgatca	172740
gatgagggta	attagcacac	ctatcatctc	aaacatttat	catttctttg	cattacgaac	172800
actcaatatt	ctctttctag	ctagctgaaa	atacataatt	tttgttttgg	tttggatttt	172860
ggtttttgtt	ttttgttttt	gagacagggc	ctcactctgt	tgcccaggct	ggagtgcagt	172920
agcaccatca	cgactcactg	tagcctctac	gtcccaaggc	tcaggtgata	ctcctgcctc	172980
agcaacccca	gtagctggga	ctacaggcat	ctaccaccac	acctggctaa	cttttgtatg	173040
ttctgtagtg	atgggatttg	accatgttgc	ctaggctggg	tgtgaactgc	tgggctcaag	173100
caattctacc	cctctaggcc	tcccaaagtg	ctgggattac	aggcgtgagc	cgtgacacct	173160
gaccataaat	atgttgttgt	taactagagt	catcctacat	tgggtagaaa	cactagaact	173220
tattcctgcc	atgtagctat	aattttgtat	ccttcaacac	atctctccct	ccctctccct	173280
cccttctttc	caccttctcc	agcctctact	atcctctgtt	ctacttttga	cttctatgag	173340
gccagctttt	tttagcttcc	gcataagagc	agaacatgc	ggtgtttaac	tttctgttct	173400
gtctcatttc	acttaacata	agtttctcca	gttccactga	tgtgactggc	ttcttcgatt	173460
ttgcatactt	tcaaagtcca	tccatgtcat	ggcatgcatt	agtacttcat	tcctttttat	173520
agcttaatag	tattccactg	tatggatgga	tcacgttttg	tttgaccgt	tttgctgttg	173580
tgaatagtgc	tactgtgcac	cagggttgta	ttcctctgtg	tgccactggg	ttgagggttg	173640
ggggatggta	gggtgtccca	taaaggggga	aattgactga	tactggctga	aatggaccag	173700
gctcttcatt	aagctggcct	ctgaatgttg	caaaaagcatt	ctgttggttt	ccaggatcac	173760
tgcttaagac	ggttctcttc	agtaccactg	tgttccaggg	gagggatggg	ttcccggagc	173820
ttcctgatct	ggcaccttct	ctgatgtcac	cctcagaccc	tctgcttttg	agccccaggg	173880
tacagagtaa	aagctctgatg	gtaggatgtg	agggtagggg	ccttctctga	cccggcaccc	173940
acatgaggca	ggactgagaa	cacctgagg	actgcccggg	tggctggggg	gctgaagcca	174000
ggcttgggcc	ctccacaggg	catgcatgac	aaggaccacc	ctgtctctga	gctttgcctt	174060
ggccttgccg	tgacattttc	agggtgtgtt	cagcttagat	tctgctctgg	ggtttcccgt	174120
gtaagaacag	ggatgacgtc	taagcccttg	tctggcattt	gtcaggaata	ttgggagagg	174180
caatgtggca	gtgtgagaaa	caagctcacc	catccaaacc	tgaagaatgg	actcagaggc	174240
acgagcagtg	aaagtgaagc	tttttttttt	ttttttttga	gacggagtct	cgctctgtcg	174300
cccaggctgg	agtgcagagg	cgccatctcg	gctcactgca	agctccgcct	cccgggttca	174360
cgccattctc	ctgcctcagc	ctcccagata	gctgggacta	caggtgcccc	ccaccacacc	174420
tggctaattt	tttgtatttt	tagtagagac	gggggtttcac	cgtgttagcc	aggatggtct	174480
ggatctcctg	acctggtgat	ccgcccgcct	ccgcctccca	aagtgtctgg	attacaggcg	174540
tgagccacca	tgcccgggaa	agttagactt	ttaatatgtg	tcttgcgaga	ttggtgtctg	174600
gtggataggc	gcactcaggg	cagtcacagc	agaactta	tgccctagca	cacaagtccc	174660
tctcctcat	tggctgagta	ctatgggggt	acaatcttcc	aggacattgc	ctaagtttca	174720
ttatccacct	tataagggtta	taccccgctc	ccttccccgc	ttaagtttca	attttccaat	174780

```
//      aacgaaactt tcttcccttt tatgggctga ccctttttct acattctgtc tgcttattgt      174840
```